

APPENDIX C

Laboratory Reports



Tetra Tech Inc (HI)
737 Bishop St, Suite 3020
Honolulu, Hawaii 96813
Tel: 808-533-3366
Fax: 808-533-3306
RE: Earhart and Onizuka Sampling

Work Order No.: 1009003

Dear Yvonne Parry:

Torrent Laboratory, Inc. received 28 sample(s) on September 01, 2010 for the analyses presented in the following Report.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

N. S. Kabir

Nutan Kabir

September 13, 2010

Date



Date: 9/13/2010

Client: Tetra Tech Inc (HI)

Project: Earhart and Onizuka Sampling

Work Order: 1009003

CASE NARRATIVE

No issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Analytical Comments, General, For all samples -Note: Samples processed under Incremental Sampling Procedure SOP TCI0109. Sample collection date and time is reflective of Hawaiian Standard Time (HST) while all analytical dates and times are reflective of Pacific Standard Time (PST).

Analytical Comments for METHOD 8081S_Tetra Tech, ALL SAMPLE, Note: Per client request, whenever possible (where matrix interference does not preclude it), sample data is reported to the MDL. Results reported between the MDL and PQL are qualified with the appropriate "J" flag and should be considered as estimated values



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10

Date Reported: 09/13/10

EAR2-RA-33a-06

1009003-001

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	3.0	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.15	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.19	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.098	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.7	mg/Kg

EAR2-RA-33a-12

1009003-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.4	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.058	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.043	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.079	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.7	mg/Kg

EAR2-RA-54c-06

1009003-003

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.2	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.053	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.049	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.081	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.7	mg/Kg

EAR2-RA-54c-12

1009003-004

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.2	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.23	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.7	mg/Kg
4,4'-DDD	SW8081A	100	0.047	0.20	0.13	mg/Kg
4,4'-DDT	SW8081A	100	0.081	0.20	0.27	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10

Date Reported: 09/13/10

EAR2-RA-13d-06

1009003-005

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.89	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.12	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.7	mg/Kg

EAR2-RA-13d-12

1009003-006

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.73	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.086	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.5	mg/Kg

EAR2-RA-13e-06

1009003-007

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.94	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.078	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.066	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.14	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.9	mg/Kg
4,4'-DDD	SW8081A	100	0.047	0.20	0.058	mg/Kg

EAR2-RA-13e-12

1009003-008

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.43	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.065	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	1.4	mg/Kg

EAR2-RA-5e-06

1009003-009

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.35	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.055	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.11	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	1.7	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10

Date Reported: 09/13/10

EAR2-RA-5e-12

1009003-010

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.0	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.030	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.032	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.11	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.7	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.049	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.026	mg/Kg

EAR2-RA-5d-06

1009003-011

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	25	0.011	0.050	0.13	mg/Kg
gamma-Chlordane	SW8081A	25	0.011	0.050	0.017	mg/Kg
alpha-Chlordane	SW8081A	25	0.0090	0.050	0.013	mg/Kg
4,4'-DDE	SW8081A	25	0.012	0.050	0.081	mg/Kg
Dieldrin	SW8081A	25	0.011	0.050	0.72	mg/Kg
4,4'-DDT	SW8081A	25	0.020	0.050	0.057	mg/Kg

EAR2-RA-5d-12

1009003-012

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.042	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.0096	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.0096	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.14	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.27	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.061	mg/Kg

EAR2-RA-5a-6-1

1009003-013

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.23	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.030	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.1	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10

Date Reported: 09/13/10

EAR2-RA-5a-12

1009003-014

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.073	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.0080	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.0057	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.16	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.30	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.0064	mg/Kg
4,4'-DDD	SW8081A	10	0.0047	0.020	0.0073	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.18	mg/Kg

EAR2-RA-5a-6-2

1009003-015

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.20	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.034	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.92	mg/Kg

EAR2-RA-5a-6-3

1009003-016

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.34	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.023	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.021	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.047	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.4	mg/Kg

EAR2-RA-33b-6

1009003-017

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	3.9	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.056	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.081	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.064	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.2	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10

Date Reported: 09/13/10

EAR2-RA-33b-12

1009003-018

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.4	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.089	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.047	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.075	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.3	mg/Kg

EAR2-RA-33c-6

1009003-019

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.4	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.062	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.086	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.055	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.3	mg/Kg

EAR2-RA-33c-12

1009003-020

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.8	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.095	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.12	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.051	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.6	mg/Kg

EAR2-RA-5b-6

1009003-021

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.26	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.042	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.049	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.095	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	1.1	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.015	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.038	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	0.34	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10

Date Reported: 09/13/10

EAR2-RA-5b-12

1009003-022

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.81	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.037	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.039	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.19	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.2	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.065	mg/Kg

EAR2-RA-33d-6

1009003-023

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.58	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.038	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.036	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.061	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.6	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.077	mg/Kg

EAR2-RA-33d-12

1009003-024

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.70	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.058	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.068	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.086	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.6	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.052	mg/Kg

EAR2-RA-6a-06

1009003-025

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.4	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.066	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.071	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.036	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.6	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10

Date Reported: 09/13/10

EAR2-RA-6a-12

1009003-026

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	5.8	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.073	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	3.9	mg/Kg

EAR2-RA-5c-06

1009003-027

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.34	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.025	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.031	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.11	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.3	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.063	mg/Kg

EAR2-RA-5c-12

1009003-028

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	25	0.011	0.050	0.20	mg/Kg
gamma-Chlordane	SW8081A	25	0.011	0.050	0.016	mg/Kg
alpha-Chlordane	SW8081A	25	0.0090	0.050	0.015	mg/Kg
4,4'-DDE	SW8081A	25	0.012	0.050	0.21	mg/Kg
Dieldrin	SW8081A	25	0.011	0.050	0.79	mg/Kg
4,4'-DDD	SW8081A	25	0.012	0.050	0.013	mg/Kg
4,4'-DDT	SW8081A	25	0.020	0.050	0.085	mg/Kg



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33a-06	Lab Sample ID:	1009003-001A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 8:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	3.0		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.15	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.19	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.098	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	4.7		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33a-12	Lab Sample ID:	1009003-002A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 8:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	2.4		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.058	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.043	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.079	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	3.7		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-54c-06	Lab Sample ID:	1009003-003A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 9:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	1.2		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.053	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.049	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.081	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	3.7		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-54c-12	Lab Sample ID:	1009003-004A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 9:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	1.2		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	ND		mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.23		mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	2.7		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	0.13	J	mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	0.27		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-13d-06	Lab Sample ID:	1009003-005A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 9:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	0.89		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	ND		mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.12	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	3.7		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-13d-12	Lab Sample ID:	1009003-006A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 9:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	0.73		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	ND		mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.086	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	2.5		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-13e-06	Lab Sample ID:	1009003-007A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 9:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	0.94		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.078	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.066	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.14	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	3.9		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	0.058	J	mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-13e-12	Lab Sample ID:	1009003-008A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 10:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	0.43		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	ND		mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.065	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	1.4		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5e-06	Lab Sample ID:	1009003-009A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 10:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	0.35		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	ND		mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.055	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.11	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	1.7		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5e-12	Lab Sample ID:	1009003-010A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 10:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	50	0.022	0.10	1.0		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	50	0.021	0.10	0.030	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	50	0.018	0.10	0.032	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	50	0.024	0.10	0.11		mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	50	0.021	0.10	2.7		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	50	0.040	0.10	0.049	J	mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	50	0.020	0.10	0.026	J	mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	50	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	50	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5d-06	Lab Sample ID:	1009003-011A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 11:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	25	0.011	0.050	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	25	0.0099	0.050	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	25	0.0091	0.050	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	25	0.012	0.050	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	25	0.028	0.050	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	25	0.011	0.050	0.13		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	25	0.0079	0.050	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	25	0.011	0.050	0.017	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	25	0.0090	0.050	0.013	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	25	0.015	0.050	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	25	0.012	0.050	0.081		mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	25	0.011	0.050	0.72		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	25	0.014	0.050	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	25	0.012	0.050	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	25	0.038	0.050	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	25	0.020	0.050	0.057		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	25	0.026	0.050	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	25	0.012	0.050	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	25	0.015	0.13	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	25	0.010	0.050	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	25	0.25	0.50	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	25	0.25	2.5	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	25	52.5	139	116		%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	25	50.2	139	132		%	402153	1024

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5d-12	Lab Sample ID:	1009003-012A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 11:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	10	0.0044	0.020	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	10	0.0040	0.020	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	10	0.0036	0.020	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	10	0.0049	0.020	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	10	0.011	0.020	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	10	0.0044	0.020	0.042		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	10	0.0032	0.020	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	10	0.0042	0.020	0.0096	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	10	0.0036	0.020	0.0096	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	10	0.0059	0.020	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	10	0.0048	0.020	0.14		mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	10	0.0043	0.020	0.27		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	10	0.0057	0.020	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	10	0.0047	0.020	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	10	0.015	0.020	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	10	0.0081	0.020	0.061		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	10	0.010	0.020	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	10	0.0049	0.020	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	10	0.0062	0.050	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	10	0.0040	0.020	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	10	0.10	0.20	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	10	0.10	1.0	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	10	52.5	139	96.6		%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	10	50.2	139	128		%	402153	1024

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5a-6-1	Lab Sample ID:	1009003-013A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 11:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	50	0.022	0.10	0.23		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	50	0.021	0.10	ND		mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	50	0.024	0.10	0.030	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	50	0.021	0.10	1.1		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	50	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	50	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5a-12	Lab Sample ID:	1009003-014A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 11:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	10	0.0044	0.020	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	10	0.0040	0.020	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	10	0.0036	0.020	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	10	0.0049	0.020	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	10	0.011	0.020	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	10	0.0044	0.020	0.073		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	10	0.0032	0.020	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	10	0.0042	0.020	0.0080	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	10	0.0036	0.020	0.0057	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	10	0.0059	0.020	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	10	0.0048	0.020	0.16		mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	10	0.0043	0.020	0.30		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	10	0.0057	0.020	0.0064	J	mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	10	0.0047	0.020	0.0073	J	mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	10	0.015	0.020	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	10	0.0081	0.020	0.18		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	10	0.010	0.020	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	10	0.0049	0.020	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	10	0.0062	0.050	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	10	0.0040	0.020	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	10	0.10	0.20	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	10	0.10	1.0	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	10	52.5	139	101		%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	10	50.2	139	126		%	402153	1024

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5a-6-2	Lab Sample ID:	1009003-015A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 11:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	50	0.022	0.10	0.20		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	50	0.021	0.10	ND		mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	50	0.024	0.10	0.034	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	50	0.021	0.10	0.92		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	50	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	50	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5a-6-3	Lab Sample ID:	1009003-016A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 12:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	50	0.022	0.10	0.34		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	50	0.021	0.10	0.023	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	50	0.018	0.10	0.021	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	50	0.024	0.10	0.047	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	50	0.021	0.10	1.4		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	50	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	50	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33b-6	Lab Sample ID:	1009003-017A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 13:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	3.9		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.056	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.081	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.064	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	3.2		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33b-12	Lab Sample ID:	1009003-018A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 14:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	1.4		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.089	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.047	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.075	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	3.3		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33c-6	Lab Sample ID:	1009003-019A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 14:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	1.4		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.062	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.086	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.055	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	3.3		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33c-12	Lab Sample ID:	1009003-020A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 14:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/9/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402153	1024
gamma-BHC	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
beta-BHC	SW8081A	9/9/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402153	1024
delta-BHC	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Heptachlor	SW8081A	9/9/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402153	1024
Aldrin	SW8081A	9/9/10	09/12/10	100	0.044	0.20	1.8		mg/Kg	402153	1024
Heptachlor epoxide	SW8081A	9/9/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402153	1024
gamma-Chlordane	SW8081A	9/9/10	09/12/10	100	0.042	0.20	0.095	J	mg/Kg	402153	1024
alpha-Chlordane	SW8081A	9/9/10	09/12/10	100	0.036	0.20	0.12	J	mg/Kg	402153	1024
Endosulfan I	SW8081A	9/9/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402153	1024
4,4'-DDE	SW8081A	9/9/10	09/12/10	100	0.048	0.20	0.051	J	mg/Kg	402153	1024
Dieldrin	SW8081A	9/9/10	09/12/10	100	0.043	0.20	2.6		mg/Kg	402153	1024
Endrin	SW8081A	9/9/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402153	1024
4,4'-DDD	SW8081A	9/9/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402153	1024
Endosulfan II	SW8081A	9/9/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402153	1024
4,4'-DDT	SW8081A	9/9/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402153	1024
Endrin aldehyde	SW8081A	9/9/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402153	1024
Endosulfan sulfate	SW8081A	9/9/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402153	1024
Methoxychlor	SW8081A	9/9/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402153	1024
Endrin Ketone	SW8081A	9/9/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402153	1024
Chlordane	SW8081A	9/9/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402153	1024
Toxaphene	SW8081A	9/9/10	09/12/10	100	1.0	10	ND		mg/Kg	402153	1024
TCMX (S)	SW8081A	9/9/10	09/12/10	100	52.5	139	0.000	S,D	%	402153	1024
DCBP (S)	SW8081A	9/9/10	09/12/10	100	50.2	139	0.000	S,D	%	402153	1024

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5b-6	Lab Sample ID:	1009003-021A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 15:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/8/10	09/12/10	20	0.0088	0.040	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	20	0.0079	0.040	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	20	0.0073	0.040	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	20	0.0098	0.040	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	20	0.022	0.040	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	20	0.0088	0.040	0.26		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	20	0.0063	0.040	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	20	0.0084	0.040	0.042		mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	20	0.0072	0.040	0.049		mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	20	0.012	0.040	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	20	0.0095	0.040	0.095		mg/Kg	402141	1023
Dieldrin	SW8081A	9/8/10	09/12/10	20	0.0085	0.040	1.1		mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	20	0.011	0.040	0.015	J	mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	20	0.0094	0.040	ND		mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	20	0.031	0.040	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	20	0.016	0.040	0.038	J	mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	20	0.021	0.040	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	20	0.0098	0.040	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	20	0.012	0.10	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	20	0.0080	0.040	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	20	0.20	0.40	0.34	J	mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	20	0.20	2.0	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	20	52.5	139	114		%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	20	50.2	139	132		%	402141	1023

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5b-12	Lab Sample ID:	1009003-022A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 15:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/8/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	50	0.022	0.10	0.81		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	50	0.021	0.10	0.037	J	mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	50	0.018	0.10	0.039	J	mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	50	0.024	0.10	0.19		mg/Kg	402141	1023
Dieldrin	SW8081A	9/8/10	09/12/10	50	0.021	0.10	1.2		mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	50	0.040	0.10	0.065	J	mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	50	52.5	139	0.000	S,D	%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	50	50.2	139	0.000	S,D	%	402141	1023

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33d-6	Lab Sample ID:	1009003-023A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 15:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/8/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	50	0.022	0.10	0.58		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	50	0.021	0.10	0.038	J	mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	50	0.018	0.10	0.036	J	mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	50	0.024	0.10	0.061	J	mg/Kg	402141	1023
Dieldrin	SW8081A	9/8/10	09/12/10	50	0.021	0.10	1.6		mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	50	0.040	0.10	0.077	J	mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	50	52.5	139	0.000	S,D	%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	50	50.2	139	0.000	S,D	%	402141	1023

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-33d-12	Lab Sample ID:	1009003-024A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 15:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/8/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	50	0.022	0.10	0.70		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	50	0.021	0.10	0.058	J	mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	50	0.018	0.10	0.068	J	mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	50	0.024	0.10	0.086	J	mg/Kg	402141	1023
Dieldrin	SW8081A	9/8/10	09/12/10	50	0.021	0.10	2.6		mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	50	0.040	0.10	0.052	J	mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	50	52.5	139	0.000	S,D	%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	50	50.2	139	0.000	S,D	%	402141	1023

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-6a-06	Lab Sample ID:	1009003-025A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 16:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/8/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	50	0.022	0.10	1.4		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	50	0.021	0.10	0.066	J	mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	50	0.018	0.10	0.071	J	mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	50	0.024	0.10	0.036	J	mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	50	52.5	139	0.000	S,D	%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	50	50.2	139	0.000	S,D	%	402141	1023

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/8/10	09/12/10	100	0.043	0.20	3.6		mg/Kg	402141	1023
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-6a-12	Lab Sample ID:	1009003-026A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 16:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/8/10	09/12/10	200	0.088	0.40	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	200	0.079	0.40	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	200	0.073	0.40	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	200	0.22	0.40	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	200	0.088	0.40	5.8		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	200	0.063	0.40	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	200	0.084	0.40	ND		mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	200	0.072	0.40	0.073	J	mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	200	0.12	0.40	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	200	0.095	0.40	ND		mg/Kg	402141	1023
Dieldrin	SW8081A	9/8/10	09/12/10	200	0.085	0.40	3.9		mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	200	0.11	0.40	ND		mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	200	0.094	0.40	ND		mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	200	0.31	0.40	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	200	0.16	0.40	ND		mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	200	0.21	0.40	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	200	0.12	1.0	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	200	0.080	0.40	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	200	2.0	4.0	ND		mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	200	2.0	20	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	200	52.5	139	0.000	S,D	%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	200	50.2	139	0.000	S,D	%	402141	1023

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5c-06	Lab Sample ID:	1009003-027A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 16:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/8/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	50	0.022	0.10	0.34		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	50	0.021	0.10	0.025	J	mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	50	0.018	0.10	0.031	J	mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	50	0.024	0.10	0.11		mg/Kg	402141	1023
Dieldrin	SW8081A	9/8/10	09/12/10	50	0.021	0.10	1.3		mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	50	0.040	0.10	0.063	J	mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	50	52.5	139	0.000	S,D	%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	50	50.2	139	0.000	S,D	%	402141	1023

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/01/10
Date Reported: 09/13/10

Client Sample ID:	EAR2-RA-5c-12	Lab Sample ID:	1009003-028A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/30/10 / 16:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/8/10	09/12/10	25	0.011	0.050	ND		mg/Kg	402141	1023
gamma-BHC	SW8081A	9/8/10	09/12/10	25	0.0099	0.050	ND		mg/Kg	402141	1023
beta-BHC	SW8081A	9/8/10	09/12/10	25	0.0091	0.050	ND		mg/Kg	402141	1023
delta-BHC	SW8081A	9/8/10	09/12/10	25	0.012	0.050	ND		mg/Kg	402141	1023
Heptachlor	SW8081A	9/8/10	09/12/10	25	0.028	0.050	ND		mg/Kg	402141	1023
Aldrin	SW8081A	9/8/10	09/12/10	25	0.011	0.050	0.20		mg/Kg	402141	1023
Heptachlor epoxide	SW8081A	9/8/10	09/12/10	25	0.0079	0.050	ND		mg/Kg	402141	1023
gamma-Chlordane	SW8081A	9/8/10	09/12/10	25	0.011	0.050	0.016	J	mg/Kg	402141	1023
alpha-Chlordane	SW8081A	9/8/10	09/12/10	25	0.0090	0.050	0.015	J	mg/Kg	402141	1023
Endosulfan I	SW8081A	9/8/10	09/12/10	25	0.015	0.050	ND		mg/Kg	402141	1023
4,4'-DDE	SW8081A	9/8/10	09/12/10	25	0.012	0.050	0.21		mg/Kg	402141	1023
Dieldrin	SW8081A	9/8/10	09/12/10	25	0.011	0.050	0.79		mg/Kg	402141	1023
Endrin	SW8081A	9/8/10	09/12/10	25	0.014	0.050	ND		mg/Kg	402141	1023
4,4'-DDD	SW8081A	9/8/10	09/12/10	25	0.012	0.050	0.013	J	mg/Kg	402141	1023
Endosulfan II	SW8081A	9/8/10	09/12/10	25	0.038	0.050	ND		mg/Kg	402141	1023
4,4'-DDT	SW8081A	9/8/10	09/12/10	25	0.020	0.050	0.085		mg/Kg	402141	1023
Endrin aldehyde	SW8081A	9/8/10	09/12/10	25	0.026	0.050	ND		mg/Kg	402141	1023
Endosulfan sulfate	SW8081A	9/8/10	09/12/10	25	0.012	0.050	ND		mg/Kg	402141	1023
Methoxychlor	SW8081A	9/8/10	09/12/10	25	0.015	0.13	ND		mg/Kg	402141	1023
Endrin Ketone	SW8081A	9/8/10	09/12/10	25	0.010	0.050	ND		mg/Kg	402141	1023
Chlordane	SW8081A	9/8/10	09/12/10	25	0.25	0.50	ND		mg/Kg	402141	1023
Toxaphene	SW8081A	9/8/10	09/12/10	25	0.25	2.5	ND		mg/Kg	402141	1023
TCMX (S)	SW8081A	9/8/10	09/12/10	25	52.5	139	131		%	402141	1023
DCBP (S)	SW8081A	9/8/10	09/12/10	25	50.2	139	138		%	402141	1023

NOTE: Reporting limits increased due to dilution necessary for quantitation.



MB Summary Report

Work Order:	1009003	Prep Method:	3545MI_OCP	Prep Date:	09/08/10	Prep Batch:	1023
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/12/10	Analytical Batch:	402141
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
alpha-BHC	0.44	2.0	ND	
gamma-BHC	0.40	2.0	ND	
beta-BHC	0.36	2.0	ND	
delta-BHC	0.49	2.0	ND	
Heptachlor	1.1	2.0	ND	
Aldrin	0.44	2.0	ND	
Heptachlor epoxide	0.32	2.0	ND	
gamma-Chlordane	0.42	2.0	ND	
alpha-Chlordane	0.36	2.0	ND	
Endosulfan I	0.59	2.0	ND	
4,4'-DDE	0.48	2.0	ND	
Dieldrin	0.43	2.0	ND	
Endrin	0.57	2.0	ND	
4,4'-DDD	0.47	2.0	ND	
Endosulfan II	1.5	2.0	ND	
4,4'-DDT	0.81	2.0	ND	
Endrin aldehyde	1.0	2.0	ND	
Endosulfan sulfate	0.49	2.0	ND	
Methoxychlor	0.62	5.0	ND	
Endrin Ketone	0.40	2.0	ND	
Chlordane	10	20	ND	
Toxaphene	10	100	ND	
TCMX (S)			92.1	
DCBP (S)			106	



MB Summary Report

Work Order:	1009003	Prep Method:	3545MI_OCP	Prep Date:	09/09/10	Prep Batch:	1024
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/12/10	Analytical Batch:	402153
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.00044	0.0020	ND		
gamma-BHC	0.00040	0.0020	ND		
beta-BHC	0.00036	0.0020	ND		
delta-BHC	0.00049	0.0020	ND		
Heptachlor	0.0011	0.0020	ND		
Aldrin	0.00044	0.0020	ND		
Heptachlor epoxide	0.00032	0.0020	ND		
gamma-Chlordane	0.00042	0.0020	ND		
alpha-Chlordane	0.00036	0.0020	ND		
Endosulfan I	0.00059	0.0020	ND		
4,4'-DDE	0.00048	0.0020	ND		
Dieldrin	0.00043	0.0020	ND		
Endrin	0.00057	0.0020	ND		
4,4'-DDD	0.00047	0.0020	ND		
Endosulfan II	0.0015	0.0020	ND		
4,4'-DDT	0.00081	0.0020	ND		
Endrin aldehyde	0.0010	0.0020	ND		
Endosulfan sulfate	0.00049	0.0020	ND		
Methoxychlor	0.00062	0.0050	ND		
Endrin Ketone	0.00040	0.0020	ND		
Chlordane	0.010	0.020	ND		
Toxaphene	0.010	0.10	ND		
TCMX (S)			96.5		
DCBP (S)			95.6		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order: 1009003	Prep Method: 3545MI_OCP	Prep Date: 09/08/10	Prep Batch: 1023
Matrix: Soil	Analytical Method: SW8081A	Analyzed Date: 09/12/10	Analytical Batch: 402141
Units: ug/Kg			

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	87.9	96.1	8.75	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	89.2	96.0	7.57	56.9 - 124	30	
beta-BHC	0.36	2.0		20	95.8	99.1	3.22	44.2 - 125	30	
delta-BHC	0.49	2.0		20	84.1	94.5	11.7	61.5 - 116	30	
Heptachlor	1.1	2.0		20	88.6	95.8	7.90	63.6 - 125	30	
Aldrin	0.44	2.0		20	94.8	99.3	4.39	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	96.7	99.6	3.18	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	95.4	99.1	3.67	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	94.1	98.7	4.86	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	85.5	97.8	13.4	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	93.3	96.9	3.60	45.3 - 123	30	
Dieldrin	0.43	2.0		20	91.9	96.1	4.33	44 - 128	30	
Endrin	0.57	2.0		20	90.9	99.3	8.74	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	87.9	95.0	7.60	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	73.8	90.4	20.0	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	97.5	99.7	2.21	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	79.6	92.3	14.9	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	81.3	94.1	14.4	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	95.8	99.9	4.02	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	79.7	96.3	19.1	53.9 - 120	30	
TCMX (S)				2100	95.0	99.0		52.5 - 121		
DCBP (S)				2100	101	101		50.2 - 121		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1009003	Prep Method:	3545MI_OCP	Prep Date:	09/09/10	Prep Batch:	1024
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/12/10	Analytical Batch:	402153
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.439	2		20	104.439	99.7		44.2 - 125	30	
gamma-BHC	0.396	2		20	104.088	97.9		56.9 - 124	30	
beta-BHC	0.364	2		20	115.934	107		44.2 - 125	30	
delta-BHC	0.49	2		20	93.0845	96.0		61.5 - 116	30	
Heptachlor	1.1	2		20	111.4605	104		63.6 - 125	30	
Aldrin	0.44	2		20	106.82	99.3		53 - 126	30	
Heptachlor epoxide	0.316	2		20	113.3975	104		54.6 - 130	30	
gamma-Chlordane	0.42	2		20	113.8755	104		68.7 - 123	30	
alpha-Chlordane	0.358	2		20	111.876	103		42.4 - 128	30	
Endosulfan I	0.59	2		20	93.227	100		61.2 - 119	30	
4,4'-DDE	0.476	2		20	109.622	100		45.3 - 123	30	
Dieldrin	0.427	2		20	113.3235	104		44 - 128	30	
Endrin	0.569	2		20	108.3585	101		44.1 - 126	30	
4,4'-DDD	0.47	2		20	113.578	101		39.6 - 123	30	
Endosulfan II	1.526	2		20	80.026	91.2		56.7 - 112	30	
4,4'-DDT	0.809	2		20	108.137	99.2		52.8 - 134	30	
Endrin aldehyde	1.028	2		20	74.906	85.0		50.2 - 113	30	
Endosulfan sulfate	0.489	2		20	91.7665	98.3		62.1 - 116	30	
Methoxychlor	0.616	5		20	99.5505	91.2		55.2 - 126	30	
Endrin Ketone	0.401	2		20	93.1545	91.3		53.9 - 120	30	
TCMX (S)				2100	98.620857	99.4		52.5 - 121		
					1428571					
DCBP (S)				2100	100.146	99.8		50.2 - 121		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit (PQL) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m³ , mg.m³ , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm ² surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Tetra Tech Inc (HI)

Date and Time Received: 9/1/2010 14:00

Project Name: Earhart and Onizuka Sampling

Received By: NG

Work Order No.: 1009003

Physically Logged By: NG

Checklist Completed By: NG

Carrier Name: FedEx

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 6 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt?

pH Checked by:

pH Adjusted by:



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/1/2010
Report Due Date:	9/13/2010	Time Received:	14:00
Comments:	5 day TAT!!!(+2days for drying) Recv'd 28 soils for 8081@6'C.Pls. email an EDD result to Y.Parry ; G.Eaton ;T.Whitehead; J.Mollison.Incremental sampling required.Samples need to be air dried.		
Work Order # :	1009003		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009003-001A	EAR2-RA-33a-06	08/30/10 8:50	Soil	02/28/11			EDD S_8081MITetra	
Sample Note: Multi incremental sampling for 8081 proceed with air-drying, sieving and subsampling as per HDOH guidance.								
1009003-002A	EAR2-RA-33a-12	08/30/10 8:55	Soil	02/28/11			S_8081MITetra	
1009003-003A	EAR2-RA-54c-06	08/30/10 9:05	Soil	02/28/11			S_8081MITetra	
1009003-004A	EAR2-RA-54c-12	08/30/10 9:10	Soil	02/28/11			S_8081MITetra	
1009003-005A	EAR2-RA-13d-06	08/30/10 9:30	Soil	02/28/11			S_8081MITetra	
1009003-006A	EAR2-RA-13d-12	08/30/10 9:35	Soil	02/28/11			S_8081MITetra	
1009003-007A	EAR2-RA-13e-06	08/30/10 9:55	Soil	02/28/11			S_8081MITetra	
1009003-008A	EAR2-RA-13e-12	08/30/10 10:00	Soil	02/28/11			S_8081MITetra	
1009003-009A	EAR2-RA-5e-06	08/30/10 10:15	Soil	02/28/11			S_8081MITetra	
1009003-010A	EAR2-RA-5e-12	08/30/10 10:20	Soil	02/28/11			S_8081MITetra	
1009003-011A	EAR2-RA-5d-06	08/30/10 11:05	Soil	02/28/11			S_8081MITetra	
1009003-012A	EAR2-RA-5d-12	08/30/10 11:10	Soil	02/28/11			S_8081MITetra	
1009003-013A	EAR2-RA-5a-6-1	08/30/10 11:45	Soil	02/28/11			S_8081MITetra	
1009003-014A	EAR2-RA-5a-12	08/30/10 11:50	Soil	02/28/11			S_8081MITetra	
1009003-015A	EAR2-RA-5a-6-2	08/30/10 11:55	Soil	02/28/11			S_8081MITetra	
1009003-016A	EAR2-RA-5a-6-3	08/30/10 12:00	Soil	02/28/11			S_8081MITetra	
1009003-017A	EAR2-RA-33b-6	08/30/10 13:55	Soil	02/28/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/1/2010
Report Due Date:	9/13/2010	Time Received:	14:00
Comments:	5 day TAT!!!(+2days for drying) Recv'd 28 soils for 8081@6'C.Pls. email an EDD result to Y.Parry ; G.Eaton ;T.Whitehead; J.Mollison.Incremental sampling required.Samples need to be air dried.		
Work Order # :	1009003		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009003-018A	EAR2-RA-33b-12	08/30/10 14:00	Soil	02/28/11			S_8081MITetra	
1009003-019A	EAR2-RA-33c-6	08/30/10 14:05	Soil	02/28/11			S_8081MITetra	
1009003-020A	EAR2-RA-33c-12	08/30/10 14:10	Soil	02/28/11			S_8081MITetra	
1009003-021A	EAR2-RA-5b-6	08/30/10 15:00	Soil	02/28/11			S_8081MITetra	
1009003-022A	EAR2-RA-5b-12	08/30/10 15:05	Soil	02/28/11			S_8081MITetra	
1009003-023A	EAR2-RA-33d-6	08/30/10 15:15	Soil	02/28/11			S_8081MITetra	
1009003-024A	EAR2-RA-33d-12	08/30/10 15:20	Soil	02/28/11			S_8081MITetra	
1009003-025A	EAR2-RA-6a-06	08/30/10 16:20	Soil	02/28/11			S_8081MITetra	
1009003-025A10 0x	EAR2-RA-6a-06	08/30/10 16:20	Soil	02/28/11			S_8081MITetra	
1009003-026A	EAR2-RA-6a-12	08/30/10 16:25	Soil	02/28/11			S_8081MITetra	
1009003-027A	EAR2-RA-5c-06	08/30/10 16:45	Soil	02/28/11			S_8081MITetra	
1009003-028A	EAR2-RA-5c-12	08/30/10 16:50	Soil	02/28/11			S_8081MITetra	



Tetra Tech Inc (HI)
737 Bishop St, Suite 3020
Honolulu, Hawaii 96813
Tel: 808-533-3366
Fax: 808-533-3306
RE: Earhart and Onizuka Sampling

Work Order No.: 1008164

Dear Yvonne Parry:

Torrent Laboratory, Inc. received 38 sample(s) on August 20, 2010 for the analyses presented in the following Report.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

N. S. Kabir

Nutan Kabir

August 31, 2010

Date



Date: 8/31/2010

Client: Tetra Tech Inc (HI)

Project: Earhart and Onizuka Sampling

Work Order: 1008164

CASE NARRATIVE

No issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Analytical Comments, General, For all samples :Samples processed under Incremental Sampling Procedure SOP TCI0109. Sample collection date and time is reflective of Hawaiian Standard Time (HST) while all analytical dates and times are reflective of Pacific Standard Time (PST).

Analytical Comments for METHOD 8081S_Tetra Tech, ALL SAMPLES, : Per client request, whenever possible (where matrix interference does not preclude it), sample data is reported to the MDL. Results reported between the MDL and PQL are qualified with the appropriate "J" flag and should be considered as estimated values.

Analytical Comments for method 8081 For MS/MSD, QC Analytical Batch ID 402000, Note:The % recovery for MSD for Dieldrin and % recoveries for MS/MSD for 4,4' DDT are outside of laboratory control limits but are within % RPD limits. The associated LCS/LCSD % recoveries and % RPD are within limits. No corrective action required.



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-61d-06

1008164-001

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.7	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.10	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.095	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.034	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.9	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.051	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.077	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.80	mg/Kg

EAR2-RA-61d-12

1008164-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	2.5	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.11	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.080	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	3.0	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.047	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	1.1	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.096	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.88	mg/Kg
4,4'-DDE	SW8081A	200	0.095	0.40	6.6	mg/Kg
4,4'-DDT	SW8081A	200	0.16	0.40	10	mg/Kg

EAR2-RA-61e-06

1008164-003

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.57	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.083	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.076	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.056	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.8	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.030	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.55	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-61e-12

1008164-004

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.92	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.18	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.099	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.047	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.6	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.044	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.76	mg/Kg

EAR2-RA-61f-06

1008164-005

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.35	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.10	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.080	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.052	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.3	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.036	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.56	mg/Kg

EAR2-RA-61f-12

1008164-006

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.96	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.061	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.045	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.049	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.2	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.031	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-60c-06

1008164-007

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.37	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.098	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.10	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.041	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.6	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.029	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.054	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.66	mg/Kg

EAR2-RA-60c-12

1008164-008

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.33	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.060	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.058	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.055	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.0	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.053	mg/Kg

EAR2-RA-60b-06

1008164-009

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.43	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.16	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.16	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.048	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.8	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.031	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.044	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-60b-12

1008164-010

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.56	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.12	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.10	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.063	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.8	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.035	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.067	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.69	mg/Kg

EAR2-RA-60d-06

1008164-011

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.29	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.097	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.10	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.12	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.3	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.028	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.026	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.16	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.66	mg/Kg

EAR2-RA-60d-12

1008164-012

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.52	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.078	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.082	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.081	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.5	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.025	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.095	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.54	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-60a-06-1

1008164-013

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	2.6	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.19	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.19	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.035	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.059	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.064	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.049	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.3	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	5.4	mg/Kg

EAR2-RA-60a-12

1008164-014

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	2.0	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.33	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.33	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.069	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.078	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.11	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.047	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	2.1	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	3.0	mg/Kg

EAR2-RA-52c-06

1008164-015

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.27	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.20	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.17	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.025	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.88	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.2	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-52c-12

1008164-016

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.25	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.19	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.17	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.52	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.1	mg/Kg

EAR2-RA-52e-06

1008164-017

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.12	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.18	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.18	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.030	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.80	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.075	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.031	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.2	mg/Kg

EAR2-RA-52e-12

1008164-018

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.16	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.22	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.20	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.038	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.87	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.037	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.16	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.4	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-60a-06-2

1008164-019

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	50	0.021	0.10	0.31	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.29	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.040	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.064	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.044	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.048	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	2.0	mg/Kg
Aldrin	SW8081A	200	0.088	0.40	3.4	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	6.4	mg/Kg

EAR2-RA-60a-06-3

1008164-020

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.1	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.23	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.22	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.8	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	1.4	mg/Kg

EAR2-RA-52d-06

1008164-021

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.064	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.42	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.36	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.024	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.40	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.020	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.035	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	2.8	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-52d-12

1008164-022

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.027	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.25	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.24	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.018	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.17	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.015	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.017	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	1.7	mg/Kg

EAR2-RA-37f-06

1008164-023

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.48	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.52	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.48	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.098	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.2	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.028	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.095	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	3.1	mg/Kg

EAR2-RA-37f-12

1008164-024

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.28	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.31	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.30	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.098	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.69	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.024	mg/Kg
4,4'-DDD	SW8081A	20	0.0094	0.040	0.039	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.083	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	2.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-37g-06

1008164-025

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Heptachlor	SW8081A	50	0.055	0.10	0.056	mg/Kg
Aldrin	SW8081A	50	0.022	0.10	0.26	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.64	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.62	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.082	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.89	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.032	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.068	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	4.1	mg/Kg

EAR2-RA-37g-12

1008164-026

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Heptachlor	SW8081A	10	0.011	0.020	0.047	mg/Kg
Aldrin	SW8081A	10	0.0044	0.020	0.026	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.42	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.42	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.038	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.16	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.023	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.063	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	2.8	mg/Kg

EAR2-RA-37e-06

1008164-027

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.87	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.49	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.44	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.053	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.0	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.099	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	3.1	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-37e-12

1008164-028

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.16	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.17	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.14	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.022	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.28	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.0057	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.027	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	0.93	mg/Kg

EAR2-RA-32c-06

1008164-029

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.049	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.22	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.19	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.031	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.24	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.014	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.030	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	1.3	mg/Kg

EAR2-RA-32c-12

1008164-030

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.040	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.32	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.26	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.11	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.16	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.012	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.025	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	2.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-32d-06

1008164-031

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.087	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.21	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.17	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.026	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.37	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.017	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.025	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	1.2	mg/Kg

EAR2-RA-32d-12

1008164-032

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.020	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.11	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.11	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.016	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.10	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.012	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.013	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	0.72	mg/Kg

EAR2-RA-20h-06

1008164-033

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.18	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.24	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.23	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.020	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.74	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.019	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	1.6	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-20h-12

1008164-034

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.16	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.16	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.17	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.027	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.56	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.020	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.018	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	1.1	mg/Kg

EAR2-RA-37a-06-3

1008164-035

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.6	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.41	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.41	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.29	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.4	mg/Kg
4,4'-DDD	SW8081A	100	0.047	0.20	0.23	mg/Kg
4,4'-DDT	SW8081A	100	0.081	0.20	0.43	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	2.7	mg/Kg

EAR2-RA-37a-06-2

1008164-036

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	2.8	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.44	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.45	mg/Kg
4,4'-DDE	SW8081A	200	0.095	0.40	0.22	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	4.8	mg/Kg
4,4'-DDD	SW8081A	200	0.094	0.40	0.17	mg/Kg
4,4'-DDT	SW8081A	200	0.16	0.40	0.34	mg/Kg
Chlordane	SW8081A	200	2.0	4.0	2.8	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10

Date Reported: 08/31/10

EAR2-RA-37a-06-1

1008164-037

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	6.5	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.46	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.46	mg/Kg
4,4'-DDE	SW8081A	200	0.095	0.40	0.26	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	5.8	mg/Kg
4,4'-DDD	SW8081A	200	0.094	0.40	0.33	mg/Kg
4,4'-DDT	SW8081A	200	0.16	0.40	0.41	mg/Kg
Chlordane	SW8081A	200	2.0	4.0	2.9	mg/Kg

EAR2-RA-37a-12

1008164-038

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	500	0.22	1.0	26	mg/Kg
gamma-Chlordane	SW8081A	500	0.21	1.0	0.97	mg/Kg
alpha-Chlordane	SW8081A	500	0.18	1.0	0.95	mg/Kg
4,4'-DDE	SW8081A	500	0.24	1.0	0.33	mg/Kg
Dieldrin	SW8081A	500	0.21	1.0	11	mg/Kg
4,4'-DDD	SW8081A	500	0.24	1.0	0.35	mg/Kg
4,4'-DDT	SW8081A	500	0.40	1.0	1.6	mg/Kg
Chlordane	SW8081A	500	5.0	10	6.2	mg/Kg



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-61d-06	Lab Sample ID:	1008164-001A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 8:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	1.7		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.10		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.095	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.034	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	2.9		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.051	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.077	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.80	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-61d-12	Lab Sample ID:	1008164-002A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 8:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	2.5		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.11		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.080	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	3.0		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.047	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	1.1		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	0.096	J	mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.88	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

4,4'-DDE	SW8081A	8/24/10	08/30/10	200	0.095	0.40	6.6		mg/Kg	401999	0913
4,4'-DDT	SW8081A	8/24/10	08/30/10	200	0.16	0.40	10		mg/Kg	401999	0913



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-61e-06	Lab Sample ID:	1008164-003A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 9:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.57		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.083	J	mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.076	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.056	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.8		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.030	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.55	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-61e-12	Lab Sample ID:	1008164-004A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 9:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.92		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.18		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.099	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.047	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	2.6		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.044	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.76	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-61f-06	Lab Sample ID:	1008164-005A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 9:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.35		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.10		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.080	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.052	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	2.3		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.036	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.56	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-61f-12	Lab Sample ID:	1008164-006A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 9:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.96		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.061	J	mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.045	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.049	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.2		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.031	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	ND		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60c-06	Lab Sample ID:	1008164-007A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 10:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.37		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.098	J	mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.10		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.041	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.6		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.029	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.054	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.66	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60c-12	Lab Sample ID:	1008164-008A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 10:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.33		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.060	J	mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.058	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.055	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.0		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	ND		mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.053	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	ND		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60b-06	Lab Sample ID:	1008164-009A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 10:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.43		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.16		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.16		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.048	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.8		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.031	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.044	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	1.0		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60b-12	Lab Sample ID:	1008164-010A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 10:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.56		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.12		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.10		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.063	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.8		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.035	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.067	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.69	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60d-06	Lab Sample ID:	1008164-011A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 11:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.29		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.097	J	mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.10		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.12		mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.3		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.028		mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.026	J	mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.16		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.66	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60d-12	Lab Sample ID:	1008164-012A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 11:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.52		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.078	J	mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.082	J	mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.081	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	1.5		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	ND		mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.025	J	mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.095	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	0.54	J	mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60a-06-1	Lab Sample ID:	1008164-013A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 10:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	2.6		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.19		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.19		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.035	J	mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.059	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.064	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	0.049	J	mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	1.3		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	8/24/10	08/30/10	200	0.085	0.40	5.4		mg/Kg	401999	0913
----------	---------	---------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60a-12	Lab Sample ID:	1008164-014A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 11:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	2.0		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.33		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.33		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.069	J	mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.078	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.11		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	0.047	J	mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	2.1		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	8/24/10	08/30/10	200	0.085	0.40	3.0		mg/Kg	401999	0913
----------	---------	---------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-52c-06	Lab Sample ID:	1008164-015A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 13:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.27		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.20		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.17		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.025	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.88		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	ND		mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	1.2		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-52c-12	Lab Sample ID:	1008164-016A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 13:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.25		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.19		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.17		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.52		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	ND		mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	1.1		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-52e-06	Lab Sample ID:	1008164-017A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 13:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.12		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.18		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.18		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.030	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.80		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	ND		mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.075	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	0.031	J	mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	1.2		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-52e-12	Lab Sample ID:	1008164-018A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 13:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Aldrin	SW8081A	8/24/10	08/25/10	50	0.022	0.10	0.16		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.22		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.20		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.038	J	mg/Kg	401998	0913
Dieldrin	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.87		mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.037	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	ND		mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	0.16		mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	1.4		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60a-06-2	Lab Sample ID:	1008164-019A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 13:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/24/10	08/25/10	50	0.022	0.10	ND		mg/Kg	401998	0913
gamma-BHC	SW8081A	8/24/10	08/25/10	50	0.020	0.10	ND		mg/Kg	401998	0913
beta-BHC	SW8081A	8/24/10	08/25/10	50	0.018	0.10	ND		mg/Kg	401998	0913
delta-BHC	SW8081A	8/24/10	08/25/10	50	0.025	0.10	ND		mg/Kg	401998	0913
Heptachlor	SW8081A	8/24/10	08/25/10	50	0.055	0.10	ND		mg/Kg	401998	0913
Heptachlor epoxide	SW8081A	8/24/10	08/25/10	50	0.016	0.10	ND		mg/Kg	401998	0913
gamma-Chlordane	SW8081A	8/24/10	08/25/10	50	0.021	0.10	0.31		mg/Kg	401998	0913
alpha-Chlordane	SW8081A	8/24/10	08/25/10	50	0.018	0.10	0.29		mg/Kg	401998	0913
Endosulfan I	SW8081A	8/24/10	08/25/10	50	0.030	0.10	ND		mg/Kg	401998	0913
4,4'-DDE	SW8081A	8/24/10	08/25/10	50	0.024	0.10	0.040	J	mg/Kg	401998	0913
Endrin	SW8081A	8/24/10	08/25/10	50	0.028	0.10	0.064	J	mg/Kg	401998	0913
4,4'-DDD	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Endosulfan II	SW8081A	8/24/10	08/25/10	50	0.076	0.10	ND		mg/Kg	401998	0913
4,4'-DDT	SW8081A	8/24/10	08/25/10	50	0.040	0.10	0.044	J	mg/Kg	401998	0913
Endrin aldehyde	SW8081A	8/24/10	08/25/10	50	0.051	0.10	ND		mg/Kg	401998	0913
Endosulfan sulfate	SW8081A	8/24/10	08/25/10	50	0.024	0.10	ND		mg/Kg	401998	0913
Methoxychlor	SW8081A	8/24/10	08/25/10	50	0.031	0.25	ND		mg/Kg	401998	0913
Endrin Ketone	SW8081A	8/24/10	08/25/10	50	0.020	0.10	0.048	J	mg/Kg	401998	0913
Chlordane	SW8081A	8/24/10	08/25/10	50	0.50	1.0	2.0		mg/Kg	401998	0913
Toxaphene	SW8081A	8/24/10	08/25/10	50	0.50	5.0	ND		mg/Kg	401998	0913
TCMX (S)	SW8081A	8/24/10	08/25/10	50	52.5	139	0.000	S,D	%	401998	0913
DCBP (S)	SW8081A	8/24/10	08/25/10	50	50.2	139	0.000	S,D	%	401998	0913

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	8/24/10	08/30/10	200	0.088	0.40	3.4		mg/Kg	401999	0913
Dieldrin	SW8081A	8/24/10	08/30/10	200	0.085	0.40	6.4		mg/Kg	401999	0913



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-60a-06-3	Lab Sample ID:	1008164-020A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 13:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	100	0.044	0.20	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	100	0.040	0.20	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	100	0.036	0.20	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	100	0.049	0.20	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	100	0.11	0.20	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	100	0.044	0.20	1.1		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	100	0.032	0.20	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	100	0.042	0.20	0.23		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	100	0.036	0.20	0.22		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	100	0.059	0.20	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	100	0.048	0.20	ND		mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	100	0.043	0.20	2.8		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	100	0.057	0.20	ND		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	100	0.047	0.20	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	100	0.15	0.20	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	100	0.081	0.20	ND		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	100	0.10	0.20	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	100	0.049	0.20	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	100	0.062	0.50	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	100	0.040	0.20	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	100	1.0	2.0	1.4	J	mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	100	1.0	10	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	100	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	100	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-52d-06	Lab Sample ID:	1008164-021A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 14:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	20	0.0088	0.040	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	20	0.0079	0.040	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	20	0.0073	0.040	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	20	0.0098	0.040	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	20	0.022	0.040	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	20	0.0088	0.040	0.064		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	20	0.0063	0.040	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	20	0.0084	0.040	0.42		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	20	0.0072	0.040	0.36		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	20	0.012	0.040	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	20	0.0095	0.040	0.024	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	20	0.0085	0.040	0.40		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	20	0.011	0.040	0.020	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	20	0.0094	0.040	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	20	0.031	0.040	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	20	0.016	0.040	0.035	J	mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	20	0.021	0.040	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	20	0.0098	0.040	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	20	0.012	0.10	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	20	0.0080	0.040	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	20	0.20	0.40	2.8		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	20	0.20	2.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	20	52.5	139	95.4		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	20	50.2	139	136		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-52d-12	Lab Sample ID:	1008164-022A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 14:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	10	0.011	0.020	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	0.027		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	10	0.0032	0.020	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0042	0.020	0.25		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	0.24		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	10	0.0059	0.020	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	10	0.0048	0.020	0.018	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	10	0.0043	0.020	0.17		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	10	0.0057	0.020	0.015	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	10	0.0047	0.020	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	10	0.015	0.020	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	10	0.0081	0.020	0.017	J	mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	10	0.010	0.020	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	10	0.0062	0.050	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	10	0.10	0.20	1.7		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	10	0.10	1.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	10	52.5	139	92.0		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	10	50.2	139	133		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37f-06	Lab Sample ID:	1008164-023A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 14:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	50	0.022	0.10	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	50	0.020	0.10	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	50	0.018	0.10	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	50	0.025	0.10	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	50	0.055	0.10	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	50	0.022	0.10	0.48		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	50	0.016	0.10	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	50	0.021	0.10	0.52		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	50	0.018	0.10	0.48		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	50	0.030	0.10	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	50	0.024	0.10	0.098	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	50	0.021	0.10	1.2		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	50	0.028	0.10	0.028		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	50	0.024	0.10	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	50	0.076	0.10	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	50	0.040	0.10	0.095	J	mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	50	0.051	0.10	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	50	0.024	0.10	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	50	0.031	0.25	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	50	0.020	0.10	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	50	0.50	1.0	3.1		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	50	0.50	5.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	50	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	50	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37f-12	Lab Sample ID:	1008164-024A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 14:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/30/10	20	0.0088	0.040	ND		mg/Kg	401999	0930
gamma-BHC	SW8081A	8/25/10	08/30/10	20	0.0079	0.040	ND		mg/Kg	401999	0930
beta-BHC	SW8081A	8/25/10	08/30/10	20	0.0073	0.040	ND		mg/Kg	401999	0930
delta-BHC	SW8081A	8/25/10	08/30/10	20	0.0098	0.040	ND		mg/Kg	401999	0930
Heptachlor	SW8081A	8/25/10	08/30/10	20	0.022	0.040	ND		mg/Kg	401999	0930
Aldrin	SW8081A	8/25/10	08/30/10	20	0.0088	0.040	0.28		mg/Kg	401999	0930
Heptachlor epoxide	SW8081A	8/25/10	08/30/10	20	0.0063	0.040	ND		mg/Kg	401999	0930
gamma-Chlordane	SW8081A	8/25/10	08/30/10	20	0.0084	0.040	0.31		mg/Kg	401999	0930
alpha-Chlordane	SW8081A	8/25/10	08/30/10	20	0.0072	0.040	0.30		mg/Kg	401999	0930
Endosulfan I	SW8081A	8/25/10	08/30/10	20	0.012	0.040	ND		mg/Kg	401999	0930
4,4'-DDE	SW8081A	8/25/10	08/30/10	20	0.0095	0.040	0.098		mg/Kg	401999	0930
Dieldrin	SW8081A	8/25/10	08/30/10	20	0.0085	0.040	0.69		mg/Kg	401999	0930
Endrin	SW8081A	8/25/10	08/30/10	20	0.011	0.040	0.024	J	mg/Kg	401999	0930
4,4'-DDD	SW8081A	8/25/10	08/30/10	20	0.0094	0.040	0.039	J	mg/Kg	401999	0930
Endosulfan II	SW8081A	8/25/10	08/30/10	20	0.031	0.040	ND		mg/Kg	401999	0930
4,4'-DDT	SW8081A	8/25/10	08/30/10	20	0.016	0.040	0.083		mg/Kg	401999	0930
Endrin aldehyde	SW8081A	8/25/10	08/30/10	20	0.021	0.040	ND		mg/Kg	401999	0930
Endosulfan sulfate	SW8081A	8/25/10	08/30/10	20	0.0098	0.040	ND		mg/Kg	401999	0930
Methoxychlor	SW8081A	8/25/10	08/30/10	20	0.012	0.10	ND		mg/Kg	401999	0930
Endrin Ketone	SW8081A	8/25/10	08/30/10	20	0.0080	0.040	ND		mg/Kg	401999	0930
Chlordane	SW8081A	8/25/10	08/30/10	20	0.20	0.40	2.0		mg/Kg	401999	0930
Toxaphene	SW8081A	8/25/10	08/30/10	20	0.20	2.0	ND		mg/Kg	401999	0930
TCMX (S)	SW8081A	8/25/10	08/30/10	20	52.5	139	85.0		%	401999	0930
DCBP (S)	SW8081A	8/25/10	08/30/10	20	50.2	139	123		%	401999	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37g-06	Lab Sample ID:	1008164-025A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 14:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	50	0.022	0.10	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	50	0.020	0.10	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	50	0.018	0.10	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	50	0.025	0.10	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	50	0.055	0.10	0.056	J	mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	50	0.022	0.10	0.26		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	50	0.016	0.10	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	50	0.021	0.10	0.64		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	50	0.018	0.10	0.62		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	50	0.030	0.10	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	50	0.024	0.10	0.082	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	50	0.021	0.10	0.89		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	50	0.028	0.10	0.032	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	50	0.024	0.10	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	50	0.076	0.10	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	50	0.040	0.10	0.068	J	mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	50	0.051	0.10	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	50	0.024	0.10	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	50	0.031	0.25	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	50	0.020	0.10	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	50	0.50	1.0	4.1		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	50	0.50	5.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	50	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	50	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37g-12	Lab Sample ID:	1008164-026A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 14:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	10	0.011	0.020	0.047		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	0.026		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	10	0.0032	0.020	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0042	0.020	0.42		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	0.42		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	10	0.0059	0.020	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	10	0.0048	0.020	0.038		mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	10	0.0043	0.020	0.16		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	10	0.0057	0.020	0.023		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	10	0.0047	0.020	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	10	0.015	0.020	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	10	0.0081	0.020	0.063		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	10	0.010	0.020	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	10	0.0062	0.050	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	10	0.10	0.20	2.8		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	10	0.10	1.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	10	52.5	139	82.8		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	10	50.2	139	119		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37e-06	Lab Sample ID:	1008164-027A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 15:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	50	0.022	0.10	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	50	0.020	0.10	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	50	0.018	0.10	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	50	0.025	0.10	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	50	0.055	0.10	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	50	0.022	0.10	0.87		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	50	0.016	0.10	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	50	0.021	0.10	0.49		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	50	0.018	0.10	0.44		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	50	0.030	0.10	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	50	0.024	0.10	0.053	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	50	0.021	0.10	1.0		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	50	0.028	0.10	ND		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	50	0.024	0.10	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	50	0.076	0.10	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	50	0.040	0.10	0.099	J	mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	50	0.051	0.10	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	50	0.024	0.10	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	50	0.031	0.25	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	50	0.020	0.10	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	50	0.50	1.0	3.1		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	50	0.50	5.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	50	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	50	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37e-12	Lab Sample ID:	1008164-028A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 15:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	10	0.011	0.020	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	0.16		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	10	0.0032	0.020	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0042	0.020	0.17		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	0.14		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	10	0.0059	0.020	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	10	0.0048	0.020	0.022		mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	10	0.0043	0.020	0.28		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	10	0.0057	0.020	0.0057	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	10	0.0047	0.020	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	10	0.015	0.020	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	10	0.0081	0.020	0.027		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	10	0.010	0.020	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	10	0.0062	0.050	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	10	0.10	0.20	0.93		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	10	0.10	1.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	10	52.5	139	133		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	10	50.2	139	118		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-32c-06	Lab Sample ID:	1008164-029A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 15:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	10	0.011	0.020	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	0.049		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	10	0.0032	0.020	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0042	0.020	0.22		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	0.19		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	10	0.0059	0.020	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	10	0.0048	0.020	0.031		mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	10	0.0043	0.020	0.24		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	10	0.0057	0.020	0.014	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	10	0.0047	0.020	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	10	0.015	0.020	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	10	0.0081	0.020	0.030		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	10	0.010	0.020	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	10	0.0062	0.050	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	10	0.10	0.20	1.3		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	10	0.10	1.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	10	52.5	139	130		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	10	50.2	139	121		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-32c-12	Lab Sample ID:	1008164-030A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 15:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	10	0.011	0.020	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	0.040		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	10	0.0032	0.020	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0042	0.020	0.32		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	0.26		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	10	0.0059	0.020	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	10	0.0048	0.020	0.11		mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	10	0.0043	0.020	0.16		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	10	0.0057	0.020	0.012	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	10	0.0047	0.020	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	10	0.015	0.020	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	10	0.0081	0.020	0.025		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	10	0.010	0.020	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	10	0.0062	0.050	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	10	0.10	0.20	2.0		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	10	0.10	1.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	10	52.5	139	129		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	10	50.2	139	114		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-32d-06	Lab Sample ID:	1008164-031A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 16:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	10	0.011	0.020	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	0.087		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	10	0.0032	0.020	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0042	0.020	0.21		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	0.17		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	10	0.0059	0.020	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	10	0.0048	0.020	0.026		mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	10	0.0043	0.020	0.37		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	10	0.0057	0.020	0.017	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	10	0.0047	0.020	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	10	0.015	0.020	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	10	0.0081	0.020	0.025		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	10	0.010	0.020	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	10	0.0062	0.050	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	10	0.10	0.20	1.2		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	10	0.10	1.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	10	52.5	139	138		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	10	50.2	139	173	S	%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation. Surrogate recovery of DCBP is bias high possibly due to the dilution made on the sample; recovery of second surrogate supports data quality.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-32d-12	Lab Sample ID:	1008164-032A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 16:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	10	0.011	0.020	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	10	0.0044	0.020	0.020	J	mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	10	0.0032	0.020	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0042	0.020	0.11		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	10	0.0036	0.020	0.11		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	10	0.0059	0.020	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	10	0.0048	0.020	0.016	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	10	0.0043	0.020	0.10		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	10	0.0057	0.020	0.012	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	10	0.0047	0.020	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	10	0.015	0.020	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	10	0.0081	0.020	0.013	J	mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	10	0.010	0.020	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	10	0.0049	0.020	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	10	0.0062	0.050	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	10	0.0040	0.020	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	10	0.10	0.20	0.72		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	10	0.10	1.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	10	52.5	139	129		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	10	50.2	139	111		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-20h-06	Lab Sample ID:	1008164-033A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 16:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	20	0.0088	0.040	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	20	0.0079	0.040	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	20	0.0073	0.040	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	20	0.0098	0.040	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	20	0.022	0.040	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	20	0.0088	0.040	0.18		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	20	0.0063	0.040	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	20	0.0084	0.040	0.24		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	20	0.0072	0.040	0.23		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	20	0.012	0.040	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	20	0.0095	0.040	0.020	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	20	0.0085	0.040	0.74		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	20	0.011	0.040	0.019	J	mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	20	0.0094	0.040	ND		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	20	0.031	0.040	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	20	0.016	0.040	ND		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	20	0.021	0.040	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	20	0.0098	0.040	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	20	0.012	0.10	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	20	0.0080	0.040	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	20	0.20	0.40	1.6		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	20	0.20	2.0	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	20	52.5	139	87.0		%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	20	50.2	139	117		%	402000	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-20h-12	Lab Sample ID:	1008164-034A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 16:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/30/10	20	0.0088	0.040	ND		mg/Kg	401999	0930
gamma-BHC	SW8081A	8/25/10	08/30/10	20	0.0079	0.040	ND		mg/Kg	401999	0930
beta-BHC	SW8081A	8/25/10	08/30/10	20	0.0073	0.040	ND		mg/Kg	401999	0930
delta-BHC	SW8081A	8/25/10	08/30/10	20	0.0098	0.040	ND		mg/Kg	401999	0930
Heptachlor	SW8081A	8/25/10	08/30/10	20	0.022	0.040	ND		mg/Kg	401999	0930
Aldrin	SW8081A	8/25/10	08/30/10	20	0.0088	0.040	0.16		mg/Kg	401999	0930
Heptachlor epoxide	SW8081A	8/25/10	08/30/10	20	0.0063	0.040	ND		mg/Kg	401999	0930
gamma-Chlordane	SW8081A	8/25/10	08/30/10	20	0.0084	0.040	0.16		mg/Kg	401999	0930
alpha-Chlordane	SW8081A	8/25/10	08/30/10	20	0.0072	0.040	0.17		mg/Kg	401999	0930
Endosulfan I	SW8081A	8/25/10	08/30/10	20	0.012	0.040	ND		mg/Kg	401999	0930
4,4'-DDE	SW8081A	8/25/10	08/30/10	20	0.0095	0.040	0.027	J	mg/Kg	401999	0930
Dieldrin	SW8081A	8/25/10	08/30/10	20	0.0085	0.040	0.56		mg/Kg	401999	0930
Endrin	SW8081A	8/25/10	08/30/10	20	0.011	0.040	0.020	J	mg/Kg	401999	0930
4,4'-DDD	SW8081A	8/25/10	08/30/10	20	0.0094	0.040	ND		mg/Kg	401999	0930
Endosulfan II	SW8081A	8/25/10	08/30/10	20	0.031	0.040	ND		mg/Kg	401999	0930
4,4'-DDT	SW8081A	8/25/10	08/30/10	20	0.016	0.040	0.018	J	mg/Kg	401999	0930
Endrin aldehyde	SW8081A	8/25/10	08/30/10	20	0.021	0.040	ND		mg/Kg	401999	0930
Endosulfan sulfate	SW8081A	8/25/10	08/30/10	20	0.0098	0.040	ND		mg/Kg	401999	0930
Methoxychlor	SW8081A	8/25/10	08/30/10	20	0.012	0.10	ND		mg/Kg	401999	0930
Endrin Ketone	SW8081A	8/25/10	08/30/10	20	0.0080	0.040	ND		mg/Kg	401999	0930
Chlordane	SW8081A	8/25/10	08/30/10	20	0.20	0.40	1.1		mg/Kg	401999	0930
Toxaphene	SW8081A	8/25/10	08/30/10	20	0.20	2.0	ND		mg/Kg	401999	0930
TCMX (S)	SW8081A	8/25/10	08/30/10	20	52.5	139	83.0		%	401999	0930
DCBP (S)	SW8081A	8/25/10	08/30/10	20	50.2	139	123		%	401999	0930

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37a-06-3	Lab Sample ID:	1008164-035A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 16:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	100	0.044	0.20	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	100	0.040	0.20	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	100	0.036	0.20	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	100	0.049	0.20	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	100	0.11	0.20	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	100	0.044	0.20	2.6		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	100	0.032	0.20	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	100	0.042	0.20	0.41		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	100	0.036	0.20	0.41		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	100	0.059	0.20	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	100	0.048	0.20	0.29		mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	100	0.043	0.20	4.4		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	100	0.057	0.20	ND		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	100	0.047	0.20	0.23		mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	100	0.15	0.20	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	100	0.081	0.20	0.43		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	100	0.10	0.20	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	100	0.049	0.20	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	100	0.062	0.50	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	100	0.040	0.20	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	100	1.0	2.0	2.7		mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	100	1.0	10	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	100	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	100	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37a-06-2	Lab Sample ID:	1008164-036A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 17:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	200	0.088	0.40	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	200	0.079	0.40	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	200	0.073	0.40	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	200	0.098	0.40	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	200	0.22	0.40	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	200	0.088	0.40	2.8		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	200	0.063	0.40	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	200	0.084	0.40	0.44		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	200	0.072	0.40	0.45		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	200	0.12	0.40	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	200	0.095	0.40	0.22	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	200	0.085	0.40	4.8		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	200	0.11	0.40	ND		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	200	0.094	0.40	0.17	J	mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	200	0.31	0.40	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	200	0.16	0.40	0.34	J	mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	200	0.21	0.40	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	200	0.098	0.40	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	200	0.12	1.0	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	200	0.080	0.40	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	200	2.0	4.0	2.8	J	mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	200	2.0	20	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	200	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	200	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37a-06-1	Lab Sample ID:	1008164-037A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 16:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	200	0.088	0.40	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	200	0.079	0.40	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	200	0.073	0.40	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	200	0.098	0.40	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	200	0.22	0.40	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	200	0.088	0.40	6.5		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	200	0.063	0.40	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	200	0.084	0.40	0.46		mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	200	0.072	0.40	0.46		mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	200	0.12	0.40	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	200	0.095	0.40	0.26	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	200	0.085	0.40	5.8		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	200	0.11	0.40	ND		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	200	0.094	0.40	0.33	J	mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	200	0.31	0.40	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	200	0.16	0.40	0.41		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	200	0.21	0.40	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	200	0.098	0.40	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	200	0.12	1.0	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	200	0.080	0.40	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	200	2.0	4.0	2.9	J	mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	200	2.0	20	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	200	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	200	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/20/10
Date Reported: 08/31/10

Client Sample ID:	EAR2-RA-37a-12	Lab Sample ID:	1008164-038A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/18/10 / 17:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/25/10	08/28/10	500	0.22	1.0	ND		mg/Kg	402000	0930
gamma-BHC	SW8081A	8/25/10	08/28/10	500	0.20	1.0	ND		mg/Kg	402000	0930
beta-BHC	SW8081A	8/25/10	08/28/10	500	0.18	1.0	ND		mg/Kg	402000	0930
delta-BHC	SW8081A	8/25/10	08/28/10	500	0.25	1.0	ND		mg/Kg	402000	0930
Heptachlor	SW8081A	8/25/10	08/28/10	500	0.55	1.0	ND		mg/Kg	402000	0930
Aldrin	SW8081A	8/25/10	08/28/10	500	0.22	1.0	26		mg/Kg	402000	0930
Heptachlor epoxide	SW8081A	8/25/10	08/28/10	500	0.16	1.0	ND		mg/Kg	402000	0930
gamma-Chlordane	SW8081A	8/25/10	08/28/10	500	0.21	1.0	0.97	J	mg/Kg	402000	0930
alpha-Chlordane	SW8081A	8/25/10	08/28/10	500	0.18	1.0	0.95	J	mg/Kg	402000	0930
Endosulfan I	SW8081A	8/25/10	08/28/10	500	0.30	1.0	ND		mg/Kg	402000	0930
4,4'-DDE	SW8081A	8/25/10	08/28/10	500	0.24	1.0	0.33	J	mg/Kg	402000	0930
Dieldrin	SW8081A	8/25/10	08/28/10	500	0.21	1.0	11		mg/Kg	402000	0930
Endrin	SW8081A	8/25/10	08/28/10	500	0.28	1.0	ND		mg/Kg	402000	0930
4,4'-DDD	SW8081A	8/25/10	08/28/10	500	0.24	1.0	0.35	J	mg/Kg	402000	0930
Endosulfan II	SW8081A	8/25/10	08/28/10	500	0.76	1.0	ND		mg/Kg	402000	0930
4,4'-DDT	SW8081A	8/25/10	08/28/10	500	0.40	1.0	1.6		mg/Kg	402000	0930
Endrin aldehyde	SW8081A	8/25/10	08/28/10	500	0.51	1.0	ND		mg/Kg	402000	0930
Endosulfan sulfate	SW8081A	8/25/10	08/28/10	500	0.24	1.0	ND		mg/Kg	402000	0930
Methoxychlor	SW8081A	8/25/10	08/28/10	500	0.31	2.5	ND		mg/Kg	402000	0930
Endrin Ketone	SW8081A	8/25/10	08/28/10	500	0.20	1.0	ND		mg/Kg	402000	0930
Chlordane	SW8081A	8/25/10	08/28/10	500	5.0	10	6.2	J	mg/Kg	402000	0930
Toxaphene	SW8081A	8/25/10	08/28/10	500	5.0	50	ND		mg/Kg	402000	0930
TCMX (S)	SW8081A	8/25/10	08/28/10	500	52.5	139	0.000	S,D	%	402000	0930
DCBP (S)	SW8081A	8/25/10	08/28/10	500	50.2	139	0.000	S,D	%	402000	0930

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



MB Summary Report

Work Order:	1008164	Prep Method:	3545MI_OCP	Prep Date:	08/25/10	Prep Batch:	0930
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	08/28/10	Analytical Batch:	402000
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
alpha-BHC	0.00044	0.0020	ND	
gamma-BHC	0.00040	0.0020	ND	
beta-BHC	0.00036	0.0020	ND	
delta-BHC	0.00049	0.0020	ND	
Heptachlor	0.0011	0.0020	ND	
Aldrin	0.00044	0.0020	ND	
Heptachlor epoxide	0.00032	0.0020	ND	
gamma-Chlordane	0.00042	0.0020	ND	
alpha-Chlordane	0.00036	0.0020	ND	
Endosulfan I	0.00059	0.0020	ND	
4,4'-DDE	0.00048	0.0020	ND	
Dieldrin	0.00043	0.0020	ND	
Endrin	0.00057	0.0020	ND	
4,4'-DDD	0.00047	0.0020	ND	
Endosulfan II	0.0015	0.0020	ND	
4,4'-DDT	0.00081	0.0020	ND	
Endrin aldehyde	0.0010	0.0020	ND	
Endosulfan sulfate	0.00049	0.0020	ND	
Methoxychlor	0.00062	0.0050	ND	
Endrin Ketone	0.00040	0.0020	ND	
Chlordane	0.010	0.020	ND	
Toxaphene	0.010	0.10	ND	
TCMX (S)			93.5	
DCBP (S)			90.6	



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1008164	Prep Method:	3545MI_OCP	Prep Date:	08/25/10	Prep Batch:	0930
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	08/28/10	Analytical Batch:	402000
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	108	107	1.02	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	105	104	0.616	56.9 - 124	30	
beta-BHC	0.36	2.0		20	105	107	1.93	44.2 - 125	30	
delta-BHC	0.49	2.0		20	98.3	95.9	2.63	61.5 - 116	30	
Heptachlor	1.1	2.0		20	116	114	1.29	63.6 - 125	30	
Aldrin	0.44	2.0		20	110	112	2.13	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	111	114	2.58	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	113	116	2.62	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	111	114	2.51	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	106	103	2.75	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	106	109	3.06	45.3 - 123	30	
Dieldrin	0.43	2.0		20	111	113	1.81	44 - 128	30	
Endrin	0.57	2.0		20	109	105	2.87	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	96.8	100	3.12	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	98.4	94.1	4.54	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	133	131	1.62	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	74.9	76.5	2.03	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	104	98.6	5.37	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	122	123	0.896	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	101	101	0.406	53.9 - 120	30	
TCMX (S)				2100	93.8	100		52.5 - 121		
DCBP (S)				2100	91.2	97.1		50.2 - 121		



MS/MSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1008164	Prep Method:	3545MI_OCP	Prep Date:	08/25/10	Prep Batch:	0930
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	08/28/10	Analytical Batch:	402000
Spiked Sample:	1008164-030A						
Units:	ug/Kg						

Parameters	MDL	PQL	Sample Conc.	Spike Conc.	MS % Recovery	MSD % Recovery	MS/MSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
Aldrin	4.4	20	4.02	20	94.1	94.4	0.137	53.9 - 142	30	
gamma-BHC	4.0	20	0.00	20	102	102	0.0294	56.9 - 120	30	
Heptachlor	11	20	0.79	20	94.1	93.8	0.187	52.2 - 117	30	
Dieldrin	4.3	20	15.75	20	81.9	154	7.90	29.2 - 130	30	S
Endrin	5.7	20	1.19	20	117	111	3.38	44.1 - 121	30	
4,4'-DDT	8.1	20	2.50	20	144	134	3.62	24.6 - 134	30	S
TCMX (S)				2100	82.6	118		52.5 - 139		
DCBP (S)				2100	114	110		50.2 - 139		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit (PQL) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m³ , mg.m³ , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm ² surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Tetra Tech Inc (HI)

Date and Time Received: 8/20/2010 14:05

Project Name: Earhart and Onizuka Sampling

Received By: NG

Work Order No.: 1008164

Physically Logged By: NG

Checklist Completed By: NG

Carrier Name: FedEx

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 5 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt?

pH Checked by:

pH Adjusted by:



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/20/2010
Report Due Date:	8/31/2010	Time Received:	14:05
Comments:	5 day TAT!!! Recv'd 38 soils for 8081 @ 5'C.Pls. email an EDD result to Y.Parry ; G.Eaton ; T.Whitehead and J.Mollison.Incremental sampling required.		
Work Order # :	1008164		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008164-001A	EAR2-RA-61d-06	08/18/10 8:50	Soil	02/16/11			S_8081MITetra	
Sample Note: Please proceed with air drying, sieving and subsampling as per HDOH guidance.								
1008164-002A	EAR2-RA-61d-12	08/18/10 8:55	Soil	02/16/11			S_8081MITetra	
1008164-002A20 0x	EAR2-RA-61d-12	08/18/10 8:55	Soil	02/16/11			S_8081MITetra	
1008164-003A	EAR2-RA-61e-06	08/18/10 9:10	Soil	02/16/11			S_8081MITetra	
1008164-004A	EAR2-RA-61e-12	08/18/10 9:15	Soil	02/16/11			S_8081MITetra	
1008164-005A	EAR2-RA-61f-06	08/18/10 9:20	Soil	02/16/11			S_8081MITetra	
1008164-006A	EAR2-RA-61f-12	08/18/10 9:25	Soil	02/16/11			S_8081MITetra	
Sample Note: 006A-Sample volume is limited.								
1008164-007A	EAR2-RA-60c-06	08/18/10 10:15	Soil	02/16/11			S_8081MITetra	
1008164-008A	EAR2-RA-60c-12	08/18/10 10:20	Soil	02/16/11			S_8081MITetra	
1008164-009A	EAR2-RA-60b-06	08/18/10 10:00	Soil	02/16/11			S_8081MITetra	
1008164-010A	EAR2-RA-60b-12	08/18/10 10:05	Soil	02/16/11			S_8081MITetra	
1008164-011A	EAR2-RA-60d-06	08/18/10 11:25	Soil	02/16/11			S_8081MITetra	
1008164-012A	EAR2-RA-60d-12	08/18/10 11:30	Soil	02/16/11			S_8081MITetra	
1008164-013A	EAR2-RA-60a-06-1	08/18/10 10:55	Soil	02/16/11			S_8081MITetra	
1008164-013A20 0x	EAR2-RA-60a-06-1	08/18/10 10:55	Soil	02/16/11			S_8081MITetra	
1008164-014A	EAR2-RA-60a-12	08/18/10 11:00	Soil	02/16/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/20/2010
Report Due Date:	8/31/2010	Time Received:	14:05
Comments:	5 day TAT!!! Recv'd 38 soils for 8081 @ 5'C.Pls. email an EDD result to Y.Parry ; G.Eaton ; T.Whitehead and J.Mollison.Incremental sampling required.		
Work Order # :	1008164		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008164-014A20 0x	EAR2-RA-60a-12	08/18/10 11:00	Soil	02/16/11			S_8081MITetra	
1008164-015A	EAR2-RA-52c-06	08/18/10 13:20	Soil	02/16/11			S_8081MITetra	
1008164-016A	EAR2-RA-52c-12	08/18/10 13:25	Soil	02/16/11			S_8081MITetra	
1008164-017A	EAR2-RA-52e-06	08/18/10 13:10	Soil	02/16/11			S_8081MITetra	
1008164-018A	EAR2-RA-52e-12	08/18/10 13:15	Soil	02/16/11			S_8081MITetra	
1008164-019A	EAR2-RA-60a-06-2	08/18/10 13:50	Soil	02/16/11			S_8081MITetra	
1008164-019A20 0x	EAR2-RA-60a-06-2	08/18/10 13:50	Soil	02/16/11			S_8081MITetra	
1008164-020A	EAR2-RA-60a-06-3	08/18/10 13:45	Soil	02/16/11			S_8081MITetra	
1008164-021A	EAR2-RA-52d-06	08/18/10 14:00	Soil	02/16/11			S_8081MITetra	
1008164-022A	EAR2-RA-52d-12	08/18/10 14:05	Soil	02/16/11			S_8081MITetra	
1008164-023A	EAR2-RA-37f-06	08/18/10 14:15	Soil	02/16/11			S_8081MITetra	
1008164-024A	EAR2-RA-37f-12	08/18/10 14:20	Soil	02/16/11			S_8081MITetra	
1008164-025A	EAR2-RA-37g-06	08/18/10 14:35	Soil	02/16/11			S_8081MITetra	
1008164-026A	EAR2-RA-37g-12	08/18/10 14:40	Soil	02/16/11			S_8081MITetra	
1008164-027A	EAR2-RA-37e-06	08/18/10 15:10	Soil	02/16/11			S_8081MITetra	
1008164-028A	EAR2-RA-37e-12	08/18/10 15:15	Soil	02/16/11			S_8081MITetra	
1008164-029A	EAR2-RA-32c-06	08/18/10 15:45	Soil	02/16/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/20/2010
Report Due Date:	8/31/2010	Time Received:	14:05
Comments:	5 day TAT!!! Recv'd 38 soils for 8081 @ 5'C.Pls. email an EDD result to Y.Parry ; G.Eaton ; T.Whitehead and J.Mollison.Incremental sampling required.		
Work Order # :	1008164		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008164-030A	EAR2-RA-32c-12	08/18/10 15:50	Soil	02/16/11			S_8081MITetra	
1008164-031A	EAR2-RA-32d-06	08/18/10 16:20	Soil	02/16/11			S_8081MITetra	
1008164-032A	EAR2-RA-32d-12	08/18/10 16:25	Soil	02/16/11			S_8081MITetra	
1008164-033A	EAR2-RA-20h-06	08/18/10 16:15	Soil	02/16/11			S_8081MITetra	
1008164-034A	EAR2-RA-20h-12	08/18/10 16:20	Soil	02/16/11			S_8081MITetra	
1008164-035A	EAR2-RA-37a-06-3	08/18/10 16:50	Soil	02/16/11			S_8081MITetra	
1008164-036A	EAR2-RA-37a-06-2	08/18/10 17:00	Soil	02/16/11			S_8081MITetra	
1008164-037A	EAR2-RA-37a-06-1	08/18/10 16:55	Soil	02/16/11			S_8081MITetra	
1008164-038A	EAR2-RA-37a-12	08/18/10 17:05	Soil	02/16/11			S_8081MITetra	



CHAIN-OF-CUSTODY RECORD



Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) J. Mollison, M. Duffy, J. Barros, S. Courtney

Project ID: Earhart and Onizuka Sampling

Sampler Signature: [Signature]

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative										Matrix			Analyze For:				RUSH TAT (Pre-Schedule Standard TAT)					
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH/VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparatio	8081							
001A EAR2-RA-61d-06	8/18/10	0850	1			X	X											X	X	X								X	
002A EAR2-RA-61d-12	8/18/10	0855	1			X	X											X	X	X								X	
003A EAR2-RA-61e-06	8/18/10	0910	1			X	X											X	X	X								X	
004A EAR2-RA-61e-12	8/18/10	0915	1			X	X											X	X	X								X	
005A EAR2-RA-61f-06	8/18/10	920	1			X	X											X	X	X								X	
006A EAR2-RA-61f-12*	8/18/10	925	1			X	X											X	X	X								X	
007A EAR2-RA-60c-06	8/18/10	1015	1			X	X											X	X	X								X	
008A EAR2-RA-60c-12	8/18/10	1020	1			X	X											X	X	X								X	
009A EAR2-RA-60b-06	8/18/10	1000	1			X	X											X	X	X								X	
010A EAR2-RA-60b-12	8/18/10	1005	1			X	X											X	X	X								X	
011A EAR2-RA-60d-06	8/18/10	1125	1			X	X											X	X	X								X	
012A EAR2-RA-60d-12	8/18/10	1130	1			X	X											X	X	X								X	

Special Instructions:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance

*limited sample volume

Method of Shipment:

FEDEX

Laboratory Comments:

Temperature Upon Receipt: 5 °C

VOCs Free of Headspace? Y N

Relinquished by: [Signature]	Date 8/18/2010	Time 1800	Received by: [Signature]	Date 8/18/10	Time 1800
Relinquished by: [Signature]	Date 8/19/10	Time 900	Received by FedEx Laboratory: FedEx	Date	Time
FedEx	8/20/10	2:05 p.m.	[Signature]	8/20/10	2:05 p.m.



CHAIN-OF-CUSTODY RECORD

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Sampler Name: (Print) J. Mollison, M. Duffy, J. Barles, S. Courtney

Sampler Signature: *J. Mollison*



TETRA TECH

1008164

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Invoice To: Y. Parry

Project ID: Earhart and Onizuka Sampling

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative						Matrix			Analyze For:							RUSH TAT (Pre-Schedule)	Standard TAT						
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparation	8081								
013A EAR2-RA-60a-06-1	8/18/10	1055	1			X	X								X														X	
014A EAR2-RA-60a-12	8/18/10	1100	1			X	X								X														X	
015A EAR2-RA-52c-06	8/18/10	1320	1			X	X								X														X	
016A EAR2-RA-52c-12	8/18/10	1325	1			X	X								X														X	
017A EAR2-RA-52e-06	8/18/10	1310	1			X	X								X														X	
018A EAR2-RA-52e-12	8/18/10	1315	1			X	X								X														X	
019A EAR2-RA-60a-06-2	8/18/10	1350	1			X	X								X														X	
020A EAR2-RA-60a-06-3	8/18/10	1345	1			X	X								X														X	
021A EAR2-RA-52d-06	8/18/10	1400	1			X	X								X														X	
022A EAR2-RA-52d-12	8/18/10	1405	1			X	X								X														X	
023A EAR2-RA-37f-06	8/18/10	1415	1			X	X								X														X	
024A EAR2-RA-37f-12	8/18/10	1420	1			X	X								X														X	

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Laboratory Comments: Temperature Upon Receipt: 5 °C
VOCs Free of Headspace? Y N

Relinquished by:		Date	Time	Received by:		Date	Time
<i>J. Mollison</i>		8/18/10	1800	<i>W. Parry</i>		8/18/10	1800
Relinquished by:		Date	Time	Received by:		Date	Time
<i>W. Parry</i>		8/19/10	900	FedEx Laboratory			

FedEx 8/20/10 2:05 P.M. *J.P. Choudasara* 8-20-10 2:05 P.M.



CHAIN-OF-CUSTODY RECORD



Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Invoice To: Y. Parry

Sampler Name: (Print) J. Mollison, M. Duffy, J. Barros, S. Courtney

Project ID: Earhart and Onizuka Sampling

Sampler Signature: [Signature]

Project #: 100-SFO-T26434-02

- 025A
- 026A
- 027A
- 028A
- 029A
- 030A
- 031A
- 032A
- 033A
- 034A
- 035A
- 036A

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative										Matrix			Analyze For:	RUSH TAT (Pre-Schedule)	Standard TAT					
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (One MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil				Other (specify):	Multi-Incremental Preparation	8081	8082	8083
EARL2-RA-37g-06	8/18/10	1435	1			X	X																				
EARL2-RA-37g-12	8/18/10	1440	1			X	X																				
EARL2-RA-37c-06	8/18/10	1510	1			X	X																				
EARL2-RA-37c-12	8/18/10	1515	1			X	X																				
EARL2-RA-32c-06	8/18/10	1545	1			X	X																				
EARL2-RA-32c-12	8/18/10	1550	1			X	X																				
EARL2-RA-32d-06	8/18/10	1620	1			X	X																				
EARL2-RA-32d-12	8/18/10	1625	1			X	X																				
EARL2-RA-20h-06	8/18/10	1615	1			X	X																				
EARL2-RA-20h-12	8/18/10	1620	1			X	X																				
EARL2-RA-37a-06-3	8/18/10	1650	1			X	X																				
EARL2-RA-37a-06-2	8/18/10	1700	1			X	X																				

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HD0H guidance
Method of Shipment: FEDEX

Laboratory Comments: Temperature Upon Receipt: 5 °C
VOCs Free of Headspace? Y N

Relinquished by:	Date	Time	Received by:	Date	Time
[Signature]	8/18/10	1800	Y. Parry	8/18/10	1800
Relinquished by:	Date	Time	Received by FedEx:	Date	Time
Y. Parry	8/19/10	900	FedEx		

FedEx 8/20/10 2:05 P.M. Dr. G. Shodasara 8/20/10 2:05 P.M.



CHAIN-OF-CUSTODY RECORD



TETRA TECH

1008164

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366 Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) J. Mollison, M. Duffy, J. Barros, S. Courtney

Project ID: Earhart and Onizuka Sampling

Sampler Signature: [Signature]

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-Incremental Sample	Preservative							Matrix				Analyze For:	Multi-Incremental Preparation	RUSH TAT (Pre-Schedule)	Standard TAT			
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water					Sludge	Soil	Other (specify):
037A EAR2-RA-37a-06-1	8/18/10	1655	1			X	X										X	X					X	
EAR2-RA-37a-06-12	8/18/10	1705	1			X	X										X	X					X	
038A EAR2-RA-37a-12		1705	1																					

Special Instructions: **Please proceed with air-drying, sieving and subsampling as per HDOH guidance**
 Method of Shipment: **FEDEX**

Laboratory Comments:
 Temperature Upon Receipt: **5° C**
 VOCs Free of Headspace? **Y N**

Relinquished by: <u>[Signature]</u>	Date: <u>8/18/2010</u>	Time: <u>1802</u>	Received by: <u>[Signature]</u>	Date: <u>8/18/10</u>	Time: <u>1800</u>
Relinquished by: <u>[Signature]</u>	Date: <u>8/19/10</u>	Time: <u>900</u>	Received by FedEx: <u>FedEx</u>	Date:	Time:

FedEx 8/20/10 2:05 P.M. [Signature] 8/20/10 2:05 P.M.



Tetra Tech Inc (HI)
737 Bishop St, Suite 3020
Honolulu, Hawaii 96813
Tel: 808-533-3366
Fax: 808-533-3306
RE: Earhart and Onizuka Sampling

Work Order No.: 1008172

Dear Yvonne Parry:

Torrent Laboratory, Inc. received 32 sample(s) on August 23, 2010 for the analyses presented in the following Report.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

N. S. Kabir

Nutan Kabir

September 01, 2010

Date



Date: 9/1/2010

Client: Tetra Tech Inc (HI)

Project: Earhart and Onizuka Sampling

Work Order: 1008172

CASE NARRATIVE

No issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Analytical Comments, General, For all samples -Note: Samples processed under Incremental Sampling Procedure SOP TCI0109. Sample collection date and time is reflective of Hawaiian Standard Time (HST) while all analytical dates and times are reflective of Pacific Standard Time (PST).

Analytical Comments for METHOD 8081S_Tetra Tech, ALL SAMPLE, Note: Per client request, whenever possible (where matrix interference does not preclude it), sample data is reported to the MDL. Results reported between the MDL and PQL are qualified with the appropriate "J" flag and should be considered as estimated values.

MS/MSD was not run on the instrument due to high level of dieldrin and aldrin in the spiked sample.



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-52A-06

1008172-001

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	500	0.22	1.0	25	mg/Kg
Dieldrin	SW8081A	500	0.21	1.0	8.5	mg/Kg

EAR2-RA-52A-12

1008172-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	250	0.11	0.50	10	mg/Kg
gamma-Chlordane	SW8081A	250	0.11	0.50	0.15	mg/Kg
alpha-Chlordane	SW8081A	250	0.090	0.50	0.16	mg/Kg
4,4'-DDE	SW8081A	250	0.12	0.50	0.13	mg/Kg
Dieldrin	SW8081A	250	0.11	0.50	4.0	mg/Kg

EAR2-RA-52B-06

1008172-003

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	6.4	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.19	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.20	mg/Kg
4,4'-DDE	SW8081A	200	0.095	0.40	0.14	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	7.2	mg/Kg
4,4'-DDD	SW8081A	200	0.094	0.40	0.11	mg/Kg
4,4'-DDT	SW8081A	200	0.16	0.40	0.20	mg/Kg
Endrin Ketone	SW8081A	200	0.080	0.40	0.12	mg/Kg

EAR2-RA-52B-12

1008172-004

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	7.0	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.19	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.19	mg/Kg
4,4'-DDE	SW8081A	200	0.095	0.40	0.18	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	5.4	mg/Kg
4,4'-DDT	SW8081A	200	0.16	0.40	0.25	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-30f-06

1008172-005

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	4.0	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.12	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.12	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.091	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.6	mg/Kg

EAR2-RA-30f-12

1008172-006

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	300	0.13	0.60	17	mg/Kg
Dieldrin	SW8081A	300	0.13	0.60	4.5	mg/Kg

EAR2-RA-37b-06

1008172-007

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.22	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.37	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.39	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.24	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.1	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.13	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.51	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	2.3	mg/Kg

EAR2-RA-37b-12

1008172-008

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Heptachlor	SW8081A	50	0.055	0.10	0.098	mg/Kg
Aldrin	SW8081A	50	0.022	0.10	1.1	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.85	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.83	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.19	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.7	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.20	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	1.7	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	5.7	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-37c-06

1008172-009

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	2.0	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.32	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.26	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.11	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.9	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.097	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.21	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.7	mg/Kg

EAR2-RA-37c-12

1008172-010

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.4	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.31	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.27	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.068	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.8	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.073	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.10	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.7	mg/Kg

EAR2-RA-37d-06

1008172-011

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.4	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.46	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.37	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.7	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	2.5	mg/Kg

EAR2-RA-37d-12

1008172-012

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	3.7	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.56	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.44	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.2	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	3.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-20j-06

1008172-013

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.19	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.28	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.23	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.037	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.38	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.068	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	1.6	mg/Kg

EAR2-RA-20j-12

1008172-014

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.14	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.12	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.13	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.033	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.48	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.048	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	0.86	mg/Kg

EAR2-RA-20i-06

1008172-015

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.20	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.13	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.13	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.055	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.93	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.054	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	0.77	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-20i-12

1008172-016

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.24	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.071	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.076	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.020	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.67	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.025	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	0.45	mg/Kg

EAR2-RA-31c-06

1008172-017

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.0075	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.17	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.14	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.0070	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.073	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.014	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.010	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	1.1	mg/Kg

EAR2-RA-31c-12

1008172-018

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.0087	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.18	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.15	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.011	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.090	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.012	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.011	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	1.1	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-31b-06

1008172-019

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.024	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.13	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.15	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.026	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.10	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.023	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	0.84	mg/Kg

EAR2-RA-31b-12

1008172-020

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.012	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.13	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.12	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.017	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.085	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.023	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	0.85	mg/Kg

EAR2-RA-31d-06

1008172-021

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.073	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.43	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.42	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.027	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.45	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.016	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	3.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-31d-12

1008172-022

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.25	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.37	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.36	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.026	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.99	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	2.5	mg/Kg

EAR2-RA-31e-06

1008172-023

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.017	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.15	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.14	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.0099	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.11	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.0081	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.016	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	0.91	mg/Kg

EAR2-RA-31e-12

1008172-024

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.012	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.28	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.27	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.029	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.15	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.0095	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.013	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	1.8	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-20b-06

1008172-025

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.25	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.21	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.26	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.050	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.7	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.030	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.048	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.3	mg/Kg

EAR2-RA-20b-12

1008172-026

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.18	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.14	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.16	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.040	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.2	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.78	mg/Kg

EAR2-RA-20c-06

1008172-027

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.33	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.13	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.16	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.071	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.6	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.044	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.76	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10

Date Reported: 09/01/10

EAR2-RA-20c-12

1008172-028

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.20	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.14	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.16	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.048	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.5	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.72	mg/Kg

EAR2-RA-20d-06

1008172-029

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.26	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.22	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.24	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.084	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.6	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.027	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.083	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.4	mg/Kg

EAR2-RA-20d-12

1008172-030

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.4	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.22	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.24	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.082	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.032	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.049	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.4	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	4.6	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10
1008172-031

EAR2-RA-20e-06

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.56	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.14	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.16	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.048	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.8	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.78	mg/Kg

EAR2-RA-20e-12

1008172-032

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.20	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.15	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.16	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.043	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.91	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.87	mg/Kg



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-52A-06	Lab Sample ID:	1008172-001A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 8:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/31/10	500	0.22	1.0	ND		mg/Kg	402015	0946
gamma-BHC	SW8081A	8/26/10	08/31/10	500	0.20	1.0	ND		mg/Kg	402015	0946
beta-BHC	SW8081A	8/26/10	08/31/10	500	0.18	1.0	ND		mg/Kg	402015	0946
delta-BHC	SW8081A	8/26/10	08/31/10	500	0.25	1.0	ND		mg/Kg	402015	0946
Heptachlor	SW8081A	8/26/10	08/31/10	500	0.55	1.0	ND		mg/Kg	402015	0946
Aldrin	SW8081A	8/26/10	08/31/10	500	0.22	1.0	25		mg/Kg	402015	0946
Heptachlor epoxide	SW8081A	8/26/10	08/31/10	500	0.16	1.0	ND		mg/Kg	402015	0946
gamma-Chlordane	SW8081A	8/26/10	08/31/10	500	0.21	1.0	ND		mg/Kg	402015	0946
alpha-Chlordane	SW8081A	8/26/10	08/31/10	500	0.18	1.0	ND		mg/Kg	402015	0946
Endosulfan I	SW8081A	8/26/10	08/31/10	500	0.30	1.0	ND		mg/Kg	402015	0946
4,4'-DDE	SW8081A	8/26/10	08/31/10	500	0.24	1.0	ND		mg/Kg	402015	0946
Dieldrin	SW8081A	8/26/10	08/31/10	500	0.21	1.0	8.5		mg/Kg	402015	0946
Endrin	SW8081A	8/26/10	08/31/10	500	0.28	1.0	ND		mg/Kg	402015	0946
4,4'-DDD	SW8081A	8/26/10	08/31/10	500	0.24	1.0	ND		mg/Kg	402015	0946
Endosulfan II	SW8081A	8/26/10	08/31/10	500	0.76	1.0	ND		mg/Kg	402015	0946
4,4'-DDT	SW8081A	8/26/10	08/31/10	500	0.40	1.0	ND		mg/Kg	402015	0946
Endrin aldehyde	SW8081A	8/26/10	08/31/10	500	0.51	1.0	ND		mg/Kg	402015	0946
Endosulfan sulfate	SW8081A	8/26/10	08/31/10	500	0.24	1.0	ND		mg/Kg	402015	0946
Methoxychlor	SW8081A	8/26/10	08/31/10	500	0.31	2.5	ND		mg/Kg	402015	0946
Endrin Ketone	SW8081A	8/26/10	08/31/10	500	0.20	1.0	ND		mg/Kg	402015	0946
Chlordane	SW8081A	8/26/10	08/31/10	500	5.0	10	ND		mg/Kg	402015	0946
Toxaphene	SW8081A	8/26/10	08/31/10	500	5.0	50	ND		mg/Kg	402015	0946
TCMX (S)	SW8081A	8/26/10	08/31/10	500	52.5	139	0.000	S,D	%	402015	0946
DCBP (S)	SW8081A	8/26/10	08/31/10	500	50.2	139	0.000	S,D	%	402015	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-52A-12	Lab Sample ID:	1008172-002A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 8:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	250	0.11	0.50	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	250	0.099	0.50	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	250	0.091	0.50	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	250	0.12	0.50	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	250	0.28	0.50	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	250	0.11	0.50	10		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	250	0.079	0.50	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	250	0.11	0.50	0.15	J	mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	250	0.090	0.50	0.16	J	mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	250	0.15	0.50	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	250	0.12	0.50	0.13	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	250	0.11	0.50	4.0		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	250	0.14	0.50	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	250	0.12	0.50	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	250	0.38	0.50	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	250	0.20	0.50	ND		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	250	0.26	0.50	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	250	0.12	0.50	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	250	0.15	1.3	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	250	0.10	0.50	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	250	2.5	5.0	ND		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	250	2.5	25	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	250	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	250	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-52B-06	Lab Sample ID:	1008172-003A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 8:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	200	0.088	0.40	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	200	0.079	0.40	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	200	0.073	0.40	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	200	0.098	0.40	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	200	0.22	0.40	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	200	0.088	0.40	6.4		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	200	0.063	0.40	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	200	0.084	0.40	0.19	J	mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	200	0.072	0.40	0.20	J	mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	200	0.12	0.40	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	200	0.095	0.40	0.14	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	200	0.085	0.40	7.2		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	200	0.11	0.40	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	200	0.094	0.40	0.11	J	mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	200	0.31	0.40	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	200	0.16	0.40	0.20	J	mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	200	0.21	0.40	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	200	0.098	0.40	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	200	0.12	1.0	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	200	0.080	0.40	0.12	J	mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	200	2.0	4.0	ND		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	200	2.0	20	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	200	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	200	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-52B-12	Lab Sample ID:	1008172-004A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 9:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	200	0.088	0.40	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	200	0.079	0.40	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	200	0.073	0.40	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	200	0.098	0.40	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	200	0.22	0.40	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	200	0.088	0.40	7.0		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	200	0.063	0.40	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	200	0.084	0.40	0.19	J	mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	200	0.072	0.40	0.19	J	mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	200	0.12	0.40	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	200	0.095	0.40	0.18	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	200	0.085	0.40	5.4		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	200	0.11	0.40	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	200	0.094	0.40	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	200	0.31	0.40	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	200	0.16	0.40	0.25	J	mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	200	0.21	0.40	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	200	0.098	0.40	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	200	0.12	1.0	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	200	0.080	0.40	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	200	2.0	4.0	ND		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	200	2.0	20	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	200	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	200	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-30f-06	Lab Sample ID:	1008172-005A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 9:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	100	0.044	0.20	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	100	0.040	0.20	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	100	0.036	0.20	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	100	0.049	0.20	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	100	0.11	0.20	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	100	0.044	0.20	4.0		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	100	0.032	0.20	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	100	0.042	0.20	0.12	J	mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	100	0.036	0.20	0.12	J	mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	100	0.059	0.20	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	100	0.048	0.20	0.091	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	100	0.043	0.20	3.6		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	100	0.057	0.20	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	100	0.047	0.20	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	100	0.15	0.20	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	100	0.081	0.20	ND		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	100	0.10	0.20	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	100	0.049	0.20	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	100	0.062	0.50	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	100	0.040	0.20	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	100	1.0	2.0	ND		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	100	1.0	10	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	100	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	100	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-30f-12	Lab Sample ID:	1008172-006A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 9:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	300	0.13	0.60	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	300	0.12	0.60	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	300	0.11	0.60	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	300	0.15	0.60	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	300	0.33	0.60	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	300	0.13	0.60	17		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	300	0.095	0.60	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	300	0.13	0.60	ND		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	300	0.11	0.60	ND		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	300	0.18	0.60	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	300	0.14	0.60	ND		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	300	0.13	0.60	4.5		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	300	0.17	0.60	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	300	0.14	0.60	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	300	0.46	0.60	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	300	0.24	0.60	ND		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	300	0.31	0.60	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	300	0.15	0.60	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	300	0.18	1.5	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	300	0.12	0.60	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	300	3.0	6.0	ND		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	300	3.0	30	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	300	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	300	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-37b-06	Lab Sample ID:	1008172-007A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 9:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	50	0.022	0.10	0.22		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	50	0.021	0.10	0.37		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	50	0.018	0.10	0.39		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.24		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	50	0.021	0.10	1.1		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.13		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	50	0.040	0.10	0.51		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	50	0.50	1.0	2.3		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	50	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	50	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-37b-12	Lab Sample ID:	1008172-008A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 9:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	50	0.055	0.10	0.098	J	mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	50	0.022	0.10	1.1		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	50	0.021	0.10	0.85		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	50	0.018	0.10	0.83		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.19		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	50	0.021	0.10	1.7		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.20		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	50	0.040	0.10	1.7		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	50	0.50	1.0	5.7		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	50	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	50	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-37c-06	Lab Sample ID:	1008172-009A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 10:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	50	0.022	0.10	2.0		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	50	0.021	0.10	0.32		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	50	0.018	0.10	0.26		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.11		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	50	0.021	0.10	1.9		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.097	J	mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	50	0.040	0.10	0.21		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	50	0.50	1.0	1.7		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	50	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	50	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-37c-12	Lab Sample ID:	1008172-010A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 10:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	50	0.022	0.10	1.4		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	50	0.021	0.10	0.31		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	50	0.018	0.10	0.27		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.068	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	50	0.021	0.10	1.8		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	50	0.024	0.10	0.073	J	mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	50	0.040	0.10	0.10		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	50	0.50	1.0	1.7		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	50	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	50	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-37d-06	Lab Sample ID:	1008172-011A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 10:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	100	0.044	0.20	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	100	0.040	0.20	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	100	0.036	0.20	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	100	0.049	0.20	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	100	0.11	0.20	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	100	0.044	0.20	1.4		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	100	0.032	0.20	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	100	0.042	0.20	0.46		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	100	0.036	0.20	0.37		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	100	0.059	0.20	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	100	0.048	0.20	ND		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	100	0.043	0.20	2.7		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	100	0.057	0.20	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	100	0.047	0.20	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	100	0.15	0.20	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	100	0.081	0.20	ND		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	100	0.10	0.20	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	100	0.049	0.20	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	100	0.062	0.50	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	100	0.040	0.20	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	100	1.0	2.0	2.5		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	100	1.0	10	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	100	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	100	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-37d-12	Lab Sample ID:	1008172-012A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 10:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	100	0.044	0.20	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	100	0.040	0.20	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	100	0.036	0.20	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	100	0.049	0.20	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	100	0.11	0.20	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	100	0.044	0.20	3.7		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	100	0.032	0.20	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	100	0.042	0.20	0.56		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	100	0.036	0.20	0.44		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	100	0.059	0.20	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	100	0.048	0.20	ND		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	100	0.043	0.20	3.2		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	100	0.057	0.20	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	100	0.047	0.20	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	100	0.15	0.20	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	100	0.081	0.20	ND		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	100	0.10	0.20	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	100	0.049	0.20	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	100	0.062	0.50	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	100	0.040	0.20	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	100	1.0	2.0	3.0		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	100	1.0	10	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	100	52.5	139	0.000	S,D	%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	100	50.2	139	0.000	S,D	%	402009	0946

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20j-06	Lab Sample ID:	1008172-013A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 11:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	20	0.0088	0.040	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	20	0.0079	0.040	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	20	0.0073	0.040	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	20	0.0098	0.040	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	20	0.022	0.040	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	20	0.0088	0.040	0.19		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	20	0.0063	0.040	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	20	0.0084	0.040	0.28		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	20	0.0072	0.040	0.23		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	20	0.012	0.040	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	20	0.0095	0.040	0.037	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	20	0.0085	0.040	0.38		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	20	0.011	0.040	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	20	0.0094	0.040	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	20	0.031	0.040	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	20	0.016	0.040	0.068		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	20	0.021	0.040	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	20	0.0098	0.040	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	20	0.012	0.10	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	20	0.0080	0.040	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	20	0.20	0.40	1.6		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	20	0.20	2.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	20	52.5	139	119		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	20	50.2	139	185	S	%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation. Surrogate recovery of DCBP is bias high possibly due to the dilution made on the sample; recovery of second surrogate supports data quality.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20j-12	Lab Sample ID:	1008172-014A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 11:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	10	0.011	0.020	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	0.14		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	10	0.0032	0.020	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0042	0.020	0.12		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	0.13		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	10	0.0059	0.020	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	10	0.0048	0.020	0.033		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	10	0.0043	0.020	0.48		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	10	0.0057	0.020	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	10	0.0047	0.020	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	10	0.015	0.020	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	10	0.0081	0.020	0.048		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	10	0.010	0.020	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	10	0.0062	0.050	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	10	0.10	0.20	0.86		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	10	0.10	1.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	10	52.5	139	103		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	10	50.2	139	141	S	%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation. Surrogate recovery of DCBP is bias high possibly due to the dilution made on the sample; recovery of second surrogate supports data quality.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20i-06	Lab Sample ID:	1008172-015A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 11:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	20	0.0088	0.040	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	20	0.0079	0.040	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	20	0.0073	0.040	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	20	0.0098	0.040	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	20	0.022	0.040	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	20	0.0088	0.040	0.20		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	20	0.0063	0.040	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	20	0.0084	0.040	0.13		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	20	0.0072	0.040	0.13		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	20	0.012	0.040	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	20	0.0095	0.040	0.055		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	20	0.0085	0.040	0.93		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	20	0.011	0.040	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	20	0.0094	0.040	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	20	0.031	0.040	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	20	0.016	0.040	0.054		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	20	0.021	0.040	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	20	0.0098	0.040	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	20	0.012	0.10	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	20	0.0080	0.040	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	20	0.20	0.40	0.77		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	20	0.20	2.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	20	52.5	139	111		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	20	50.2	139	205	S	%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation. Surrogate recovery of DCBP is bias high possibly due to the dilution made on the sample; recovery of second surrogate supports data quality.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20i-12	Lab Sample ID:	1008172-016A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 11:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	20	0.0088	0.040	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	20	0.0079	0.040	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	20	0.0073	0.040	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	20	0.0098	0.040	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	20	0.022	0.040	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	20	0.0088	0.040	0.24		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	20	0.0063	0.040	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	20	0.0084	0.040	0.071		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	20	0.0072	0.040	0.076		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	20	0.012	0.040	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	20	0.0095	0.040	0.020	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	20	0.0085	0.040	0.67		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	20	0.011	0.040	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	20	0.0094	0.040	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	20	0.031	0.040	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	20	0.016	0.040	0.025	J	mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	20	0.021	0.040	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	20	0.0098	0.040	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	20	0.012	0.10	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	20	0.0080	0.040	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	20	0.20	0.40	0.45		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	20	0.20	2.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	20	52.5	139	105		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	20	50.2	139	219	S	%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation. Surrogate recovery of DCBP is bias high possibly due to the dilution made on the sample; recovery of second surrogate supports data quality.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31c-06	Lab Sample ID:	1008172-017A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 13:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	10	0.011	0.020	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	0.0075	J	mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	10	0.0032	0.020	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0042	0.020	0.17		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	0.14		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	10	0.0059	0.020	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	10	0.0048	0.020	0.0070	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	10	0.0043	0.020	0.073		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	10	0.0057	0.020	0.014	J	mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	10	0.0047	0.020	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	10	0.015	0.020	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	10	0.0081	0.020	0.010	J	mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	10	0.010	0.020	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	10	0.0062	0.050	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	10	0.10	0.20	1.1		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	10	0.10	1.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	10	52.5	139	81.9		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	10	50.2	139	111		%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31c-12	Lab Sample ID:	1008172-018A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 13:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	10	0.011	0.020	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	0.0087	J	mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	10	0.0032	0.020	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0042	0.020	0.18		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	0.15		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	10	0.0059	0.020	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	10	0.0048	0.020	0.011	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	10	0.0043	0.020	0.090		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	10	0.0057	0.020	0.012	J	mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	10	0.0047	0.020	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	10	0.015	0.020	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	10	0.0081	0.020	0.011	J	mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	10	0.010	0.020	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	10	0.0062	0.050	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	10	0.10	0.20	1.1		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	10	0.10	1.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	10	52.5	139	88.2		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	10	50.2	139	80.6		%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31b-06	Lab Sample ID:	1008172-019A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 13:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	10	0.011	0.020	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	0.024		mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	10	0.0032	0.020	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0042	0.020	0.13		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	0.15		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	10	0.0059	0.020	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	10	0.0048	0.020	0.026		mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	10	0.0043	0.020	0.10		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	10	0.0057	0.020	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	10	0.0047	0.020	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	10	0.015	0.020	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	10	0.0081	0.020	0.023		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	10	0.010	0.020	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	10	0.0062	0.050	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	10	0.10	0.20	0.84		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	10	0.10	1.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	10	52.5	139	88.2		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	10	50.2	139	124		%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31b-12	Lab Sample ID:	1008172-020A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 14:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	ND		mg/Kg	402009	0946
gamma-BHC	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
beta-BHC	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	ND		mg/Kg	402009	0946
delta-BHC	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Heptachlor	SW8081A	8/26/10	08/29/10	10	0.011	0.020	ND		mg/Kg	402009	0946
Aldrin	SW8081A	8/26/10	08/29/10	10	0.0044	0.020	0.012	J	mg/Kg	402009	0946
Heptachlor epoxide	SW8081A	8/26/10	08/29/10	10	0.0032	0.020	ND		mg/Kg	402009	0946
gamma-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0042	0.020	0.13		mg/Kg	402009	0946
alpha-Chlordane	SW8081A	8/26/10	08/29/10	10	0.0036	0.020	0.12		mg/Kg	402009	0946
Endosulfan I	SW8081A	8/26/10	08/29/10	10	0.0059	0.020	ND		mg/Kg	402009	0946
4,4'-DDE	SW8081A	8/26/10	08/29/10	10	0.0048	0.020	0.017	J	mg/Kg	402009	0946
Dieldrin	SW8081A	8/26/10	08/29/10	10	0.0043	0.020	0.085		mg/Kg	402009	0946
Endrin	SW8081A	8/26/10	08/29/10	10	0.0057	0.020	ND		mg/Kg	402009	0946
4,4'-DDD	SW8081A	8/26/10	08/29/10	10	0.0047	0.020	ND		mg/Kg	402009	0946
Endosulfan II	SW8081A	8/26/10	08/29/10	10	0.015	0.020	ND		mg/Kg	402009	0946
4,4'-DDT	SW8081A	8/26/10	08/29/10	10	0.0081	0.020	0.023		mg/Kg	402009	0946
Endrin aldehyde	SW8081A	8/26/10	08/29/10	10	0.010	0.020	ND		mg/Kg	402009	0946
Endosulfan sulfate	SW8081A	8/26/10	08/29/10	10	0.0049	0.020	ND		mg/Kg	402009	0946
Methoxychlor	SW8081A	8/26/10	08/29/10	10	0.0062	0.050	ND		mg/Kg	402009	0946
Endrin Ketone	SW8081A	8/26/10	08/29/10	10	0.0040	0.020	ND		mg/Kg	402009	0946
Chlordane	SW8081A	8/26/10	08/29/10	10	0.10	0.20	0.85		mg/Kg	402009	0946
Toxaphene	SW8081A	8/26/10	08/29/10	10	0.10	1.0	ND		mg/Kg	402009	0946
TCMX (S)	SW8081A	8/26/10	08/29/10	10	52.5	139	124		%	402009	0946
DCBP (S)	SW8081A	8/26/10	08/29/10	10	50.2	139	120		%	402009	0946

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31d-06	Lab Sample ID:	1008172-021A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 14:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/30/10	20	0.0088	0.040	ND		mg/Kg	402014	0951
gamma-BHC	SW8081A	8/29/10	08/30/10	20	0.0079	0.040	ND		mg/Kg	402014	0951
beta-BHC	SW8081A	8/29/10	08/30/10	20	0.0073	0.040	ND		mg/Kg	402014	0951
delta-BHC	SW8081A	8/29/10	08/30/10	20	0.0098	0.040	ND		mg/Kg	402014	0951
Heptachlor	SW8081A	8/29/10	08/30/10	20	0.022	0.040	ND		mg/Kg	402014	0951
Aldrin	SW8081A	8/29/10	08/30/10	20	0.0088	0.040	0.073		mg/Kg	402014	0951
Heptachlor epoxide	SW8081A	8/29/10	08/30/10	20	0.0063	0.040	ND		mg/Kg	402014	0951
gamma-Chlordane	SW8081A	8/29/10	08/30/10	20	0.0084	0.040	0.43		mg/Kg	402014	0951
alpha-Chlordane	SW8081A	8/29/10	08/30/10	20	0.0072	0.040	0.42		mg/Kg	402014	0951
Endosulfan I	SW8081A	8/29/10	08/30/10	20	0.012	0.040	ND		mg/Kg	402014	0951
4,4'-DDE	SW8081A	8/29/10	08/30/10	20	0.0095	0.040	0.027	J	mg/Kg	402014	0951
Dieldrin	SW8081A	8/29/10	08/30/10	20	0.0085	0.040	0.45		mg/Kg	402014	0951
Endrin	SW8081A	8/29/10	08/30/10	20	0.011	0.040	0.016	J	mg/Kg	402014	0951
4,4'-DDD	SW8081A	8/29/10	08/30/10	20	0.0094	0.040	ND		mg/Kg	402014	0951
Endosulfan II	SW8081A	8/29/10	08/30/10	20	0.031	0.040	ND		mg/Kg	402014	0951
4,4'-DDT	SW8081A	8/29/10	08/30/10	20	0.016	0.040	ND		mg/Kg	402014	0951
Endrin aldehyde	SW8081A	8/29/10	08/30/10	20	0.021	0.040	ND		mg/Kg	402014	0951
Endosulfan sulfate	SW8081A	8/29/10	08/30/10	20	0.0098	0.040	ND		mg/Kg	402014	0951
Methoxychlor	SW8081A	8/29/10	08/30/10	20	0.012	0.10	ND		mg/Kg	402014	0951
Endrin Ketone	SW8081A	8/29/10	08/30/10	20	0.0080	0.040	ND		mg/Kg	402014	0951
Chlordane	SW8081A	8/29/10	08/30/10	20	0.20	0.40	3.0		mg/Kg	402014	0951
Toxaphene	SW8081A	8/29/10	08/30/10	20	0.20	2.0	ND		mg/Kg	402014	0951
TCMX (S)	SW8081A	8/29/10	08/30/10	20	52.5	139	105		%	402014	0951
DCBP (S)	SW8081A	8/29/10	08/30/10	20	50.2	139	129		%	402014	0951

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31d-12	Lab Sample ID:	1008172-022A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 14:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.25		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.37		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.36		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.026	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.99		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	ND		mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	2.5		mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31e-06	Lab Sample ID:	1008172-023A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 14:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/30/10	10	0.0044	0.020	ND		mg/Kg	402014	0951
gamma-BHC	SW8081A	8/29/10	08/30/10	10	0.0040	0.020	ND		mg/Kg	402014	0951
beta-BHC	SW8081A	8/29/10	08/30/10	10	0.0036	0.020	ND		mg/Kg	402014	0951
delta-BHC	SW8081A	8/29/10	08/30/10	10	0.0049	0.020	ND		mg/Kg	402014	0951
Heptachlor	SW8081A	8/29/10	08/30/10	10	0.011	0.020	ND		mg/Kg	402014	0951
Aldrin	SW8081A	8/29/10	08/30/10	10	0.0044	0.020	0.017	J	mg/Kg	402014	0951
Heptachlor epoxide	SW8081A	8/29/10	08/30/10	10	0.0032	0.020	ND		mg/Kg	402014	0951
gamma-Chlordane	SW8081A	8/29/10	08/30/10	10	0.0042	0.020	0.15		mg/Kg	402014	0951
alpha-Chlordane	SW8081A	8/29/10	08/30/10	10	0.0036	0.020	0.14		mg/Kg	402014	0951
Endosulfan I	SW8081A	8/29/10	08/30/10	10	0.0059	0.020	ND		mg/Kg	402014	0951
4,4'-DDE	SW8081A	8/29/10	08/30/10	10	0.0048	0.020	0.0099	J	mg/Kg	402014	0951
Dieldrin	SW8081A	8/29/10	08/30/10	10	0.0043	0.020	0.11		mg/Kg	402014	0951
Endrin	SW8081A	8/29/10	08/30/10	10	0.0057	0.020	0.0081	J	mg/Kg	402014	0951
4,4'-DDD	SW8081A	8/29/10	08/30/10	10	0.0047	0.020	ND		mg/Kg	402014	0951
Endosulfan II	SW8081A	8/29/10	08/30/10	10	0.015	0.020	ND		mg/Kg	402014	0951
4,4'-DDT	SW8081A	8/29/10	08/30/10	10	0.0081	0.020	0.016	J	mg/Kg	402014	0951
Endrin aldehyde	SW8081A	8/29/10	08/30/10	10	0.010	0.020	ND		mg/Kg	402014	0951
Endosulfan sulfate	SW8081A	8/29/10	08/30/10	10	0.0049	0.020	ND		mg/Kg	402014	0951
Methoxychlor	SW8081A	8/29/10	08/30/10	10	0.0062	0.050	ND		mg/Kg	402014	0951
Endrin Ketone	SW8081A	8/29/10	08/30/10	10	0.0040	0.020	ND		mg/Kg	402014	0951
Chlordane	SW8081A	8/29/10	08/30/10	10	0.10	0.20	0.91		mg/Kg	402014	0951
Toxaphene	SW8081A	8/29/10	08/30/10	10	0.10	1.0	ND		mg/Kg	402014	0951
TCMX (S)	SW8081A	8/29/10	08/30/10	10	52.5	139	111		%	402014	0951
DCBP (S)	SW8081A	8/29/10	08/30/10	10	50.2	139	114		%	402014	0951

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-31e-12	Lab Sample ID:	1008172-024A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 14:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/30/10	10	0.0044	0.020	ND		mg/Kg	402014	0951
gamma-BHC	SW8081A	8/29/10	08/30/10	10	0.0040	0.020	ND		mg/Kg	402014	0951
beta-BHC	SW8081A	8/29/10	08/30/10	10	0.0036	0.020	ND		mg/Kg	402014	0951
delta-BHC	SW8081A	8/29/10	08/30/10	10	0.0049	0.020	ND		mg/Kg	402014	0951
Heptachlor	SW8081A	8/29/10	08/30/10	10	0.011	0.020	ND		mg/Kg	402014	0951
Aldrin	SW8081A	8/29/10	08/30/10	10	0.0044	0.020	0.012	J	mg/Kg	402014	0951
Heptachlor epoxide	SW8081A	8/29/10	08/30/10	10	0.0032	0.020	ND		mg/Kg	402014	0951
gamma-Chlordane	SW8081A	8/29/10	08/30/10	10	0.0042	0.020	0.28		mg/Kg	402014	0951
alpha-Chlordane	SW8081A	8/29/10	08/30/10	10	0.0036	0.020	0.27		mg/Kg	402014	0951
Endosulfan I	SW8081A	8/29/10	08/30/10	10	0.0059	0.020	ND		mg/Kg	402014	0951
4,4'-DDE	SW8081A	8/29/10	08/30/10	10	0.0048	0.020	0.029		mg/Kg	402014	0951
Dieldrin	SW8081A	8/29/10	08/30/10	10	0.0043	0.020	0.15		mg/Kg	402014	0951
Endrin	SW8081A	8/29/10	08/30/10	10	0.0057	0.020	0.0095	J	mg/Kg	402014	0951
4,4'-DDD	SW8081A	8/29/10	08/30/10	10	0.0047	0.020	ND		mg/Kg	402014	0951
Endosulfan II	SW8081A	8/29/10	08/30/10	10	0.015	0.020	ND		mg/Kg	402014	0951
4,4'-DDT	SW8081A	8/29/10	08/30/10	10	0.0081	0.020	0.013	J	mg/Kg	402014	0951
Endrin aldehyde	SW8081A	8/29/10	08/30/10	10	0.010	0.020	ND		mg/Kg	402014	0951
Endosulfan sulfate	SW8081A	8/29/10	08/30/10	10	0.0049	0.020	ND		mg/Kg	402014	0951
Methoxychlor	SW8081A	8/29/10	08/30/10	10	0.0062	0.050	ND		mg/Kg	402014	0951
Endrin Ketone	SW8081A	8/29/10	08/30/10	10	0.0040	0.020	ND		mg/Kg	402014	0951
Chlordane	SW8081A	8/29/10	08/30/10	10	0.10	0.20	1.8		mg/Kg	402014	0951
Toxaphene	SW8081A	8/29/10	08/30/10	10	0.10	1.0	ND		mg/Kg	402014	0951
TCMX (S)	SW8081A	8/29/10	08/30/10	10	52.5	139	112		%	402014	0951
DCBP (S)	SW8081A	8/29/10	08/30/10	10	50.2	139	113		%	402014	0951

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20b-06	Lab Sample ID:	1008172-025A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 15:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.25		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.21		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.26		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.050	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	1.7		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	0.030	J	mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	0.048	J	mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	1.3		mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20b-12	Lab Sample ID:	1008172-026A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 15:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.18		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.14		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.16		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.040	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	1.2		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	ND		mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	0.78	J	mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20c-06	Lab Sample ID:	1008172-027A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 15:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.33		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.13		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.16		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.071	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	1.6		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	0.044	J	mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	0.76	J	mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20c-12	Lab Sample ID:	1008172-028A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 15:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.20		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.14		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.16		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.048	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	1.5		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	ND		mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	0.72	J	mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20d-06	Lab Sample ID:	1008172-029A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 15:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.26		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.22		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.24		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.084	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	1.6		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.027	J	mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	0.083	J	mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	1.4		mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20d-12	Lab Sample ID:	1008172-030A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 15:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	1.4		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.22		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.24		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.082	J	mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	0.032	J	mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	0.049	J	mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	1.4		mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

The results shown below are reported using their MDL.

Dieldrin	SW8081A	8/29/10	08/30/10	200	0.085	0.40	4.6		mg/Kg	402014	0951
----------	---------	---------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20e-06	Lab Sample ID:	1008172-031A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 16:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.56		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.14		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.16		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.048	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	1.8		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	ND		mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	0.78	J	mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/23/10
Date Reported: 09/01/10

Client Sample ID:	EAR2-RA-20e-12	Lab Sample ID:	1008172-032A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/19/10 / 16:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	8/29/10	08/29/10	50	0.022	0.10	ND		mg/Kg	402013	0951
gamma-BHC	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
beta-BHC	SW8081A	8/29/10	08/29/10	50	0.018	0.10	ND		mg/Kg	402013	0951
delta-BHC	SW8081A	8/29/10	08/29/10	50	0.025	0.10	ND		mg/Kg	402013	0951
Heptachlor	SW8081A	8/29/10	08/29/10	50	0.055	0.10	ND		mg/Kg	402013	0951
Aldrin	SW8081A	8/29/10	08/29/10	50	0.022	0.10	0.20		mg/Kg	402013	0951
Heptachlor epoxide	SW8081A	8/29/10	08/29/10	50	0.016	0.10	ND		mg/Kg	402013	0951
gamma-Chlordane	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.15		mg/Kg	402013	0951
alpha-Chlordane	SW8081A	8/29/10	08/29/10	50	0.018	0.10	0.16		mg/Kg	402013	0951
Endosulfan I	SW8081A	8/29/10	08/29/10	50	0.030	0.10	ND		mg/Kg	402013	0951
4,4'-DDE	SW8081A	8/29/10	08/29/10	50	0.024	0.10	0.043	J	mg/Kg	402013	0951
Dieldrin	SW8081A	8/29/10	08/29/10	50	0.021	0.10	0.91		mg/Kg	402013	0951
Endrin	SW8081A	8/29/10	08/29/10	50	0.028	0.10	ND		mg/Kg	402013	0951
4,4'-DDD	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Endosulfan II	SW8081A	8/29/10	08/29/10	50	0.076	0.10	ND		mg/Kg	402013	0951
4,4'-DDT	SW8081A	8/29/10	08/29/10	50	0.040	0.10	ND		mg/Kg	402013	0951
Endrin aldehyde	SW8081A	8/29/10	08/29/10	50	0.051	0.10	ND		mg/Kg	402013	0951
Endosulfan sulfate	SW8081A	8/29/10	08/29/10	50	0.024	0.10	ND		mg/Kg	402013	0951
Methoxychlor	SW8081A	8/29/10	08/29/10	50	0.031	0.25	ND		mg/Kg	402013	0951
Endrin Ketone	SW8081A	8/29/10	08/29/10	50	0.020	0.10	ND		mg/Kg	402013	0951
Chlordane	SW8081A	8/29/10	08/29/10	50	0.50	1.0	0.87	J	mg/Kg	402013	0951
Toxaphene	SW8081A	8/29/10	08/29/10	50	0.50	5.0	ND		mg/Kg	402013	0951
TCMX (S)	SW8081A	8/29/10	08/29/10	50	52.5	139	0.000	S,D	%	402013	0951
DCBP (S)	SW8081A	8/29/10	08/29/10	50	50.2	139	0.000	S,D	%	402013	0951

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



MB Summary Report

Work Order:	1008172	Prep Method:	3545MI_OCP	Prep Date:	08/26/10	Prep Batch:	0946
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	08/29/10	Analytical Batch:	402009
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
alpha-BHC	0.00044	0.0020	ND	
gamma-BHC	0.00040	0.0020	ND	
beta-BHC	0.00036	0.0020	ND	
delta-BHC	0.00049	0.0020	ND	
Heptachlor	0.0011	0.0020	ND	
Aldrin	0.00044	0.0020	ND	
Heptachlor epoxide	0.00032	0.0020	ND	
gamma-Chlordane	0.00042	0.0020	ND	
alpha-Chlordane	0.00036	0.0020	ND	
Endosulfan I	0.00059	0.0020	ND	
4,4'-DDE	0.00048	0.0020	ND	
Dieldrin	0.00043	0.0020	ND	
Endrin	0.00057	0.0020	ND	
4,4'-DDD	0.00047	0.0020	ND	
Endosulfan II	0.0015	0.0020	ND	
4,4'-DDT	0.00081	0.0020	ND	
Endrin aldehyde	0.0010	0.0020	ND	
Endosulfan sulfate	0.00049	0.0020	ND	
Methoxychlor	0.00062	0.0050	ND	
Endrin Ketone	0.00040	0.0020	ND	
Chlordane	0.010	0.020	ND	
Toxaphene	0.010	0.10	ND	
TCMX (S)			96.3	
DCBP (S)			98.2	



MB Summary Report

Work Order:	1008172	Prep Method:	3545MI_OCP	Prep Date:	08/29/10	Prep Batch:	0951
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	08/29/10	Analytical Batch:	402013
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.00044	0.0020	ND		
gamma-BHC	0.00040	0.0020	ND		
beta-BHC	0.00036	0.0020	ND		
delta-BHC	0.00049	0.0020	ND		
Heptachlor	0.0011	0.0020	ND		
Aldrin	0.00044	0.0020	ND		
Heptachlor epoxide	0.00032	0.0020	ND		
gamma-Chlordane	0.00042	0.0020	ND		
alpha-Chlordane	0.00036	0.0020	ND		
Endosulfan I	0.00059	0.0020	ND		
4,4'-DDE	0.00048	0.0020	ND		
Dieldrin	0.00043	0.0020	ND		
Endrin	0.00057	0.0020	ND		
4,4'-DDD	0.00047	0.0020	ND		
Endosulfan II	0.0015	0.0020	ND		
4,4'-DDT	0.00081	0.0020	ND		
Endrin aldehyde	0.0010	0.0020	ND		
Endosulfan sulfate	0.00049	0.0020	ND		
Methoxychlor	0.00062	0.0050	ND		
Endrin Ketone	0.00040	0.0020	ND		
Chlordane	0.010	0.020	ND		
Toxaphene	0.010	0.10	ND		
TCMX (S)			92.9		
DCBP (S)			97.3		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1008172	Prep Method:	3545MI_OCP	Prep Date:	08/26/10	Prep Batch:	0946
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	08/29/10	Analytical Batch:	402009
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	107	113	5.56	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	104	110	5.43	56.9 - 124	30	
beta-BHC	0.36	2.0		20	105	117	11.0	44.2 - 125	30	
delta-BHC	0.49	2.0		20	91.5	94.2	2.95	61.5 - 116	30	
Heptachlor	1.1	2.0		20	109	117	6.25	63.6 - 125	30	
Aldrin	0.44	2.0		20	111	118	5.77	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	111	122	9.29	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	115	120	4.04	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	112	120	7.17	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	109	110	1.69	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	111	118	6.49	45.3 - 123	30	
Dieldrin	0.43	2.0		20	115	123	7.53	44 - 128	30	
Endrin	0.57	2.0		20	108	114	5.45	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	102	109	6.52	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	102	108	5.60	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	108	116	7.10	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	92.9	94.4	1.51	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	102	106	3.90	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	103	107	4.76	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	95.1	107	11.5	53.9 - 120	30	
TCMX (S)				2100	92.0	106		52.5 - 121		
DCBP (S)				2100	101	107		50.2 - 121		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1008172	Prep Method:	3545MI_OCP	Prep Date:	08/29/10	Prep Batch:	0951
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	08/29/10	Analytical Batch:	402013
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	109	96.6	12.1	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	105	92.9	11.7	56.9 - 124	30	
beta-BHC	0.36	2.0		20	101	89.3	11.8	44.2 - 125	30	
delta-BHC	0.49	2.0		20	95.3	85.4	11.1	61.5 - 116	30	
Heptachlor	1.1	2.0		20	108	96.1	11.2	63.6 - 125	30	
Aldrin	0.44	2.0		20	107	95.4	11.5	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	109	96.7	12.0	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	112	99.2	12.1	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	110	97.5	11.6	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	105	94.5	10.6	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	107	95.1	11.8	45.3 - 123	30	
Dieldrin	0.43	2.0		20	112	98.7	12.2	44 - 128	30	
Endrin	0.57	2.0		20	109	96.6	12.5	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	110	97.3	12.3	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	97.9	87.2	11.7	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	108	95.3	12.5	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	88.5	81.5	8.20	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	102	91.0	11.4	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	102	90.3	12.7	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	99.2	88.0	11.8	53.9 - 120	30	
TCMX (S)				2100	92.9	81.4		52.5 - 121		
DCBP (S)				2100	96.7	84.8		50.2 - 121		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit (PQL) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m³ , mg.m³ , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm ² surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Tetra Tech Inc (HI)

Date and Time Received: 8/23/2010 14:00

Project Name: Earhart and Onizuka Sampling

Received By: patti

Work Order No.: 1008172

Physically Logged By:

Checklist Completed By: lorna

Carrier Name: FedEx

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Temperature: 9 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt?

pH Checked by: pH Adjusted by:

Sample -013A (EAR-RA-20j-06 @11:30)not matching on COC which is EAR2-RA-37j-06. Sample-14A (EAR-RA-20j-12 @ 11:35) not matching on COC-EAR2-RA-37j-12).Sample -015A (EAR-RA-20-06 @11:40) on COC-EAR2-RA-37i-06).Sample -016A(EAR2-RA-20-12 @11:45) on COC-EAR2-RA37i-12.



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/23/2010
Report Due Date:	9/1/2010	Time Received:	14:00
Comments:	5 day TAT! (+2 days for drying) Received 32 soils @ 9°C. Multi incremental sampling, samples need to be air dried, sieved. Sample ids corrected for samples 013-016. Revised CoC page attached.		
Work Order # :	1008172		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008172-001A	EAR2-RA-52A-06	08/19/10 8:40	Soil	02/19/11			EDD S_8081MITetra	
Sample Note: 8081 Multi incremental sampling for all. Samples need to be air dried, sieved.								
1008172-002A	EAR2-RA-52A-12	08/19/10 8:45	Soil	02/19/11			S_8081MITetra	
1008172-003A	EAR2-RA-52B-06	08/19/10 8:55	Soil	02/19/11			S_8081MITetra	
1008172-004A	EAR2-RA-52B-12	08/19/10 9:00	Soil	02/19/11			S_8081MITetra	
1008172-005A	EAR2-RA-30f-06	08/19/10 9:30	Soil	02/19/11			S_8081MITetra	
1008172-006A	EAR2-RA-30f-12	08/19/10 9:35	Soil	02/19/11			S_8081MITetra	
1008172-007A	EAR2-RA-37b-06	08/19/10 9:45	Soil	02/19/11			S_8081MITetra	
1008172-008A	EAR2-RA-37b-12	08/19/10 9:50	Soil	02/19/11			S_8081MITetra	
1008172-009A	EAR2-RA-37c-06	08/19/10 10:30	Soil	02/19/11			S_8081MITetra	
1008172-010A	EAR2-RA-37c-12	08/19/10 10:35	Soil	02/19/11			S_8081MITetra	
1008172-011A	EAR2-RA-37d-06	08/19/10 10:30	Soil	02/19/11			S_8081MITetra	
1008172-012A	EAR2-RA-37d-12	08/19/10 10:35	Soil	02/19/11			S_8081MITetra	
1008172-013A	EAR2-RA-20j-06	08/19/10 11:30	Soil	02/19/11			S_8081MITetra	
1008172-014A	EAR2-RA-20j-12	08/19/10 11:35	Soil	02/19/11			S_8081MITetra	
1008172-015A	EAR2-RA-20i-06	08/19/10 11:40	Soil	02/19/11			S_8081MITetra	
1008172-016A	EAR2-RA-20i-12	08/19/10 11:45	Soil	02/19/11			S_8081MITetra	
1008172-017A	EAR2-RA-31c-06	08/19/10 13:45	Soil	02/19/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/23/2010
Report Due Date:	9/1/2010	Time Received:	14:00
Comments:	5 day TAT! (+2 days for drying) Received 32 soils @ 9°C. Multi incremental sampling, samples need to be air dried, sieved. Sample ids corrected for samples 013-016. Revised CoC page attached.		
Work Order # :	1008172		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008172-018A	EAR2-RA-31c-12	08/19/10 13:50	Soil	02/19/11			S_8081MITetra	
1008172-019A	EAR2-RA-31b-06	08/19/10 13:55	Soil	02/19/11			S_8081MITetra	
1008172-020A	EAR2-RA-31b-12	08/19/10 14:00	Soil	02/19/11			S_8081MITetra	
1008172-021A	EAR2-RA-31d-06	08/19/10 14:10	Soil	02/19/11			S_8081MITetra	
1008172-022A	EAR2-RA-31d-12	08/19/10 14:15	Soil	02/19/11			S_8081MITetra	
1008172-023A	EAR2-RA-31e-06	08/19/10 14:25	Soil	02/19/11			S_8081MITetra	
1008172-024A	EAR2-RA-31e-12	08/19/10 14:00	Soil	02/19/11			S_8081MITetra	
1008172-025A	EAR2-RA-20b-06	08/19/10 15:05	Soil	02/19/11			S_8081MITetra	
1008172-026A	EAR2-RA-20b-12	08/19/10 15:10	Soil	02/19/11			S_8081MITetra	
1008172-027A	EAR2-RA-20c-06	08/19/10 15:15	Soil	02/19/11			S_8081MITetra	
1008172-028A	EAR2-RA-20c-12	08/19/10 15:20	Soil	02/19/11			S_8081MITetra	
1008172-029A	EAR2-RA-20d-06	08/19/10 15:50	Soil	02/19/11			S_8081MITetra	
1008172-030A	EAR2-RA-20d-12	08/19/10 15:55	Soil	02/19/11			S_8081MITetra	
1008172-030A20 0x	EAR2-RA-20d-12	08/19/10 15:55	Soil	02/19/11			S_8081MITetra	
1008172-031A	EAR2-RA-20e-06	08/19/10 16:00	Soil	02/19/11			S_8081MITetra	
1008172-032A	EAR2-RA-20e-12	08/19/10 16:05	Soil	02/19/11			S_8081MITetra	

CHAIN-OF-CUSTODY RECORD

1008172



TETRA TECH

Client Name/Account #: TetraTech, Inc.
 Address: 737 Bishop St., Suite 3020
 City/State/Zip: Honolulu, HI 96813
 Project Manager: Y. Parry
 Telephone Number: (808)533-3366 Fax No.: (808)533-3306
 Sampler Name: (Print) Jon Morrison
 Sampler Signature: Jon Morrison

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison
 Invoice To: Y. Parry
 Project ID: Earhart and Onizuka Sampling
 Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative								Matrix			Analyze For:			RUSH TAT (Pre-Schedule)	Standard TAT													
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):			Multi-Incremental Preparation	8081											
025A EAR2-RA-20b-06	8/19/10	1505	1			X	X												X																
026A EAR2-RA-20b-12		1510	1			X	X												X																
027A EAR2-RA-20c-06		1515	1			X	X												X																
028A EAR2-RA-20c-12		1520	1			X	X												X																
029A EAR2-RA-20d-06		1550	1			X	X												X																
030A EAR2-RA-20d-12		1555	1			X	X												X																
031A EAR2-RA-20e-06		1600	1			X	X												X																
032A EAR2-RA-20e-12	✓	1605	1			X	X												X																

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Method of Shipment: FEDEX

Relinquished by: <u>Jon Morrison</u>	Date: <u>8/19/10</u>	Time: <u>1800</u>	Received by: <u>Jaymes Barrios</u>	Date: <u>8/19/10</u>	Time: <u>1800</u>
Relinquished by: <u>Jaymes Barrios</u>	Date: <u>8/21/10</u>	Time: <u>1000</u>	Received by FedEx: <u>FEDEX</u>	Date: <u>8/21/10</u>	Time: <u>1000</u>

Laboratory Comments:
 Temperature Upon Receipt: a/c
 VOCs Free of HeadSpace? Y N

P-Schedule 8/23/10 2pm

CHAIN-OF-CUSTODY RECORD

1008172



TETRA TECH

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) Son Mollison

Project ID: Earhart and Onizuka Sampling

Sampler Signature: *[Handwritten Signature]*

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative							Matrix					Analyze For					RUSH TAT (Pre-Schedule Standard TAT)			
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparatio	8081					
001A EAR2-RA-52A-06	8/19/10	840	1			X	X										X	X									
002A EAR2-RA-52A-12		845				X	X										X	X									
003A EAR2-RA-52B-06		855				X	X										X	X									
004A EAR2-RA-52B-12		0900				X	X										X	X									
005A EAR2-RA-30F-06		0930				X	X										X	X									
006A EAR2-RA-30F-12		0935				X	X										X	X									
007A EAR2-RA-37b-06		0945				X	X										X	X									
008A EAR2-RA-37b-12		0950				X	X										X	X									
009A EAR2-RA-37C-06		1030				X	X										X	X									
010A EAR2-RA-37C-12		1035				X	X										X	X									
011A EAR2-RA-37d-06		1030				X	X										X	X									
012A EAR2-RA-37d-12	√	1035				X	X										X	X									

Special Instructions:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance
Method of Shipment: FEDEX

Laboratory Comments:

Temperature Upon Receipt: a/c
VOCs Free of Headspace? Y N

Relinquished by: <i>[Signature]</i>	Date: 8/19/2010	Time: 1800	Received by: <i>[Signature]</i>	Date: 8/19/10	Time: 1800
Relinquished by: <i>[Signature]</i>	Date: 8/21/10	Time: 1000	Received by: FEDEX	Date: 8/21/10	Time: 1000

P. Sarduck 8/23/10 2:00pm

Page 1 of 3

CHAIN-OF-CUSTODY RECORD

1008172



TETRA TECH

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) J Mollison

Project ID: Earhart and Onizuka Sampling

Sampler Signature: *J Mollison*

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-Incremental Sample	Preservative							Matrix				Analyze For:	Multi-Incremental Preparatic	8081	RUSH TAT (Pre-Schedule Standard TAT)	
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water					Sludge
013A EAR2-RA-37j-06	8/19/10	1130	1			X	X										X	X	X			X
014A EAR2-RA-37j-12		1135	1			X	X										X	X	X			
015A EAR2-RA-37i-06		1140	1			X	X										X	X	X			
016A EAR2-RA-37i-12		1145	1			X	X										X	X	X			
017A EAR2-RA-37c-06	1348	1350	1			X	X										X	X	X			
018A EAR2-RA-37c-12	1350	1355	1			X	X										X	X	X			
019A EAR2-RA-31b-06		1355	1			X	X										X	X	X			
020A EAR2-RA-31b-12		1400	1			X	X										X	X	X			
021A EAR2-RA-31d-06		1410	1			X	X										X	X	X			
022A EAR2-RA-31d-12		1415	1			X	X										X	X	X			
023A EAR2-RA-31e-06		1425	1			X	X										X	X	X			
024A EAR2-RA-31e-12	✓	1430	1			X	X										X	X	X			

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance Method of Shipment: FEDEX						Laboratory Comments: Temperature Upon Receipt: <i>9°C</i> VOCs Free of Headspace? <i>Y N</i>					
Relinquished by: <i>J Mollison</i>	Date: <i>8/19/2010</i>	Time: <i>1800</i>	Received by: <i>J Mollison</i>	Date: <i>8/19/2010</i>	Time: <i>1800</i>						
Relinquished by: <i>J Mollison</i>	Date: <i>8/21/2010</i>	Time: <i>1000</i>	Received by FedEx: <i>FEDEX</i>	Date: <i>8/21/10</i>	Time: <i>1500</i>						

P. Sandwick 8/23/10 2pm



CHAIN-OF-CUSTODY RECORD



Client Name/Account #: TetraTech, Inc.
 Address: 737 Bishop St., Suite 3020
 City/State/Zip: Honolulu, HI 96813
 Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison
 Invoice To: Y. Parry
 Project ID: Earhart and Onizuka Sampling
 Project #: 100-SFO-T26434-02

Telephone Number: (808)533-3366
 Fax No.: (808)533-3306
 Sampler Name: (Print) *J. Mollison*
 Sampler Signature: *[Signature]*

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Sample Type		Matrix													Analyze For	Standard TAT
				Grab	Composite	Preservative														
						Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sudge	Soil	Multi-Incremental Preparto	
EAR2-RA-31a-06	8/19/10	1130	1		X	X	X	X	X										X	
EAR2-RA-31b-12		1135	1		X	X	X	X	X										X	
EAR2-RA-31c-06		1140	1		X	X	X	X	X										X	
EAR2-RA-31d-12		1145	1		X	X	X	X	X										X	
EAR2-RA-31e-06		1150	1		X	X	X	X	X										X	
EAR2-RA-31f-12		1155	1		X	X	X	X	X										X	
EAR2-RA-31g-06		1460	1		X	X	X	X	X										X	
EAR2-RA-31h-06		1410	1		X	X	X	X	X										X	
EAR2-RA-31i-12		1415	1		X	X	X	X	X										X	
EAR2-RA-31j-06		1425	1		X	X	X	X	X										X	
EAR2-RA-31k-12		1430	1		X	X	X	X	X										X	

Special Instructions:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Relinquished by: *[Signature]* Date: 8/19/2010 Time: 1130
Relinquished by: *[Signature]* Date: 8/21/2010 Time: 1200

Received by: *[Signature]* Date: 8/19/2010 Time: 1800
Received by: *[Signature]* Date: 8/21/2010 Time: 1600

Method of Shipment: FEDEX

Temperature Upon Receipt: Y N
VOCs Free of Headspace? Y N

Laboratory Comments:

Page 2 of 3



Tetra Tech Inc (HI)
737 Bishop St, Suite 3020
Honolulu, Hawaii 96813
Tel: 808-533-3366
Fax: 808-533-3306
RE: Earhart and Onizuka Sampling

Work Order No.: 1008226

Dear Yvonne Parry:

Torrent Laboratory, Inc. received 38 sample(s) on August 30, 2010 for the analyses presented in the following Report.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

N. S. Kabir

Nutan Kabir

September 09, 2010

Date



Date: 9/9/2010

Client: Tetra Tech Inc (HI)

Project: Earhart and Onizuka Sampling

Work Order: 1008226

CASE NARRATIVE

No issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Analytical Comments, General, For all samples -Note: Samples processed under Incremental Sampling Procedure SOP TCI0109. Sample collection date and time is reflective of Hawaiian Standard Time (HST) while all analytical dates and times are reflective of Pacific Standard Time (PST).

Analytical Comments for METHOD 8081S_Tetra Tech, ALL SAMPLE, Note: Per client request, whenever possible (where matrix interference does not preclude it), sample data is reported to the MDL. Results reported between the MDL and PQL are qualified with the appropriate "J" flag and should be considered as estimated values



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-40a-06-1

1008226-001A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.7	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.12	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.098	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.050	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.8	mg/Kg

EAR2-RA-40a-06-2

1008226-002A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.92	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.10	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.10	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.3	mg/Kg

EAR2-RA-40a-06-3

1008226-003A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.76	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.14	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.13	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.031	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.2	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg

EAR2-RA-40a-12

1008226-004A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	3.9	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.10	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.085	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	5.6	mg/Kg
Endrin Ketone	SW8081A	200	0.080	0.40	0.092	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-40c-06

1008226-005A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	4.2	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	5.5	mg/Kg
Endrin Ketone	SW8081A	200	0.080	0.40	0.086	mg/Kg

EAR2-RA-40c-12

1008226-006A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	5.2	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	2.6	mg/Kg
Endrin Ketone	SW8081A	200	0.080	0.40	0.086	mg/Kg

EAR2-RA-41b-06

1008226-007A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.2	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.39	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.42	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.097	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.9	mg/Kg
Endrin Ketone	SW8081A	100	0.040	0.20	0.041	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	2.6	mg/Kg

EAR2-RA-41b-12

1008226-008A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.8	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.39	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.39	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.075	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.9	mg/Kg
Endrin Ketone	SW8081A	100	0.040	0.20	0.046	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	2.6	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-41a-06

1008226-009A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.95	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.28	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.24	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.093	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.4	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.10	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.021	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.4	mg/Kg

EAR2-RA-41a-12

1008226-010A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.83	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.23	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.25	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.094	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.8	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.081	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.024	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.8	mg/Kg

EAR2-RA-40b-06

1008226-011A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.2	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.11	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.090	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.056	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.6	mg/Kg

EAR2-RA-40b-12

1008226-012A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.6	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.065	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.053	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.059	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-42b-06

1008226-013A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	250	0.11	0.50	8.7	mg/Kg
gamma-Chlordane	SW8081A	250	0.11	0.50	0.31	mg/Kg
alpha-Chlordane	SW8081A	250	0.090	0.50	0.28	mg/Kg
Dieldrin	SW8081A	250	0.11	0.50	5.0	mg/Kg

EAR2-RA-42b-12

1008226-014A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	500	0.22	1.0	20	mg/Kg
alpha-Chlordane	SW8081A	500	0.18	1.0	0.25	mg/Kg
Dieldrin	SW8081A	500	0.21	1.0	7.7	mg/Kg

EAR2-RA-41c-06

1008226-015A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.96	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.25	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.24	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.096	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.5	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.042	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.8	mg/Kg

EAR2-RA-41c-12

1008226-016A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	2.9	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.15	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.18	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	3.4	mg/Kg

EAR2-RA-42a-06

1008226-017A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	500	0.22	1.0	4.5	mg/Kg
gamma-Chlordane	SW8081A	500	0.21	1.0	0.46	mg/Kg
alpha-Chlordane	SW8081A	500	0.18	1.0	0.52	mg/Kg
Dieldrin	SW8081A	500	0.21	1.0	5.7	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-42a-12

1008226-018A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	500	0.22	1.0	15	mg/Kg
gamma-Chlordane	SW8081A	500	0.21	1.0	0.50	mg/Kg
alpha-Chlordane	SW8081A	500	0.18	1.0	0.54	mg/Kg
Dieldrin	SW8081A	500	0.21	1.0	8.4	mg/Kg

EAR2-RA-42c-06

1008226-019A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	500	0.22	1.0	27	mg/Kg
gamma-Chlordane	SW8081A	500	0.21	1.0	0.65	mg/Kg
alpha-Chlordane	SW8081A	500	0.18	1.0	0.74	mg/Kg
Dieldrin	SW8081A	500	0.21	1.0	7.0	mg/Kg

EAR2-RA-42c-12

1008226-020A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	500	0.22	1.0	17	mg/Kg
gamma-Chlordane	SW8081A	500	0.21	1.0	0.40	mg/Kg
alpha-Chlordane	SW8081A	500	0.18	1.0	0.47	mg/Kg
Dieldrin	SW8081A	500	0.21	1.0	6.4	mg/Kg

EAR2-RA-42d-06

1008226-021A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.14	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.41	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.36	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.027	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.84	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	2.7	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-42d-12

1008226-022A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.21	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.21	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.16	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.035	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.68	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg

EAR2-RA-36a-06

1008226-023A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	1.4	mg/Kg
gamma-Chlordane	SW8081A	50	0.084	0.40	0.10	mg/Kg
alpha-Chlordane	SW8081A	50	0.072	0.40	0.12	mg/Kg
4,4'-DDE	SW8081A	50	0.095	0.40	0.16	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	4.8	mg/Kg

EAR2-RA-36a-12

1008226-024A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	1.5	mg/Kg
gamma-Chlordane	SW8081A	50	0.084	0.40	0.12	mg/Kg
alpha-Chlordane	SW8081A	50	0.072	0.40	0.14	mg/Kg
4,4'-DDE	SW8081A	50	0.095	0.40	0.14	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	4.1	mg/Kg

EAR2-RA-36b-06

1008226-025A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	1.3	mg/Kg
gamma-Chlordane	SW8081A	50	0.084	0.40	0.10	mg/Kg
alpha-Chlordane	SW8081A	50	0.072	0.40	0.11	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	4.4	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-36b-12

1008226-026A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.044	0.20	3.0	mg/Kg
gamma-Chlordane	SW8081A	50	0.042	0.20	0.12	mg/Kg
alpha-Chlordane	SW8081A	50	0.036	0.20	0.12	mg/Kg
4,4'-DDE	SW8081A	50	0.048	0.20	0.065	mg/Kg
Dieldrin	SW8081A	50	0.043	0.20	4.6	mg/Kg

EAR2-RA-36c-06

1008226-027A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	4.0	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.10	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.11	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.052	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.0	mg/Kg

EAR2-RA-36c-12

1008226-028A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.0	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.076	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.083	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.078	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.4	mg/Kg

EAR2-RA-36d-06

1008226-029A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	3.3	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.081	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.091	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.1	mg/Kg

EAR2-RA-36d-12

1008226-030A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	5.2	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	3.8	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-18a-06

1008226-031A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.32	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.077	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.089	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.17	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.8	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.16	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.69	mg/Kg

EAR2-RA-18a-12

1008226-032A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.27	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.034	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.037	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.15	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.1	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.10	mg/Kg

EAR2-RA-19c-06

1008226-033A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	1.8	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	4.4	mg/Kg

EAR2-RA-19c-12

1008226-034A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.1	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.022	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.028	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.025	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.7	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10

Date Reported: 09/09/10

EAR2-RA-19b-06-1

1008226-035A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	3.2	mg/Kg
gamma-Chlordane	SW8081A	50	0.084	0.40	0.088	mg/Kg
alpha-Chlordane	SW8081A	50	0.072	0.40	0.11	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	6.7	mg/Kg
Methoxychlor	SW8081A	50	0.12	1.0	0.32	mg/Kg

EAR2-RA-19b-12

1008226-036A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	10	mg/Kg
gamma-Chlordane	SW8081A	50	0.084	0.40	0.088	mg/Kg
alpha-Chlordane	SW8081A	50	0.072	0.40	0.11	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	9.4	mg/Kg
Endosulfan sulfate	SW8081A	50	0.098	0.40	0.12	mg/Kg
Methoxychlor	SW8081A	50	0.12	1.0	0.36	mg/Kg
Endrin Ketone	SW8081A	50	0.080	0.40	0.11	mg/Kg

EAR2-RA-19b-06-2

1008226-037A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	2.2	mg/Kg
gamma-Chlordane	SW8081A	50	0.084	0.40	0.094	mg/Kg
alpha-Chlordane	SW8081A	50	0.072	0.40	0.11	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	7.9	mg/Kg
Endosulfan sulfate	SW8081A	50	0.098	0.40	0.35	mg/Kg
Methoxychlor	SW8081A	50	0.12	1.0	0.41	mg/Kg

EAR2-RA-19b-06-3

1008226-038A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.088	0.40	1.5	mg/Kg
gamma-Chlordane	SW8081A	50	0.084	0.40	0.090	mg/Kg
alpha-Chlordane	SW8081A	50	0.072	0.40	0.22	mg/Kg
4,4'-DDE	SW8081A	50	0.095	0.40	0.14	mg/Kg
Dieldrin	SW8081A	50	0.085	0.40	7.3	mg/Kg



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40a-06-1	Lab Sample ID:	1008226-001A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 8:40		
Tag Number:	Earhart and Onizuka		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/06/10	100	0.044	0.20	ND		mg/Kg	402108	0996
gamma-BHC	SW8081A	9/4/10	09/06/10	100	0.040	0.20	ND		mg/Kg	402108	0996
beta-BHC	SW8081A	9/4/10	09/06/10	100	0.036	0.20	ND		mg/Kg	402108	0996
delta-BHC	SW8081A	9/4/10	09/06/10	100	0.049	0.20	ND		mg/Kg	402108	0996
Heptachlor	SW8081A	9/4/10	09/06/10	100	0.11	0.20	ND		mg/Kg	402108	0996
Aldrin	SW8081A	9/4/10	09/06/10	100	0.044	0.20	1.7		mg/Kg	402108	0996
Heptachlor epoxide	SW8081A	9/4/10	09/06/10	100	0.032	0.20	ND		mg/Kg	402108	0996
gamma-Chlordane	SW8081A	9/4/10	09/06/10	100	0.042	0.20	0.12	J	mg/Kg	402108	0996
alpha-Chlordane	SW8081A	9/4/10	09/06/10	100	0.036	0.20	0.098	J	mg/Kg	402108	0996
Endosulfan I	SW8081A	9/4/10	09/06/10	100	0.059	0.20	ND		mg/Kg	402108	0996
4,4'-DDE	SW8081A	9/4/10	09/06/10	100	0.048	0.20	0.050	J	mg/Kg	402108	0996
Dieldrin	SW8081A	9/4/10	09/06/10	100	0.043	0.20	3.8		mg/Kg	402108	0996
Endrin	SW8081A	9/4/10	09/06/10	100	0.057	0.20	ND		mg/Kg	402108	0996
4,4'-DDD	SW8081A	9/4/10	09/06/10	100	0.047	0.20	ND		mg/Kg	402108	0996
Endosulfan II	SW8081A	9/4/10	09/06/10	100	0.15	0.20	ND		mg/Kg	402108	0996
4,4'-DDT	SW8081A	9/4/10	09/06/10	100	0.081	0.20	ND		mg/Kg	402108	0996
Endrin aldehyde	SW8081A	9/4/10	09/06/10	100	0.10	0.20	ND		mg/Kg	402108	0996
Endosulfan sulfate	SW8081A	9/4/10	09/06/10	100	0.049	0.20	ND		mg/Kg	402108	0996
Methoxychlor	SW8081A	9/4/10	09/06/10	100	0.062	0.50	ND		mg/Kg	402108	0996
Endrin Ketone	SW8081A	9/4/10	09/06/10	100	0.040	0.20	ND		mg/Kg	402108	0996
Chlordane	SW8081A	9/4/10	09/06/10	100	1.0	2.0	ND		mg/Kg	402108	0996
Toxaphene	SW8081A	9/4/10	09/06/10	100	1.0	10	ND		mg/Kg	402108	0996
TCMX (S)	SW8081A	9/4/10	09/06/10	100	52.5	139	0.000	S,D	%	402108	0996
DCBP (S)	SW8081A	9/4/10	09/06/10	100	50.2	139	0.000	S,D	%	402108	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40a-06-2	Lab Sample ID:	1008226-002A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 8:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	100	0.044	0.20	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	100	0.036	0.20	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	100	0.11	0.20	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	100	0.044	0.20	0.92		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	100	0.032	0.20	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	100	0.042	0.20	0.10	J	mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	100	0.036	0.20	0.10	J	mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	100	0.059	0.20	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	100	0.048	0.20	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	100	0.043	0.20	2.3		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	100	0.057	0.20	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	100	0.047	0.20	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	100	0.15	0.20	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	100	0.081	0.20	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	100	0.10	0.20	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	100	0.062	0.50	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	100	1.0	2.0	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	100	1.0	10	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	100	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	100	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40a-06-3	Lab Sample ID:	1008226-003A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 8:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	50	0.022	0.10	0.76		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	50	0.021	0.10	0.14		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	50	0.018	0.10	0.13		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	50	0.024	0.10	0.031	J	mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	50	0.021	0.10	2.2		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	50	0.50	1.0	1.0		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40a-12	Lab Sample ID:	1008226-004A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 8:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/06/10	200	0.088	0.40	ND		mg/Kg	402108	0996
gamma-BHC	SW8081A	9/4/10	09/06/10	200	0.079	0.40	ND		mg/Kg	402108	0996
beta-BHC	SW8081A	9/4/10	09/06/10	200	0.073	0.40	ND		mg/Kg	402108	0996
delta-BHC	SW8081A	9/4/10	09/06/10	200	0.098	0.40	ND		mg/Kg	402108	0996
Heptachlor	SW8081A	9/4/10	09/06/10	200	0.22	0.40	ND		mg/Kg	402108	0996
Aldrin	SW8081A	9/4/10	09/06/10	200	0.088	0.40	3.9		mg/Kg	402108	0996
Heptachlor epoxide	SW8081A	9/4/10	09/06/10	200	0.063	0.40	ND		mg/Kg	402108	0996
gamma-Chlordane	SW8081A	9/4/10	09/06/10	200	0.084	0.40	0.10	J	mg/Kg	402108	0996
alpha-Chlordane	SW8081A	9/4/10	09/06/10	200	0.072	0.40	0.085	J	mg/Kg	402108	0996
Endosulfan I	SW8081A	9/4/10	09/06/10	200	0.12	0.40	ND		mg/Kg	402108	0996
4,4'-DDE	SW8081A	9/4/10	09/06/10	200	0.095	0.40	ND		mg/Kg	402108	0996
Dieldrin	SW8081A	9/4/10	09/06/10	200	0.085	0.40	5.6		mg/Kg	402108	0996
Endrin	SW8081A	9/4/10	09/06/10	200	0.11	0.40	ND		mg/Kg	402108	0996
4,4'-DDD	SW8081A	9/4/10	09/06/10	200	0.094	0.40	ND		mg/Kg	402108	0996
Endosulfan II	SW8081A	9/4/10	09/06/10	200	0.31	0.40	ND		mg/Kg	402108	0996
4,4'-DDT	SW8081A	9/4/10	09/06/10	200	0.16	0.40	ND		mg/Kg	402108	0996
Endrin aldehyde	SW8081A	9/4/10	09/06/10	200	0.21	0.40	ND		mg/Kg	402108	0996
Endosulfan sulfate	SW8081A	9/4/10	09/06/10	200	0.098	0.40	ND		mg/Kg	402108	0996
Methoxychlor	SW8081A	9/4/10	09/06/10	200	0.12	1.0	ND		mg/Kg	402108	0996
Endrin Ketone	SW8081A	9/4/10	09/06/10	200	0.080	0.40	0.092	J	mg/Kg	402108	0996
Chlordane	SW8081A	9/4/10	09/06/10	200	2.0	4.0	ND		mg/Kg	402108	0996
Toxaphene	SW8081A	9/4/10	09/06/10	200	2.0	20	ND		mg/Kg	402108	0996
TCMX (S)	SW8081A	9/4/10	09/06/10	200	52.5	139	0.000	S,D	%	402108	0996
DCBP (S)	SW8081A	9/4/10	09/06/10	200	50.2	139	0.000	S,D	%	402108	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40c-06	Lab Sample ID:	1008226-005A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 9:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	200	0.088	0.40	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	200	0.079	0.40	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	200	0.073	0.40	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	200	0.098	0.40	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	200	0.22	0.40	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	200	0.088	0.40	4.2		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	200	0.063	0.40	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	200	0.084	0.40	ND		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	200	0.072	0.40	ND		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	200	0.12	0.40	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	200	0.095	0.40	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	200	0.085	0.40	5.5		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	200	0.11	0.40	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	200	0.094	0.40	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	200	0.31	0.40	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	200	0.16	0.40	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	200	0.21	0.40	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	200	0.098	0.40	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	200	0.12	1.0	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	200	0.080	0.40	0.086	J	mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	200	2.0	4.0	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	200	2.0	20	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	200	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	200	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40c-12	Lab Sample ID:	1008226-006A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 9:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/06/10	200	0.088	0.40	ND		mg/Kg	402108	0996
gamma-BHC	SW8081A	9/4/10	09/06/10	200	0.079	0.40	ND		mg/Kg	402108	0996
beta-BHC	SW8081A	9/4/10	09/06/10	200	0.073	0.40	ND		mg/Kg	402108	0996
delta-BHC	SW8081A	9/4/10	09/06/10	200	0.098	0.40	ND		mg/Kg	402108	0996
Heptachlor	SW8081A	9/4/10	09/06/10	200	0.22	0.40	ND		mg/Kg	402108	0996
Aldrin	SW8081A	9/4/10	09/06/10	200	0.088	0.40	5.2		mg/Kg	402108	0996
Heptachlor epoxide	SW8081A	9/4/10	09/06/10	200	0.063	0.40	ND		mg/Kg	402108	0996
gamma-Chlordane	SW8081A	9/4/10	09/06/10	200	0.084	0.40	ND		mg/Kg	402108	0996
alpha-Chlordane	SW8081A	9/4/10	09/06/10	200	0.072	0.40	ND		mg/Kg	402108	0996
Endosulfan I	SW8081A	9/4/10	09/06/10	200	0.12	0.40	ND		mg/Kg	402108	0996
4,4'-DDE	SW8081A	9/4/10	09/06/10	200	0.095	0.40	ND		mg/Kg	402108	0996
Dieldrin	SW8081A	9/4/10	09/06/10	200	0.085	0.40	2.6		mg/Kg	402108	0996
Endrin	SW8081A	9/4/10	09/06/10	200	0.11	0.40	ND		mg/Kg	402108	0996
4,4'-DDD	SW8081A	9/4/10	09/06/10	200	0.094	0.40	ND		mg/Kg	402108	0996
Endosulfan II	SW8081A	9/4/10	09/06/10	200	0.31	0.40	ND		mg/Kg	402108	0996
4,4'-DDT	SW8081A	9/4/10	09/06/10	200	0.16	0.40	ND		mg/Kg	402108	0996
Endrin aldehyde	SW8081A	9/4/10	09/06/10	200	0.21	0.40	ND		mg/Kg	402108	0996
Endosulfan sulfate	SW8081A	9/4/10	09/06/10	200	0.098	0.40	ND		mg/Kg	402108	0996
Methoxychlor	SW8081A	9/4/10	09/06/10	200	0.12	1.0	ND		mg/Kg	402108	0996
Endrin Ketone	SW8081A	9/4/10	09/06/10	200	0.080	0.40	0.086	J	mg/Kg	402108	0996
Chlordane	SW8081A	9/4/10	09/06/10	200	2.0	4.0	ND		mg/Kg	402108	0996
Toxaphene	SW8081A	9/4/10	09/06/10	200	2.0	20	ND		mg/Kg	402108	0996
TCMX (S)	SW8081A	9/4/10	09/06/10	200	52.5	139	0.000	S,D	%	402108	0996
DCBP (S)	SW8081A	9/4/10	09/06/10	200	50.2	139	0.000	S,D	%	402108	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-41b-06	Lab Sample ID:	1008226-007A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 9:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	100	0.044	0.20	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	100	0.036	0.20	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	100	0.11	0.20	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	100	0.044	0.20	1.2		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	100	0.032	0.20	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	100	0.042	0.20	0.39		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	100	0.036	0.20	0.42		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	100	0.059	0.20	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	100	0.048	0.20	0.097	J	mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	100	0.043	0.20	2.9		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	100	0.057	0.20	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	100	0.047	0.20	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	100	0.15	0.20	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	100	0.081	0.20	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	100	0.10	0.20	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	100	0.062	0.50	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	100	0.040	0.20	0.041	J	mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	100	1.0	2.0	2.6		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	100	1.0	10	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	100	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	100	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-41b-12	Lab Sample ID:	1008226-008A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 9:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	100	0.044	0.20	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	100	0.036	0.20	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	100	0.11	0.20	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	100	0.044	0.20	2.8		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	100	0.032	0.20	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	100	0.042	0.20	0.39		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	100	0.036	0.20	0.39		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	100	0.059	0.20	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	100	0.048	0.20	0.075	J	mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	100	0.043	0.20	3.9		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	100	0.057	0.20	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	100	0.047	0.20	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	100	0.15	0.20	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	100	0.081	0.20	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	100	0.10	0.20	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	100	0.062	0.50	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	100	0.040	0.20	0.046	J	mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	100	1.0	2.0	2.6		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	100	1.0	10	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	100	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	100	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-41a-06	Lab Sample ID:	1008226-009A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	50	0.022	0.10	0.95		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	50	0.021	0.10	0.28		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	50	0.018	0.10	0.24		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	50	0.024	0.10	0.093	J	mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	50	0.021	0.10	2.4		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	50	0.040	0.10	0.10		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	50	0.020	0.10	0.021	J	mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	50	0.50	1.0	1.4		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-41a-12	Lab Sample ID:	1008226-010A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	50	0.022	0.10	0.83		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	50	0.021	0.10	0.23		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	50	0.018	0.10	0.25		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	50	0.024	0.10	0.094	J	mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	50	0.021	0.10	1.8		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	50	0.040	0.10	0.081	J	mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	50	0.020	0.10	0.024	J	mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	50	0.50	1.0	1.8		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40b-06	Lab Sample ID:	1008226-011A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/06/10	100	0.044	0.20	ND		mg/Kg	402108	0996
gamma-BHC	SW8081A	9/4/10	09/06/10	100	0.040	0.20	ND		mg/Kg	402108	0996
beta-BHC	SW8081A	9/4/10	09/06/10	100	0.036	0.20	ND		mg/Kg	402108	0996
delta-BHC	SW8081A	9/4/10	09/06/10	100	0.049	0.20	ND		mg/Kg	402108	0996
Heptachlor	SW8081A	9/4/10	09/06/10	100	0.11	0.20	ND		mg/Kg	402108	0996
Aldrin	SW8081A	9/4/10	09/06/10	100	0.044	0.20	1.2		mg/Kg	402108	0996
Heptachlor epoxide	SW8081A	9/4/10	09/06/10	100	0.032	0.20	ND		mg/Kg	402108	0996
gamma-Chlordane	SW8081A	9/4/10	09/06/10	100	0.042	0.20	0.11	J	mg/Kg	402108	0996
alpha-Chlordane	SW8081A	9/4/10	09/06/10	100	0.036	0.20	0.090	J	mg/Kg	402108	0996
Endosulfan I	SW8081A	9/4/10	09/06/10	100	0.059	0.20	ND		mg/Kg	402108	0996
4,4'-DDE	SW8081A	9/4/10	09/06/10	100	0.048	0.20	0.056	J	mg/Kg	402108	0996
Dieldrin	SW8081A	9/4/10	09/06/10	100	0.043	0.20	3.6		mg/Kg	402108	0996
Endrin	SW8081A	9/4/10	09/06/10	100	0.057	0.20	ND		mg/Kg	402108	0996
4,4'-DDD	SW8081A	9/4/10	09/06/10	100	0.047	0.20	ND		mg/Kg	402108	0996
Endosulfan II	SW8081A	9/4/10	09/06/10	100	0.15	0.20	ND		mg/Kg	402108	0996
4,4'-DDT	SW8081A	9/4/10	09/06/10	100	0.081	0.20	ND		mg/Kg	402108	0996
Endrin aldehyde	SW8081A	9/4/10	09/06/10	100	0.10	0.20	ND		mg/Kg	402108	0996
Endosulfan sulfate	SW8081A	9/4/10	09/06/10	100	0.049	0.20	ND		mg/Kg	402108	0996
Methoxychlor	SW8081A	9/4/10	09/06/10	100	0.062	0.50	ND		mg/Kg	402108	0996
Endrin Ketone	SW8081A	9/4/10	09/06/10	100	0.040	0.20	ND		mg/Kg	402108	0996
Chlordane	SW8081A	9/4/10	09/06/10	100	1.0	2.0	ND		mg/Kg	402108	0996
Toxaphene	SW8081A	9/4/10	09/06/10	100	1.0	10	ND		mg/Kg	402108	0996
TCMX (S)	SW8081A	9/4/10	09/06/10	100	52.5	139	0.000	S,D	%	402108	0996
DCBP (S)	SW8081A	9/4/10	09/06/10	100	50.2	139	0.000	S,D	%	402108	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-40b-12	Lab Sample ID:	1008226-012A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/06/10	100	0.044	0.20	ND		mg/Kg	402108	0996
gamma-BHC	SW8081A	9/4/10	09/06/10	100	0.040	0.20	ND		mg/Kg	402108	0996
beta-BHC	SW8081A	9/4/10	09/06/10	100	0.036	0.20	ND		mg/Kg	402108	0996
delta-BHC	SW8081A	9/4/10	09/06/10	100	0.049	0.20	ND		mg/Kg	402108	0996
Heptachlor	SW8081A	9/4/10	09/06/10	100	0.11	0.20	ND		mg/Kg	402108	0996
Aldrin	SW8081A	9/4/10	09/06/10	100	0.044	0.20	1.6		mg/Kg	402108	0996
Heptachlor epoxide	SW8081A	9/4/10	09/06/10	100	0.032	0.20	ND		mg/Kg	402108	0996
gamma-Chlordane	SW8081A	9/4/10	09/06/10	100	0.042	0.20	0.065	J	mg/Kg	402108	0996
alpha-Chlordane	SW8081A	9/4/10	09/06/10	100	0.036	0.20	0.053	J	mg/Kg	402108	0996
Endosulfan I	SW8081A	9/4/10	09/06/10	100	0.059	0.20	ND		mg/Kg	402108	0996
4,4'-DDE	SW8081A	9/4/10	09/06/10	100	0.048	0.20	0.059	J	mg/Kg	402108	0996
Dieldrin	SW8081A	9/4/10	09/06/10	100	0.043	0.20	3.0		mg/Kg	402108	0996
Endrin	SW8081A	9/4/10	09/06/10	100	0.057	0.20	ND		mg/Kg	402108	0996
4,4'-DDD	SW8081A	9/4/10	09/06/10	100	0.047	0.20	ND		mg/Kg	402108	0996
Endosulfan II	SW8081A	9/4/10	09/06/10	100	0.15	0.20	ND		mg/Kg	402108	0996
4,4'-DDT	SW8081A	9/4/10	09/06/10	100	0.081	0.20	ND		mg/Kg	402108	0996
Endrin aldehyde	SW8081A	9/4/10	09/06/10	100	0.10	0.20	ND		mg/Kg	402108	0996
Endosulfan sulfate	SW8081A	9/4/10	09/06/10	100	0.049	0.20	ND		mg/Kg	402108	0996
Methoxychlor	SW8081A	9/4/10	09/06/10	100	0.062	0.50	ND		mg/Kg	402108	0996
Endrin Ketone	SW8081A	9/4/10	09/06/10	100	0.040	0.20	ND		mg/Kg	402108	0996
Chlordane	SW8081A	9/4/10	09/06/10	100	1.0	2.0	ND		mg/Kg	402108	0996
Toxaphene	SW8081A	9/4/10	09/06/10	100	1.0	10	ND		mg/Kg	402108	0996
TCMX (S)	SW8081A	9/4/10	09/06/10	100	52.5	139	0.000	S,D	%	402108	0996
DCBP (S)	SW8081A	9/4/10	09/06/10	100	50.2	139	0.000	S,D	%	402108	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42b-06	Lab Sample ID:	1008226-013A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	250	0.11	0.50	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	250	0.099	0.50	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	250	0.091	0.50	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	250	0.12	0.50	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	250	0.28	0.50	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	250	0.11	0.50	8.7		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	250	0.079	0.50	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	250	0.11	0.50	0.31	J	mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	250	0.090	0.50	0.28	J	mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	250	0.15	0.50	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	250	0.12	0.50	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	250	0.11	0.50	5.0		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	250	0.14	0.50	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	250	0.12	0.50	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	250	0.38	0.50	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	250	0.20	0.50	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	250	0.26	0.50	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	250	0.12	0.50	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	250	0.15	1.3	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	250	0.10	0.50	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	250	2.5	5.0	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	250	2.5	25	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	250	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	250	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42b-12	Lab Sample ID:	1008226-014A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	500	0.22	1.0	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	500	0.18	1.0	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	500	0.25	1.0	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	500	0.55	1.0	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	500	0.22	1.0	20		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	500	0.16	1.0	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	500	0.21	1.0	ND		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	500	0.18	1.0	0.25	J	mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	500	0.30	1.0	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	500	0.21	1.0	7.7		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	500	0.28	1.0	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	500	0.76	1.0	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	500	0.40	1.0	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	500	0.51	1.0	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	500	0.31	2.5	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	500	5.0	10	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	500	5.0	50	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	500	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	500	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-41c-06	Lab Sample ID:	1008226-015A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	50	0.022	0.10	0.96		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	50	0.021	0.10	0.25		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	50	0.018	0.10	0.24		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	50	0.024	0.10	0.096	J	mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	50	0.021	0.10	2.5		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	50	0.040	0.10	0.042	J	mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	50	0.50	1.0	1.8		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-41c-12	Lab Sample ID:	1008226-016A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 10:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	200	0.088	0.40	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	200	0.079	0.40	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	200	0.073	0.40	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	200	0.098	0.40	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	200	0.22	0.40	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	200	0.088	0.40	2.9		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	200	0.063	0.40	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	200	0.084	0.40	0.15	J	mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	200	0.072	0.40	0.18	J	mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	200	0.12	0.40	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	200	0.095	0.40	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	200	0.085	0.40	3.4		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	200	0.11	0.40	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	200	0.094	0.40	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	200	0.31	0.40	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	200	0.16	0.40	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	200	0.21	0.40	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	200	0.098	0.40	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	200	0.12	1.0	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	200	0.080	0.40	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	200	2.0	4.0	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	200	2.0	20	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	200	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	200	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42a-06	Lab Sample ID:	1008226-017A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 11:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	500	0.22	1.0	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	500	0.18	1.0	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	500	0.25	1.0	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	500	0.55	1.0	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	500	0.22	1.0	4.5		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	500	0.16	1.0	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	500	0.21	1.0	0.46	J	mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	500	0.18	1.0	0.52	J	mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	500	0.30	1.0	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	500	0.21	1.0	5.7		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	500	0.28	1.0	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	500	0.76	1.0	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	500	0.40	1.0	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	500	0.51	1.0	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	500	0.31	2.5	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	500	5.0	10	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	500	5.0	50	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	500	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	500	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42a-12	Lab Sample ID:	1008226-018A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 11:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	50	0.021	0.10	0.50		mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	50	0.018	0.10	0.54		mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	50	0.024	0.10	0.063	J	mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	50	0.028	0.10	0.039	J	mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	50	0.020	0.10	0.088	J	mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	50	0.50	1.0	4.0		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/4/10	09/07/10	500	0.22	1.0	15		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	500	0.21	1.0	7.1		mg/Kg	402109	0996



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42c-06	Lab Sample ID:	1008226-019A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 11:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	500	0.22	1.0	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	500	0.18	1.0	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	500	0.25	1.0	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	500	0.55	1.0	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	500	0.22	1.0	27		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	500	0.16	1.0	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	500	0.21	1.0	0.65	J	mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	500	0.18	1.0	0.74	J	mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	500	0.30	1.0	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	500	0.21	1.0	7.0		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	500	0.28	1.0	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	500	0.76	1.0	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	500	0.40	1.0	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	500	0.51	1.0	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	500	0.31	2.5	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	500	5.0	10	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	500	5.0	50	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	500	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	500	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42c-12	Lab Sample ID:	1008226-020A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 11:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/4/10	09/07/10	500	0.22	1.0	ND		mg/Kg	402109	0996
gamma-BHC	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
beta-BHC	SW8081A	9/4/10	09/07/10	500	0.18	1.0	ND		mg/Kg	402109	0996
delta-BHC	SW8081A	9/4/10	09/07/10	500	0.25	1.0	ND		mg/Kg	402109	0996
Heptachlor	SW8081A	9/4/10	09/07/10	500	0.55	1.0	ND		mg/Kg	402109	0996
Aldrin	SW8081A	9/4/10	09/07/10	500	0.22	1.0	17		mg/Kg	402109	0996
Heptachlor epoxide	SW8081A	9/4/10	09/07/10	500	0.16	1.0	ND		mg/Kg	402109	0996
gamma-Chlordane	SW8081A	9/4/10	09/07/10	500	0.21	1.0	0.40	J	mg/Kg	402109	0996
alpha-Chlordane	SW8081A	9/4/10	09/07/10	500	0.18	1.0	0.47	J	mg/Kg	402109	0996
Endosulfan I	SW8081A	9/4/10	09/07/10	500	0.30	1.0	ND		mg/Kg	402109	0996
4,4'-DDE	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Dieldrin	SW8081A	9/4/10	09/07/10	500	0.21	1.0	6.4		mg/Kg	402109	0996
Endrin	SW8081A	9/4/10	09/07/10	500	0.28	1.0	ND		mg/Kg	402109	0996
4,4'-DDD	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Endosulfan II	SW8081A	9/4/10	09/07/10	500	0.76	1.0	ND		mg/Kg	402109	0996
4,4'-DDT	SW8081A	9/4/10	09/07/10	500	0.40	1.0	ND		mg/Kg	402109	0996
Endrin aldehyde	SW8081A	9/4/10	09/07/10	500	0.51	1.0	ND		mg/Kg	402109	0996
Endosulfan sulfate	SW8081A	9/4/10	09/07/10	500	0.24	1.0	ND		mg/Kg	402109	0996
Methoxychlor	SW8081A	9/4/10	09/07/10	500	0.31	2.5	ND		mg/Kg	402109	0996
Endrin Ketone	SW8081A	9/4/10	09/07/10	500	0.20	1.0	ND		mg/Kg	402109	0996
Chlordane	SW8081A	9/4/10	09/07/10	500	5.0	10	ND		mg/Kg	402109	0996
Toxaphene	SW8081A	9/4/10	09/07/10	500	5.0	50	ND		mg/Kg	402109	0996
TCMX (S)	SW8081A	9/4/10	09/07/10	500	52.5	139	0.000	S,D	%	402109	0996
DCBP (S)	SW8081A	9/4/10	09/07/10	500	50.2	139	0.000	S,D	%	402109	0996

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42d-06	Lab Sample ID:	1008226-021A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 11:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	0.14		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.41		mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.36		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.027	J	mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.84		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	2.7		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-42d-12	Lab Sample ID:	1008226-022A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 11:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	0.21		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.21		mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.16		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.035	J	mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.68		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	1.0		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36a-06	Lab Sample ID:	1008226-023A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 14:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	1.2		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.10		mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.12		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.16		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.034	J	mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	0.12		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	0.026	J	mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	1.0		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	4.3		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36a-12	Lab Sample ID:	1008226-024A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 14:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	1.3		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.12		mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.14		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.14		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	0.15		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	0.033	J	mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	1.2		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	4.0		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36b-06	Lab Sample ID:	1008226-025A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 14:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	1.3		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.10		mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.11		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.040	J	mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	0.91	J	mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	3.3		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36b-12	Lab Sample ID:	1008226-026A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 14:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	2.6		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.12		mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.095	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.038	J	mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	0.041	J	mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	0.82	J	mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	100	0.043	0.20	4.6		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36c-06	Lab Sample ID:	1008226-027A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 14:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	100	0.044	0.20	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	100	0.036	0.20	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	100	0.11	0.20	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	100	0.044	0.20	4.0		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	100	0.032	0.20	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	100	0.042	0.20	0.10	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	100	0.036	0.20	0.11	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	100	0.059	0.20	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	100	0.048	0.20	0.052	J	mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	100	0.043	0.20	4.0		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	100	0.057	0.20	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	100	0.047	0.20	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	100	0.15	0.20	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	100	0.081	0.20	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	100	0.10	0.20	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	100	0.062	0.50	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	100	1.0	2.0	ND		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	100	1.0	10	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	100	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	100	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36c-12	Lab Sample ID:	1008226-028A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 14:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	100	0.044	0.20	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	100	0.036	0.20	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	100	0.11	0.20	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	100	0.044	0.20	2.0		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	100	0.032	0.20	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	100	0.042	0.20	0.076	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	100	0.036	0.20	0.083	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	100	0.059	0.20	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	100	0.048	0.20	0.078	J	mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	100	0.043	0.20	2.4		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	100	0.057	0.20	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	100	0.047	0.20	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	100	0.15	0.20	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	100	0.081	0.20	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	100	0.10	0.20	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	100	0.062	0.50	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	100	1.0	2.0	ND		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	100	1.0	10	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	100	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	100	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36d-06	Lab Sample ID:	1008226-029A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 14:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	100	0.044	0.20	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	100	0.036	0.20	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	100	0.11	0.20	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	100	0.044	0.20	3.3		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	100	0.032	0.20	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	100	0.042	0.20	0.081	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	100	0.036	0.20	0.091	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	100	0.059	0.20	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	100	0.048	0.20	ND		mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	100	0.043	0.20	4.1		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	100	0.057	0.20	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	100	0.047	0.20	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	100	0.15	0.20	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	100	0.081	0.20	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	100	0.10	0.20	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	100	0.049	0.20	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	100	0.062	0.50	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	100	0.040	0.20	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	100	1.0	2.0	ND		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	100	1.0	10	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	100	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	100	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-36d-12	Lab Sample ID:	1008226-030A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 15:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	200	0.088	0.40	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	200	0.079	0.40	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	200	0.073	0.40	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	200	0.098	0.40	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	200	0.22	0.40	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	200	0.088	0.40	5.2		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	200	0.063	0.40	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	200	0.084	0.40	ND		mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	200	0.072	0.40	ND		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	200	0.12	0.40	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	200	0.095	0.40	ND		mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	3.8		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	200	0.11	0.40	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	200	0.094	0.40	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	200	0.31	0.40	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	200	0.16	0.40	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	200	0.21	0.40	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	200	0.098	0.40	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	200	0.12	1.0	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	200	0.080	0.40	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	200	2.0	4.0	ND		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	200	2.0	20	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	200	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	200	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-18a-06	Lab Sample ID:	1008226-031A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 15:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	0.32		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.077	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.089	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.17		mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	50	0.021	0.10	1.8		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	0.16		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	0.69	J	mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-18a-12	Lab Sample ID:	1008226-032A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 15:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	0.27		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.034	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.037	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.15		mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	50	0.021	0.10	1.1		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	0.10	J	mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	ND		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-19c-06	Lab Sample ID:	1008226-033A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 15:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	1.6		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.032	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.038	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.033	J	mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	0.029	J	mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	ND		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	4.4		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-19c-12	Lab Sample ID:	1008226-034A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 15:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	1.1		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.022	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.028	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.025	J	mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	50	0.021	0.10	2.7		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	ND		mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	ND		mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-19b-06-1	Lab Sample ID:	1008226-035A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 16:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	2.3		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.062	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.071	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.034	J	mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	0.029	J	mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	0.033	J	mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	0.56	J	mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	6.7		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-19b-12	Lab Sample ID:	1008226-036A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 16:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.064	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.083	J	mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	0.037	J	mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	0.083	J	mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	0.60	J	mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/5/10	09/07/10	200	0.088	0.40	10		mg/Kg	402109	0997
Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	9.4		mg/Kg	402109	0997



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-19b-06-2	Lab Sample ID:	1008226-037A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 16:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	2.0		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.087	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.10		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.032	J	mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	0.044	J	mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	0.044	J	mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	0.79	J	mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	7.0		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 08/30/10
Date Reported: 09/09/10

Client Sample ID:	EAR2-RA-19b-06-3	Lab Sample ID:	1008226-038A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/26/10 / 16:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/5/10	09/07/10	50	0.022	0.10	ND		mg/Kg	402109	0997
gamma-BHC	SW8081A	9/5/10	09/07/10	50	0.020	0.10	ND		mg/Kg	402109	0997
beta-BHC	SW8081A	9/5/10	09/07/10	50	0.018	0.10	ND		mg/Kg	402109	0997
delta-BHC	SW8081A	9/5/10	09/07/10	50	0.025	0.10	ND		mg/Kg	402109	0997
Heptachlor	SW8081A	9/5/10	09/07/10	50	0.055	0.10	ND		mg/Kg	402109	0997
Aldrin	SW8081A	9/5/10	09/07/10	50	0.022	0.10	1.4		mg/Kg	402109	0997
Heptachlor epoxide	SW8081A	9/5/10	09/07/10	50	0.016	0.10	ND		mg/Kg	402109	0997
gamma-Chlordane	SW8081A	9/5/10	09/07/10	50	0.021	0.10	0.090	J	mg/Kg	402109	0997
alpha-Chlordane	SW8081A	9/5/10	09/07/10	50	0.018	0.10	0.10		mg/Kg	402109	0997
Endosulfan I	SW8081A	9/5/10	09/07/10	50	0.030	0.10	ND		mg/Kg	402109	0997
4,4'-DDE	SW8081A	9/5/10	09/07/10	50	0.024	0.10	0.053	J	mg/Kg	402109	0997
Endrin	SW8081A	9/5/10	09/07/10	50	0.028	0.10	0.041	J	mg/Kg	402109	0997
4,4'-DDD	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Endosulfan II	SW8081A	9/5/10	09/07/10	50	0.076	0.10	ND		mg/Kg	402109	0997
4,4'-DDT	SW8081A	9/5/10	09/07/10	50	0.040	0.10	ND		mg/Kg	402109	0997
Endrin aldehyde	SW8081A	9/5/10	09/07/10	50	0.051	0.10	ND		mg/Kg	402109	0997
Endosulfan sulfate	SW8081A	9/5/10	09/07/10	50	0.024	0.10	ND		mg/Kg	402109	0997
Methoxychlor	SW8081A	9/5/10	09/07/10	50	0.031	0.25	ND		mg/Kg	402109	0997
Endrin Ketone	SW8081A	9/5/10	09/07/10	50	0.020	0.10	0.052	J	mg/Kg	402109	0997
Chlordane	SW8081A	9/5/10	09/07/10	50	0.50	1.0	0.83	J	mg/Kg	402109	0997
Toxaphene	SW8081A	9/5/10	09/07/10	50	0.50	5.0	ND		mg/Kg	402109	0997
TCMX (S)	SW8081A	9/5/10	09/07/10	50	52.5	139	0.000	S,D	%	402109	0997
DCBP (S)	SW8081A	9/5/10	09/07/10	50	50.2	139	0.000	S,D	%	402109	0997

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/5/10	09/07/10	200	0.085	0.40	6.2		mg/Kg	402109	0997
----------	---------	--------	----------	-----	-------	------	-----	--	-------	--------	------



MB Summary Report

Work Order: 1008226	Prep Method: 3545MI_OCP	Prep Date: 09/04/10	Prep Batch: 0996
Matrix: Soil	Analytical Method: SW8081A	Analyzed Date: 09/05/10	Analytical Batch: 402103
Units: mg/Kg			

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
alpha-BHC	0.00044	0.0020	ND	
gamma-BHC	0.00040	0.0020	ND	
beta-BHC	0.00036	0.0020	ND	
delta-BHC	0.00049	0.0020	ND	
Heptachlor	0.0011	0.0020	ND	
Aldrin	0.00044	0.0020	ND	
Heptachlor epoxide	0.00032	0.0020	ND	
gamma-Chlordane	0.00042	0.0020	ND	
alpha-Chlordane	0.00036	0.0020	ND	
Endosulfan I	0.00059	0.0020	ND	
4,4'-DDE	0.00048	0.0020	ND	
Dieldrin	0.00043	0.0020	ND	
Endrin	0.00057	0.0020	ND	
4,4'-DDD	0.00047	0.0020	ND	
Endosulfan II	0.0015	0.0020	ND	
4,4'-DDT	0.00081	0.0020	ND	
Endrin aldehyde	0.0010	0.0020	ND	
Endosulfan sulfate	0.00049	0.0020	ND	
Methoxychlor	0.00062	0.0050	ND	
Endrin Ketone	0.00040	0.0020	ND	
Chlordane	0.010	0.020	ND	
Toxaphene	0.010	0.10	ND	
TCMX (S)			91.2 %	
DCBP (S)			89.5 %	



MB Summary Report

Work Order:	1008226	Prep Method:	3545MI_OCP	Prep Date:	09/05/10	Prep Batch:	0997
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/05/10	Analytical Batch:	402103
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.00044	0.0020	ND		
gamma-BHC	0.00040	0.0020	ND		
beta-BHC	0.00036	0.0020	ND		
delta-BHC	0.00049	0.0020	ND		
Heptachlor	0.0011	0.0020	ND		
Aldrin	0.00044	0.0020	ND		
Heptachlor epoxide	0.00032	0.0020	ND		
gamma-Chlordane	0.00042	0.0020	ND		
alpha-Chlordane	0.00036	0.0020	ND		
Endosulfan I	0.00059	0.0020	ND		
4,4'-DDE	0.00048	0.0020	ND		
Dieldrin	0.00043	0.0020	ND		
Endrin	0.00057	0.0020	ND		
4,4'-DDD	0.00047	0.0020	ND		
Endosulfan II	0.0015	0.0020	ND		
4,4'-DDT	0.00081	0.0020	ND		
Endrin aldehyde	0.0010	0.0020	ND		
Endosulfan sulfate	0.00049	0.0020	ND		
Methoxychlor	0.00062	0.0050	ND		
Endrin Ketone	0.00040	0.0020	ND		
Chlordane	0.010	0.020	ND		
Toxaphene	0.010	0.10	ND		
TCMX (S)			92.9 %		
DCBP (S)			91.7 %		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1008226	Prep Method:	3545MI_OCP	Prep Date:	09/04/10	Prep Batch:	0996
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/05/10	Analytical Batch:	402103
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0	0.00	20	85.7	86.7	1.35	44.2 - 125	30	
gamma-BHC	0.40	2.0	0.00	20	81.1	82.0	1.25	56.9 - 124	30	
beta-BHC	0.36	2.0	0.00	20	85.2	86.6	1.91	44.2 - 125	30	
delta-BHC	0.49	2.0	0.00	20	78.0	80.3	2.92	61.5 - 116	30	
Heptachlor	1.1	2.0	0.00	20	84.7	85.7	1.41	63.6 - 125	30	
Aldrin	0.44	2.0	0.00	20	85.1	86.2	1.35	53 - 126	30	
Heptachlor epoxide	0.32	2.0	0.00	20	84.5	85.6	1.31	54.6 - 130	30	
gamma-Chlordane	0.42	2.0	0.00	20	85.2	86.3	1.46	68.7 - 123	30	
alpha-Chlordane	0.36	2.0	0.00	20	85.3	86.4	1.08	42.4 - 128	30	
Endosulfan I	0.59	2.0	0.00011	20	79.9	83.6	4.42	61.2 - 119	30	
4,4'-DDE	0.48	2.0	0.000059	20	81.6	82.5	1.21	45.3 - 123	30	
Dieldrin	0.43	2.0	0.00	20	82.0	83.4	1.72	44 - 128	30	
Endrin	0.57	2.0	0.000095	20	82.5	83.4	1.11	44.1 - 126	30	
4,4'-DDD	0.47	2.0	0.00030	20	80.2	81.5	1.90	39.6 - 123	30	
Endosulfan II	1.5	2.0	0.00	20	60.9	71.1	15.3	56.7 - 112	30	
4,4'-DDT	0.81	2.0	0.00	20	80.7	78.9	1.98	52.8 - 134	30	
Endrin aldehyde	1.0	2.0	0.00	20	66.9	76.0	12.5	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0	0.00	20	73.1	76.8	5.04	62.1 - 116	30	
Methoxychlor	0.62	5.0	0.00	20	81.0	80.7	0.318	55.2 - 126	30	
Endrin Ketone	0.40	2.0	0.000076	20	72.1	72.0	0.0555	53.9 - 120	30	
TCMX (S)			0.00	2100	77.2	77.6		52.5 - 121		
DCBP (S)			0.00	2100	73.6	72.9		50.2 - 121		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1008226	Prep Method:	3545MI_OCP	Prep Date:	09/05/10	Prep Batch:	0997
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/05/10	Analytical Batch:	402103
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0	0.00	20	108	105	3.63	44.2 - 125	30	
gamma-BHC	0.40	2.0	0.00	20	109	101	7.55	56.9 - 124	30	
beta-BHC	0.36	2.0	0.00	20	118	104	12.1	44.2 - 125	30	
delta-BHC	0.49	2.0	0.00	20	94.0	88.2	6.34	61.5 - 116	30	
Heptachlor	1.1	2.0	0.00046	20	114	107	5.96	63.6 - 125	30	
Aldrin	0.44	2.0	0.00	20	117	105	10.6	53 - 126	30	
Heptachlor epoxide	0.32	2.0	0.00	20	120	107	11.3	54.6 - 130	30	
gamma-Chlordane	0.42	2.0	0.00	20	123	108	12.7	68.7 - 123	30	
alpha-Chlordane	0.36	2.0	0.00	20	120	107	11.2	42.4 - 128	30	
Endosulfan I	0.59	2.0	0.00010	20	99.8	93.2	7.02	61.2 - 119	30	
4,4'-DDE	0.48	2.0	0.00	20	117	103	12.0	45.3 - 123	30	
Dieldrin	0.43	2.0	0.00024	20	119	107	10.9	44 - 128	30	
Endrin	0.57	2.0	0.00	20	118	105	12.1	44.1 - 126	30	
4,4'-DDD	0.47	2.0	0.00	20	105	95.0	9.50	39.6 - 123	30	
Endosulfan II	1.5	2.0	0.00	20	79.0	74.2	6.20	56.7 - 112	30	
4,4'-DDT	0.81	2.0	0.00	20	133	124	7.60	52.8 - 134	30	
Endrin aldehyde	1.0	2.0	0.00	20	74.4	73.9	0.852	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0	0.00	20	77.0	88.2	13.6	62.1 - 116	30	
Methoxychlor	0.62	5.0	0.00	20	124	116	6.80	55.2 - 126	30	
Endrin Ketone	0.40	2.0	0.00	20	89.4	87.5	2.22	53.9 - 120	30	
TCMX (S)			0.00	2100	83.4	93.7		52.5 - 121		
DCBP (S)			0.00	2100	100	93.2		50.2 - 121		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit (PQL) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m³ , mg.m³ , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm ² surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Tetra Tech Inc (HI)

Date and Time Received: 8/30/2010 9:00

Project Name: Earhart and Onizuka Sampling

Received By: NG

Work Order No.: 1008226

Physically Logged By: NG

Checklist Completed By: NG

Carrier Name: FedEx

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 5 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt?

pH Checked by: pH Adjusted by:



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/30/2010
Report Due Date:	9/9/2010	Time Received:	9:00
Comments:	5 day TAT!!! Recv'd 38 soils for 8081 @ 5'C.Pl's. email an EDD result to Y.Parry; G.Eaton ; T.Whitehead ;J.Mollison.Incremental sampling required.Samples need to be air dried,sieved, subsampled.		
Work Order # :	1008226		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008226-001A	EAR2-RA-40a-06-1	08/26/10 8:40	Soil	02/26/11			EDD S_8081MITetra	
Sample Note: Multi incremental sampling! Samples need to be air dried, sieved and subsampled as per HDOH guidance.								
1008226-002A	EAR2-RA-40a-06-2	08/26/10 8:45	Soil	02/26/11			S_8081MITetra	
1008226-003A	EAR2-RA-40a-06-3	08/26/10 8:50	Soil	02/26/11			S_8081MITetra	
1008226-004A	EAR2-RA-40a-12	08/26/10 8:55	Soil	02/26/11			S_8081MITetra	
1008226-005A	EAR2-RA-40c-06	08/26/10 9:10	Soil	02/26/11			S_8081MITetra	
1008226-006A	EAR2-RA-40c-12	08/26/10 9:15	Soil	02/26/11			S_8081MITetra	
1008226-007A	EAR2-RA-41b-06	08/26/10 9:50	Soil	02/26/11			S_8081MITetra	
1008226-008A	EAR2-RA-41b-12	08/26/10 9:55	Soil	02/26/11			S_8081MITetra	
1008226-009A	EAR2-RA-41a-06	08/26/10 10:00	Soil	02/26/11			S_8081MITetra	
1008226-010A	EAR2-RA-41a-12	08/26/10 10:05	Soil	02/26/11			S_8081MITetra	
1008226-011A	EAR2-RA-40b-06	08/26/10 10:05	Soil	02/26/11			S_8081MITetra	
1008226-012A	EAR2-RA-40b-12	08/26/10 10:10	Soil	02/26/11			S_8081MITetra	
1008226-013A	EAR2-RA-42b-06	08/26/10 10:40	Soil	02/26/11			S_8081MITetra	
1008226-014A	EAR2-RA-42b-12	08/26/10 10:45	Soil	02/26/11			S_8081MITetra	
1008226-015A	EAR2-RA-41c-06	08/26/10 10:50	Soil	02/26/11			S_8081MITetra	
1008226-016A	EAR2-RA-41c-12	08/26/10 10:55	Soil	02/26/11			S_8081MITetra	
1008226-017A	EAR2-RA-42a-06	08/26/10 11:00	Soil	02/26/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/30/2010
Report Due Date:	9/9/2010	Time Received:	9:00
Comments:	5 day TAT!!! Recv'd 38 soils for 8081 @ 5'C.Pl's. email an EDD result to Y.Parry; G.Eaton ; T.Whitehead ;J.Mollison.Incremental sampling required.Samples need to be air dried,sieved, subsampled.		
Work Order # :	1008226		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008226-018A	EAR2-RA-42a-12	08/26/10 11:05	Soil	02/26/11			S_8081MITetra	
1008226-018A50 0x	EAR2-RA-42a-12	08/26/10 11:05	Soil	02/26/11			S_8081MITetra	
1008226-019A	EAR2-RA-42c-06	08/26/10 11:25	Soil	02/26/11			S_8081MITetra	
1008226-020A	EAR2-RA-42c-12	08/26/10 11:30	Soil	02/26/11			S_8081MITetra	
1008226-021A	EAR2-RA-42d-06	08/26/10 11:30	Soil	02/26/11			S_8081MITetra	
1008226-022A	EAR2-RA-42d-12	08/26/10 11:35	Soil	02/26/11			S_8081MITetra	
1008226-023A	EAR2-RA-36a-06	08/26/10 14:00	Soil	02/26/11			S_8081MITetra	
1008226-023A20 0x	EAR2-RA-36a-06	08/26/10 14:00	Soil	02/26/11			S_8081MITetra	
1008226-024A	EAR2-RA-36a-12	08/26/10 14:05	Soil	02/26/11			S_8081MITetra	
1008226-024A20 0x	EAR2-RA-36a-12	08/26/10 14:05	Soil	02/26/11			S_8081MITetra	
1008226-025A	EAR2-RA-36b-06	08/26/10 14:10	Soil	02/26/11			S_8081MITetra	
1008226-025A20 0x	EAR2-RA-36b-06	08/26/10 14:10	Soil	02/26/11			S_8081MITetra	
1008226-026A	EAR2-RA-36b-12	08/26/10 14:15	Soil	02/26/11			S_8081MITetra	
1008226-026A10 0x	EAR2-RA-36b-12	08/26/10 14:15	Soil	02/26/11			S_8081MITetra	
1008226-026A20 0x	EAR2-RA-36b-12	08/26/10 14:15	Soil	02/26/11			S_8081MITetra	
1008226-027A	EAR2-RA-36c-06	08/26/10 14:40	Soil	02/26/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	8/30/2010
Report Due Date:	9/9/2010	Time Received:	9:00
Comments:	5 day TAT!!! Recv'd 38 soils for 8081 @ 5'C.Pl's. email an EDD result to Y.Parry; G.Eaton ; T.Whitehead ;J.Mollison.Incremental sampling required.Samples need to be air dried,sieved, subsampled.		
Work Order # :	1008226		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1008226-028A	EAR2-RA-36c-12	08/26/10 14:45	Soil	02/26/11			S_8081MITetra	
1008226-029A	EAR2-RA-36d-06	08/26/10 14:55	Soil	02/26/11			S_8081MITetra	
1008226-030A	EAR2-RA-36d-12	08/26/10 15:00	Soil	02/26/11			S_8081MITetra	
1008226-031A	EAR2-RA-18a-06	08/26/10 15:20	Soil	02/26/11			S_8081MITetra	
1008226-032A	EAR2-RA-18a-12	08/26/10 15:25	Soil	02/26/11			S_8081MITetra	
1008226-033A	EAR2-RA-19c-06	08/26/10 15:45	Soil	02/26/11			S_8081MITetra	
1008226-033A20 0x	EAR2-RA-19c-06	08/26/10 15:45	Soil	02/26/11			S_8081MITetra	
1008226-034A	EAR2-RA-19c-12	08/26/10 15:50	Soil	02/26/11			S_8081MITetra	
1008226-035A	EAR2-RA-19b-06-1	08/26/10 16:20	Soil	02/26/11			S_8081MITetra	
1008226-035A20 0x	EAR2-RA-19b-06-1	08/26/10 16:20	Soil	02/26/11			S_8081MITetra	
1008226-036A	EAR2-RA-19b-12	08/26/10 16:25	Soil	02/26/11			S_8081MITetra	
1008226-036A20 0x	EAR2-RA-19b-12	08/26/10 16:25	Soil	02/26/11			S_8081MITetra	
1008226-037A	EAR2-RA-19b-06-2	08/26/10 16:30	Soil	02/26/11			S_8081MITetra	
1008226-037A20 0x	EAR2-RA-19b-06-2	08/26/10 16:30	Soil	02/26/11			S_8081MITetra	
1008226-038A	EAR2-RA-19b-06-3	08/26/10 16:35	Soil	02/26/11			S_8081MITetra	
1008226-038A20 0x	EAR2-RA-19b-06-3	08/26/10 16:35	Soil	02/26/11			S_8081MITetra	



Login Summary Report

Client ID: TL5162 Tetra Tech Inc (HI) **QC Level:**
Project Name: Earhart and Onizuka Sampling **TAT Requested:** 5+ day:0
Project # : 100-SFO-T26434-02 **Date Received:** 8/30/2010
Report Due Date: 9/9/2010 **Time Received:** 9:00
Comments: 5 day TAT!!! Recv'd 38 soils for 8081 @ 5'C.Pls. email an EDD result to Y.Parry; G.Eaton ; T.Whitehead ;J.Mollison.Incremental sampling required.Samples need to be air dried,sieved, subsampled.
Work Order # : **1008226**

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
							S_8081MITetra	



CHAIN-OF-CUSTODY RECORD



TETRA TECH

1008226

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Sampler Name: (Print) Jon Mollison

Sampler Signature: [Signature]

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Invoice To: Y. Parry

Project ID: Earhart and Onizuka Sampling

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative							Matrix					Analyze For:			RUSH TAT (Pre-Schedule Standard TAT)				
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-incremental Preparative		8081			
001A EARZ-RA-40a-06-1	8/26/10	0840	1			X	X									X	X									X
002A EARZ-RA-40a-06-2		0845	1			X	X									X	X									X
003A EARZ-RA-40a-06-3		0850	1			X	X									X	X									X
004A EARZ-RA-40a-12		0855	1			X	X									X	X									X
005A EARZ-RA-40c-06		0910	1			X	X									X	X									X
006A EARZ-RA-40c-12		0915	1			X	X									X	X									X
007A EARZ-RA-41b-06		0950	1			X	X									X	X									X
008A EARZ-RA-41b-12		0955	1			X	X									X	X									X
009A EARZ-RA-41a-06		1000	1			X	X									X	X									X
010A EARZ-RA-41a-12		1005	1			X	X									X	X									X
011A EARZ-RA-40b-06		1005	1			X	X									X	X									X
012A EARZ-RA-40b-12		1010	1			X	X									X	X									X

Special Instructions:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Method of Shipment:

FEDEX

Laboratory Comments:

Temperature Upon Receipt: 5°C

VOCs Free of Headspace? Y N

Relinquished by: <u>Jon Mollison</u> <u>[Signature]</u>	Date 8/26/2010	Time 1800	Received by: <u>Yvonne Parry</u> <u>[Signature]</u>	Date 8/26/10	Time 1800
Relinquished by: <u>Yvonne Parry</u> <u>[Signature]</u>	Date 8/27/2010	Time 1100	Received by FedEx: <u>FedEx</u>	Date	Time

FedEx

8/30/10 9:00 AM [Signature] 8/30/10 9:00 AM

Page 1 of 4



CHAIN-OF-CUSTODY RECORD



TETRA TECH

1008226

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) JON MOLLISON

Project ID: Earhart and Onizuka Sampling

Sampler Signature: *J-M Mollison*

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative						Matrix					Analyze For:					RUSH TAT (Pre-Schedule)	Standard TAT
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH/VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental	Preparative		
013A EAR2-RA-42b-06	8/26/10	1040				X	X														X			
014A EAR2-RA-42b-12		1045				X	X														X			
015A EAR2-RA-41c-06		1050				X	X														X			
016A EAR2-RA-41c-12		1055				X	X														X			
017A EAR2-KA-42a-06		1100				X	X														X			
018A EAR2-KA-42a-12		1105				X	X														X			
019A EAR2-RA-42c-06		1125				X	X														X			
020A EAR2-RA-42c-12		1130				X	X														X			
021A EAR2-RA-42d-06		1130				X	X														X			
022A EAR2-RA-42d-12		1135				X	X														X			
023A EAR2-RA-36a-06		1400				X	X														X			
024A EAR2-RA-36a-12		1405				X	X														X			

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance
Method of Shipment: FEDEX

Laboratory Comments: Temperature Upon Receipt: 5°C
 VOCs Free of Headspace? Y N

Relinquished by: <i>JON MOLLISON</i> <i>J-M Mollison</i>	Date: <u>8/26/2010</u>	Time: <u>1800</u>	Received by: <i>Yvonne Parry</i> <i>Yvonne Parry</i>	Date: <u>8/26/10</u>	Time: <u>1800</u>
Relinquished by: <i>Yvonne Parry</i> <i>Yvonne Parry</i>	Date: <u>8/27/2010</u>	Time: <u>1100</u>	Received by FedEx: <u>FedEx</u>	Date:	Time:
<u>FedEx</u>	Date: <u>8/30/2010</u>	Time: <u>9:00 Am</u>	Received by: <i>Dr. G. Chodasera</i>	Date: <u>8/30/10</u>	Time: <u>9:00 Am</u>

CHAIN-OF-CUSTODY RECORD



TETRA TECH

1008226

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366 Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) Jon Mollison

Project ID: Earhart and Onizuka Sampling

Sampler Signature: [Signature]

Project #: 100-SFO-T26434-02

037A YRP
038A YRP

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative										Matrix			Analyze For:		RUSH TAT (Pre-Schedule)	Standard TAT						
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparation			8081					
EAR2-RA-19b-06-2	8/26/10	1630	1	X	X	X																X	X	X	X				
EAR2-RA-19b-06-3	8/26/10	1635	1	X	X	X																X	X	X	X				

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Method of Shipment: FEDEX

Laboratory Comments: Temperature Upon Receipt: 5°C
VOCs Free of Headspace? Y N

Relinquished by: <u>[Signature]</u>	Date: 8/26/2010	Time: 1800	Received by: <u>[Signature]</u>	Date: 8/26/10	Time: 1800
Relinquished by: <u>[Signature]</u>	Date: 8/27/10	Time: 1100	Received by FedEx: FedEx	Date:	Time:
FedEx	8/30/10	9:00 AM	Dr. G. Chodasara	8/30/10	9:00 AM

Page 2 of 4

CHAIN-OF-CUSTODY RECORD



TETRA TECH

1008226

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) Jon Mollison

Project ID: Earhart and Onizuka Sampling

Sampler Signature: [Signature]

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-Incremental Sample	Preservative										Matrix						Analyze For:	RUSH TAT (Pre-Schedule)	Standard TAT		
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental	Preparative				8081	
025A EAR2-RA-36b-06	8/26/10	1410	1			X	X										X	X	X	X						X	
026A EAR2-RA-36b-12		1415	1			X	X										X	X	X	X						X	
027A EAR2-RA-36c-06		1440	1			X	X										X	X	X	X						X	
028A EAR2-RA-36c-12		1445	1			X	X										X	X	X	X						X	
029A EAR2-RA-36d-06		1455	1			X	X										X	X	X	X						X	
030A EAR2-RA-36d-12		1500	1			X	X										X	X	X	X						X	
031A EAR2-RA-18a-06		1520	1			X	X										X	X	X	X						X	
032A EAR2-RA-18a-12		1525	1			X	X										X	X	X	X						X	
033A EAR2-RA-19c-06		1545	1			X	X										X	X	X	X						X	
034A EAR2-RA-19c-12		1550	1			X	X										X	X	X	X						X	
035A EAR2-RA-19b-06-1		1620	1			X	X										X	X	X	X						X	
036A EAR2-RA-19b-12	✓	1625	1			X	X										X	X	X	X						X	

Special Instructions:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance
Method of Shipment: FEDEX

Laboratory Comments:
Temperature Upon Receipt: 5°C
VOCs Free of Headspace? Y N

Relinquished by: <u>Jon Mollison</u>	Date: 8/26/2010	Time: 1800	Received by: <u>[Signature]</u>	Date: 8/26/10	Time: 1800
Relinquished by: <u>[Signature]</u>	Date: 8/27/10	Time: 1100	Received by FedEx: <u>FedEx</u>	Date:	Time:
FedEx	8/30/10	9:00 AM	<u>Dr. J. S. Sadasara</u>	8/30/10	9:00 AM



Tetra Tech Inc (HI)
737 Bishop St, Suite 3020
Honolulu, Hawaii 96813
Tel: 808-533-3366
Fax: 808-533-3306
RE: Earhart and Onizuka Sampling

Work Order No.: 1009023

Dear Yvonne Parry:

Torrent Laboratory, Inc. received 40 sample(s) on September 02, 2010 for the analyses presented in the following Report.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

N. S. Kabir

Nutan Kabir

September 14, 2010

Date



Date: 9/14/2010

Client: Tetra Tech Inc (HI)

Project: Earhart and Onizuka Sampling

Work Order: 1009023

CASE NARRATIVE

No issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Analytical Comments, General, For all samples -Note: Samples processed under Incremental Sampling Procedure SOP TCI0109. Sample collection date and time is reflective of Hawaiian Standard Time (HST) while all analytical dates and times are reflective of Pacific Standard Time (PST).

Analytical Comments for METHOD 8081S_Tetra Tech, ALL SAMPLE, Note: Per client request, whenever possible (where matrix interference does not preclude it), sample data is reported to the MDL. Results reported between the MDL and PQL are qualified with the appropriate "J" flag and should be considered as estimated values



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-29a-06

1009023-001A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	100	0.042	0.20	0.14	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.11	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.4	mg/Kg
Aldrin	SW8081A	400	0.18	0.80	9.0	mg/Kg

EAR2-RA-29a-12

1009023-002A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	3.3	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.090	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.12	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.058	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.9	mg/Kg

EAR2-RA-29b-06

1009023-003A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.70	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.044	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.044	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.056	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.2	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.059	mg/Kg

EAR2-RA-29b-12

1009023-004A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.1	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.044	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.042	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.5	mg/Kg

EAR2-RA-13f-06

1009023-005A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.69	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.7	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-13f-12

1009023-006A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.1	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.036	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.4	mg/Kg

EAR2-RA-13b-06

1009023-007A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.84	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.12	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.12	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.059	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.9	mg/Kg

EAR2-RA-13b-12

1009023-008A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.8	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.087	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.11	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.4	mg/Kg

EAR2-RA-28d-06

1009023-009A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.4	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.083	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.088	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.4	mg/Kg

EAR2-RA-28d-12

1009023-010A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	200	0.084	0.40	0.13	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.12	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	5.7	mg/Kg
Endrin Ketone	SW8081A	200	0.080	0.40	0.11	mg/Kg
Aldrin	SW8081A	400	0.18	0.80	11	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-14b-06

1009023-011A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.5	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.081	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.12	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.22	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.4	mg/Kg
4,4'-DDT	SW8081A	100	0.081	0.20	0.25	mg/Kg

EAR2-RA-14b-12

1009023-012A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.0	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.078	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.078	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.47	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.5	mg/Kg
4,4'-DDD	SW8081A	100	0.047	0.20	0.30	mg/Kg
4,4'-DDT	SW8081A	100	0.081	0.20	3.8	mg/Kg

EAR2-RA-14a-06

1009023-013A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.39	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.18	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.21	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.076	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.4	mg/Kg
4,4'-DDT	SW8081A	100	0.081	0.20	0.085	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	1.3	mg/Kg

EAR2-RA-14a-12

1009023-014A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.64	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.37	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.39	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.10	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.9	mg/Kg
4,4'-DDT	SW8081A	100	0.081	0.20	0.085	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	2.5	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-13a-06

1009023-015A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.3	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.095	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.11	mg/Kg
Endrin	SW8081A	100	0.057	0.20	0.058	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	7.6	mg/Kg

EAR2-RA-13a-12

1009023-016A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.0	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.097	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.10	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.057	mg/Kg
Endrin	SW8081A	100	0.057	0.20	0.068	mg/Kg
Endrin Ketone	SW8081A	100	0.040	0.20	0.041	mg/Kg
Dieldrin	SW8081A	400	0.17	0.80	5.2	mg/Kg

EAR2-RA-14c-06

1009023-017A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	250	0.11	0.50	2.6	mg/Kg
gamma-Chlordane	SW8081A	250	0.11	0.50	0.17	mg/Kg
alpha-Chlordane	SW8081A	250	0.090	0.50	0.17	mg/Kg
Dieldrin	SW8081A	250	0.11	0.50	8.4	mg/Kg

EAR2-RA-14c-12

1009023-018A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.5	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.069	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.086	mg/Kg
4,4'-DDE	SW8081A	100	0.048	0.20	0.072	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.5	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-14d-06

1009023-019A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	1.6	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.18	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.20	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	4.8	mg/Kg

EAR2-RA-14d-12

1009023-020A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	4.5	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.11	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.11	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	4.6	mg/Kg

EAR2-RA-14e-06

1009023-021A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	50	0.021	0.10	0.062	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.073	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.056	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.034	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.071	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.058	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.55	mg/Kg
Aldrin	SW8081A	200	0.088	0.40	7.1	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	3.8	mg/Kg

EAR2-RA-14e-12

1009023-022A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	5.1	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.10	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	3.2	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-28b-06

1009023-023A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.1	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.30	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.23	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	2.8	mg/Kg
Chlordane	SW8081A	100	1.0	2.0	1.6	mg/Kg

EAR2-RA-28b-12

1009023-024A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.1	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.13	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.12	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.3	mg/Kg

EAR2-RA-28c-06

1009023-025A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	50	0.021	0.10	0.080	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.073	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.058	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.048	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.56	mg/Kg
Aldrin	SW8081A	200	0.088	0.40	3.7	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	6.7	mg/Kg

EAR2-RA-28c-12

1009023-026A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	5.6	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.094	mg/Kg
alpha-Chlordane	SW8081A	200	0.072	0.40	0.073	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	4.4	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-28a-06-1

1009023-027A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.82	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.081	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.070	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.033	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.3	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.57	mg/Kg

EAR2-RA-28a-12

1009023-028A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.1	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.067	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.072	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.2	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.50	mg/Kg

EAR2-RA-28a-06-2

1009023-029A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	1.2	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.085	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.083	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.2	mg/Kg

EAR2-RA-28a-06-3

1009023-030A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	0.90	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.071	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.064	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-38b-06

1009023-031A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.76	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.15	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.14	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.082	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.6	mg/Kg
4,4'-DDD	SW8081A	50	0.024	0.10	0.026	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.27	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.1	mg/Kg

EAR2-RA-38b-12

1009023-032A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.69	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.16	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.14	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.043	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.2	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg

EAR2-RA-38a-06-1

1009023-033A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.29	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.21	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.25	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.088	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.1	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.5	mg/Kg

EAR2-RA-38a-12

1009023-034A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.087	mg/Kg
gamma-Chlordane	SW8081A	10	0.0042	0.020	0.38	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.26	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.036	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.35	mg/Kg
Endrin	SW8081A	10	0.0057	0.020	0.019	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.015	mg/Kg
Chlordane	SW8081A	10	0.10	0.20	1.8	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10

Date Reported: 09/14/10

EAR2-RA-38c-06

1009023-035A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	100	0.044	0.20	2.0	mg/Kg
gamma-Chlordane	SW8081A	100	0.042	0.20	0.076	mg/Kg
alpha-Chlordane	SW8081A	100	0.036	0.20	0.070	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.5	mg/Kg

EAR2-RA-38c-12

1009023-036A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	200	0.088	0.40	3.9	mg/Kg
gamma-Chlordane	SW8081A	200	0.084	0.40	0.090	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	5.3	mg/Kg

EAR2-RA-38a-06-2

1009023-037A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.38	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.13	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.13	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.043	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.2	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg

EAR2-RA-38a-06-3

1009023-038A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.41	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.13	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.14	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.044	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.2	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.043	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10
1009023-039A

EAR2-RA-51b-06

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.49	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.063	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.072	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.094	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.6	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.51	mg/Kg

EAR2-RA-51b-12

1009023-040A

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.63	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.070	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.086	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.13	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.4	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.057	mg/Kg



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-29a-06	Lab Sample ID:	1009023-001A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 9:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.14	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.11	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	3.4		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/10/10	09/12/10	400	0.18	0.80	9.0	mg/Kg	402157	1031
--------	---------	---------	----------	-----	------	------	-----	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-29a-12	Lab Sample ID:	1009023-002A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 9:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	3.3		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.090	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.12	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.058	J	mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	2.9		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-29b-06	Lab Sample ID:	1009023-003A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 9:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	50	0.022	0.10	0.70		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	50	0.021	0.10	0.044	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	50	0.018	0.10	0.044	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	50	0.024	0.10	0.056	J	mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	50	0.021	0.10	2.2		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	50	0.040	0.10	0.059	J	mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	50	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	50	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-29b-12	Lab Sample ID:	1009023-004A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 9:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	50	0.022	0.10	1.1		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	50	0.021	0.10	0.044	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	50	0.018	0.10	0.042	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	50	0.021	0.10	2.5		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	50	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	50	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-13f-06	Lab Sample ID:	1009023-005A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 10:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	0.69		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	ND		mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	2.7		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-13f-12	Lab Sample ID:	1009023-006A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 10:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	1.1		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	ND		mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.036	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	3.4		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-13b-06	Lab Sample ID:	1009023-007A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 10:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	0.84		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.12	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.12	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.059	J	mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	4.9		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-13b-12	Lab Sample ID:	1009023-008A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 10:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	1.8		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.087	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.11	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	3.4		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28d-06	Lab Sample ID:	1009023-009A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 10:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	2.4		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.083	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.088	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	3.4		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28d-12	Lab Sample ID:	1009023-010A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 10:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	200	0.088	0.40	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	200	0.079	0.40	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	200	0.073	0.40	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	200	0.22	0.40	ND		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	200	0.063	0.40	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	200	0.084	0.40	0.13	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	200	0.072	0.40	0.12	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	200	0.12	0.40	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	200	0.095	0.40	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	200	0.085	0.40	5.7		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	200	0.11	0.40	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	200	0.094	0.40	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	200	0.31	0.40	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	200	0.16	0.40	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	200	0.21	0.40	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	200	0.12	1.0	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	200	0.080	0.40	0.11	J	mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	200	2.0	4.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	200	2.0	20	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	200	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	200	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/10/10	09/12/10	400	0.18	0.80	11		mg/Kg	402157	1031
--------	---------	---------	----------	-----	------	------	----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14b-06	Lab Sample ID:	1009023-011A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 10:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	1.5		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.081	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.12	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.22		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	4.4		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	0.25		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14b-12	Lab Sample ID:	1009023-012A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 11:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	2.0		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.078	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.078	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.47		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	4.5		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	0.30		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	3.8		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14a-06	Lab Sample ID:	1009023-013A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 11:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	0.39		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.18	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.21		mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.076	J	mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	2.4		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	0.085	J	mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	1.3	J	mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14a-12	Lab Sample ID:	1009023-014A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 11:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	0.64		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.37		mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.39		mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.10	J	mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	2.9		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	0.085	J	mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	2.5		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-13a-06	Lab Sample ID:	1009023-015A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 11:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	2.3		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.095	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.11	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	0.058	J	mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/10/10	09/12/10	200	0.085	0.40	7.6		mg/Kg	402157	1031
----------	---------	---------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-13a-12	Lab Sample ID:	1009023-016A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 11:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	2.0		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.097	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.10	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.057	J	mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	0.068	J	mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	0.041	J	mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/10/10	09/12/10	400	0.17	0.80	5.2		mg/Kg	402157	1031
----------	---------	---------	----------	-----	------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14c-06	Lab Sample ID:	1009023-017A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 11:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	250	0.11	0.50	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	250	0.099	0.50	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	250	0.091	0.50	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	250	0.12	0.50	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	250	0.28	0.50	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	250	0.11	0.50	2.6		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	250	0.079	0.50	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	250	0.11	0.50	0.17	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	250	0.090	0.50	0.17	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	250	0.15	0.50	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	250	0.12	0.50	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	250	0.11	0.50	8.4		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	250	0.14	0.50	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	250	0.12	0.50	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	250	0.38	0.50	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	250	0.20	0.50	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	250	0.26	0.50	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	250	0.12	0.50	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	250	0.15	1.3	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	250	0.10	0.50	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	250	2.5	5.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	250	2.5	25	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	250	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	250	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14c-12	Lab Sample ID:	1009023-018A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 11:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	1.5		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.069	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.086	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	0.072	J	mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	3.5		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14d-06	Lab Sample ID:	1009023-019A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 12:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	200	0.088	0.40	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	200	0.079	0.40	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	200	0.073	0.40	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	200	0.22	0.40	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	200	0.088	0.40	1.6		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	200	0.063	0.40	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	200	0.084	0.40	0.18	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	200	0.072	0.40	0.20	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	200	0.12	0.40	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	200	0.095	0.40	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	200	0.085	0.40	4.8		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	200	0.11	0.40	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	200	0.094	0.40	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	200	0.31	0.40	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	200	0.16	0.40	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	200	0.21	0.40	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	200	0.12	1.0	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	200	0.080	0.40	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	200	2.0	4.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	200	2.0	20	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	200	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	200	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14d-12	Lab Sample ID:	1009023-020A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 12:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/10/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402157	1031
gamma-BHC	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
beta-BHC	SW8081A	9/10/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402157	1031
delta-BHC	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Heptachlor	SW8081A	9/10/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402157	1031
Aldrin	SW8081A	9/10/10	09/12/10	100	0.044	0.20	4.5		mg/Kg	402157	1031
Heptachlor epoxide	SW8081A	9/10/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402157	1031
gamma-Chlordane	SW8081A	9/10/10	09/12/10	100	0.042	0.20	0.11	J	mg/Kg	402157	1031
alpha-Chlordane	SW8081A	9/10/10	09/12/10	100	0.036	0.20	0.11	J	mg/Kg	402157	1031
Endosulfan I	SW8081A	9/10/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402157	1031
4,4'-DDE	SW8081A	9/10/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402157	1031
Dieldrin	SW8081A	9/10/10	09/12/10	100	0.043	0.20	4.6		mg/Kg	402157	1031
Endrin	SW8081A	9/10/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402157	1031
4,4'-DDD	SW8081A	9/10/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402157	1031
Endosulfan II	SW8081A	9/10/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402157	1031
4,4'-DDT	SW8081A	9/10/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402157	1031
Endrin aldehyde	SW8081A	9/10/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402157	1031
Endosulfan sulfate	SW8081A	9/10/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402157	1031
Methoxychlor	SW8081A	9/10/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402157	1031
Endrin Ketone	SW8081A	9/10/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402157	1031
Chlordane	SW8081A	9/10/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402157	1031
Toxaphene	SW8081A	9/10/10	09/12/10	100	1.0	10	ND		mg/Kg	402157	1031
TCMX (S)	SW8081A	9/10/10	09/12/10	100	52.5	139	0.000	S,D	%	402157	1031
DCBP (S)	SW8081A	9/10/10	09/12/10	100	50.2	139	0.000	S,D	%	402157	1031

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14e-06	Lab Sample ID:	1009023-021A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 12:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.062	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.073	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.056	J	mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	0.034	J	mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	0.071	J	mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	0.058	J	mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	0.55	J	mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/11/10	09/12/10	200	0.088	0.40	7.1		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	200	0.085	0.40	3.8		mg/Kg	402158	1035



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-14e-12	Lab Sample ID:	1009023-022A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 12:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	200	0.088	0.40	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	200	0.079	0.40	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	200	0.073	0.40	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	200	0.22	0.40	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	200	0.088	0.40	5.1		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	200	0.063	0.40	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	200	0.084	0.40	ND		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	200	0.072	0.40	0.10	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	200	0.12	0.40	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	200	0.095	0.40	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	200	0.085	0.40	3.2		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	200	0.11	0.40	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	200	0.094	0.40	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	200	0.31	0.40	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	200	0.16	0.40	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	200	0.21	0.40	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	200	0.12	1.0	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	200	0.080	0.40	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	200	2.0	4.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	200	2.0	20	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	200	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	200	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28b-06	Lab Sample ID:	1009023-023A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	100	0.044	0.20	1.1		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	100	0.042	0.20	0.30		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	100	0.036	0.20	0.23		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	100	0.043	0.20	2.8		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	100	1.0	2.0	1.6	J	mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	100	1.0	10	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	100	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	100	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28b-12	Lab Sample ID:	1009023-024A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:05		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	100	0.044	0.20	2.1		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	100	0.042	0.20	0.13	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	100	0.036	0.20	0.12	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	100	0.043	0.20	3.3		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	100	1.0	10	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	100	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	100	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28c-06	Lab Sample ID:	1009023-025A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:10		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.080	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.073	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.058	J	mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	0.048	J	mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	0.56	J	mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/11/10	09/12/10	200	0.088	0.40	3.7		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	200	0.085	0.40	6.7		mg/Kg	402158	1035



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28c-12	Lab Sample ID:	1009023-026A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	200	0.088	0.40	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	200	0.079	0.40	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	200	0.073	0.40	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	200	0.22	0.40	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	200	0.088	0.40	5.6		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	200	0.063	0.40	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	200	0.084	0.40	0.094	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	200	0.072	0.40	0.073	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	200	0.12	0.40	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	200	0.095	0.40	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	200	0.085	0.40	4.4		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	200	0.11	0.40	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	200	0.094	0.40	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	200	0.31	0.40	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	200	0.16	0.40	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	200	0.21	0.40	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	200	0.12	1.0	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	200	0.080	0.40	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	200	2.0	4.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	200	2.0	20	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	200	52.5	139	0.000	S	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	200	50.2	139	0.000	S	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28a-06-1	Lab Sample ID:	1009023-027A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:25		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.82		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.081	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.070	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.033	J	mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	2.3		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	0.57	J	mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28a-12	Lab Sample ID:	1009023-028A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:30		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	1.1		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.067	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.072	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	2.2		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	0.50	J	mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28a-06-2	Lab Sample ID:	1009023-029A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	100	0.044	0.20	1.2		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	100	0.042	0.20	0.085	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	100	0.036	0.20	0.083	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	100	0.043	0.20	3.2		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	100	1.0	10	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	100	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	100	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-28a-06-3	Lab Sample ID:	1009023-030A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 14:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	100	0.044	0.20	0.90		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	100	0.042	0.20	0.071	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	100	0.036	0.20	0.064	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	100	0.043	0.20	3.0		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	100	1.0	10	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	100	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	100	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38b-06	Lab Sample ID:	1009023-031A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 15:35		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.76		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.15		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.14		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.082	J	mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	1.6		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.026	J	mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	0.27		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	1.1		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38b-12	Lab Sample ID:	1009023-032A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 15:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.69		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.16		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.14		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.043	J	mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	1.2		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	1.0		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38a-06-1	Lab Sample ID:	1009023-033A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 15:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.29		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.21		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.25		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.088	J	mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	1.1		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	1.5		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38a-12	Lab Sample ID:	1009023-034A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 15:50		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	10	0.0044	0.020	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	10	0.0040	0.020	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	10	0.0036	0.020	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	10	0.0049	0.020	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	10	0.011	0.020	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	10	0.0044	0.020	0.087		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	10	0.0032	0.020	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	10	0.0042	0.020	0.38		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	10	0.0036	0.020	0.26		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	10	0.0059	0.020	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	10	0.0048	0.020	0.036		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	10	0.0043	0.020	0.35		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	10	0.0057	0.020	0.019	J	mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	10	0.0047	0.020	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	10	0.015	0.020	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	10	0.0081	0.020	0.015	J	mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	10	0.010	0.020	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	10	0.0049	0.020	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	10	0.0062	0.050	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	10	0.0040	0.020	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	10	0.10	0.20	1.8		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	10	0.10	1.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	10	52.5	139	104		%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	10	50.2	139	127		%	402158	1035

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38c-06	Lab Sample ID:	1009023-035A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 15:55		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	100	0.044	0.20	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	100	0.036	0.20	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	100	0.11	0.20	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	100	0.044	0.20	2.0		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	100	0.032	0.20	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	100	0.042	0.20	0.076	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	100	0.036	0.20	0.070	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	100	0.059	0.20	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	100	0.048	0.20	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	100	0.043	0.20	3.5		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	100	0.057	0.20	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	100	0.047	0.20	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	100	0.15	0.20	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	100	0.081	0.20	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	100	0.10	0.20	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	100	0.049	0.20	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	100	0.062	0.50	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	100	0.040	0.20	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	100	1.0	2.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	100	1.0	10	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	100	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	100	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38c-12	Lab Sample ID:	1009023-036A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 16:00		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	200	0.088	0.40	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	200	0.079	0.40	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	200	0.073	0.40	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	200	0.22	0.40	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	200	0.088	0.40	3.9		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	200	0.063	0.40	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	200	0.084	0.40	0.090	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	200	0.072	0.40	ND		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	200	0.12	0.40	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	200	0.095	0.40	ND		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	200	0.085	0.40	5.3		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	200	0.11	0.40	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	200	0.094	0.40	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	200	0.31	0.40	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	200	0.16	0.40	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	200	0.21	0.40	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	200	0.098	0.40	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	200	0.12	1.0	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	200	0.080	0.40	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	200	2.0	4.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	200	2.0	20	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	200	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	200	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38a-06-2	Lab Sample ID:	1009023-037A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 16:15		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.38		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.13		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.13		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.043	J	mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	1.2		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	1.0		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-38a-06-3	Lab Sample ID:	1009023-038A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 16:20		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.41		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.13		mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.14		mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.044	J	mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	1.2		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	0.043	J	mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	1.0		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-51b-06	Lab Sample ID:	1009023-039A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 16:40		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.49		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.063	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.072	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.094	J	mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	1.6		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	ND		mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	0.51	J	mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/02/10
Date Reported: 09/14/10

Client Sample ID:	EAR2-RA-51b-12	Lab Sample ID:	1009023-040A
Project Name/Location:	Earhart and Onizuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	08/31/10 / 16:45		
Tag Number:	Earhart and Onizuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/12/10	50	0.022	0.10	ND		mg/Kg	402158	1035
gamma-BHC	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
beta-BHC	SW8081A	9/11/10	09/12/10	50	0.018	0.10	ND		mg/Kg	402158	1035
delta-BHC	SW8081A	9/11/10	09/12/10	50	0.025	0.10	ND		mg/Kg	402158	1035
Heptachlor	SW8081A	9/11/10	09/12/10	50	0.055	0.10	ND		mg/Kg	402158	1035
Aldrin	SW8081A	9/11/10	09/12/10	50	0.022	0.10	0.63		mg/Kg	402158	1035
Heptachlor epoxide	SW8081A	9/11/10	09/12/10	50	0.016	0.10	ND		mg/Kg	402158	1035
gamma-Chlordane	SW8081A	9/11/10	09/12/10	50	0.021	0.10	0.070	J	mg/Kg	402158	1035
alpha-Chlordane	SW8081A	9/11/10	09/12/10	50	0.018	0.10	0.086	J	mg/Kg	402158	1035
Endosulfan I	SW8081A	9/11/10	09/12/10	50	0.030	0.10	ND		mg/Kg	402158	1035
4,4'-DDE	SW8081A	9/11/10	09/12/10	50	0.024	0.10	0.13		mg/Kg	402158	1035
Dieldrin	SW8081A	9/11/10	09/12/10	50	0.021	0.10	2.4		mg/Kg	402158	1035
Endrin	SW8081A	9/11/10	09/12/10	50	0.028	0.10	ND		mg/Kg	402158	1035
4,4'-DDD	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Endosulfan II	SW8081A	9/11/10	09/12/10	50	0.076	0.10	ND		mg/Kg	402158	1035
4,4'-DDT	SW8081A	9/11/10	09/12/10	50	0.040	0.10	0.057	J	mg/Kg	402158	1035
Endrin aldehyde	SW8081A	9/11/10	09/12/10	50	0.051	0.10	ND		mg/Kg	402158	1035
Endosulfan sulfate	SW8081A	9/11/10	09/12/10	50	0.024	0.10	ND		mg/Kg	402158	1035
Methoxychlor	SW8081A	9/11/10	09/12/10	50	0.031	0.25	ND		mg/Kg	402158	1035
Endrin Ketone	SW8081A	9/11/10	09/12/10	50	0.020	0.10	ND		mg/Kg	402158	1035
Chlordane	SW8081A	9/11/10	09/12/10	50	0.50	1.0	ND		mg/Kg	402158	1035
Toxaphene	SW8081A	9/11/10	09/12/10	50	0.50	5.0	ND		mg/Kg	402158	1035
TCMX (S)	SW8081A	9/11/10	09/12/10	50	52.5	139	0.000	S,D	%	402158	1035
DCBP (S)	SW8081A	9/11/10	09/12/10	50	50.2	139	0.000	S,D	%	402158	1035

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



MB Summary Report

Work Order:	1009023	Prep Method:	3545MI_OCP	Prep Date:	09/10/10	Prep Batch:	1031
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/12/10	Analytical Batch:	402157
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier
alpha-BHC	0.00044	0.0020	ND	
gamma-BHC	0.00040	0.0020	ND	
beta-BHC	0.00036	0.0020	ND	
delta-BHC	0.00049	0.0020	ND	
Heptachlor	0.0011	0.0020	ND	
Aldrin	0.00044	0.0020	ND	
Heptachlor epoxide	0.00032	0.0020	ND	
gamma-Chlordane	0.00042	0.0020	ND	
alpha-Chlordane	0.00036	0.0020	ND	
Endosulfan I	0.00059	0.0020	ND	
4,4'-DDE	0.00048	0.0020	ND	
Dieldrin	0.00043	0.0020	ND	
Endrin	0.00057	0.0020	ND	
4,4'-DDD	0.00047	0.0020	ND	
Endosulfan II	0.0015	0.0020	ND	
4,4'-DDT	0.00081	0.0020	ND	
Endrin aldehyde	0.0010	0.0020	ND	
Endosulfan sulfate	0.00049	0.0020	ND	
Methoxychlor	0.00062	0.0050	ND	
Endrin Ketone	0.00040	0.0020	ND	
Chlordane	0.010	0.020	ND	
Toxaphene	0.010	0.10	ND	
TCMX (S)			97.6	
DCBP (S)			99.3	



MB Summary Report

Work Order:	1009023	Prep Method:	3545MI_OCP	Prep Date:	09/11/10	Prep Batch:	1035
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/12/10	Analytical Batch:	402158
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.00044	0.0020	ND		
gamma-BHC	0.00040	0.0020	ND		
beta-BHC	0.00036	0.0020	ND		
delta-BHC	0.00049	0.0020	ND		
Heptachlor	0.0011	0.0020	ND		
Aldrin	0.00044	0.0020	ND		
Heptachlor epoxide	0.00032	0.0020	ND		
gamma-Chlordane	0.00042	0.0020	ND		
alpha-Chlordane	0.00036	0.0020	ND		
Endosulfan I	0.00059	0.0020	ND		
4,4'-DDE	0.00048	0.0020	ND		
Dieldrin	0.00043	0.0020	ND		
Endrin	0.00057	0.0020	ND		
4,4'-DDD	0.00047	0.0020	ND		
Endosulfan II	0.0015	0.0020	ND		
4,4'-DDT	0.00081	0.0020	ND		
Endrin aldehyde	0.0010	0.0020	ND		
Endosulfan sulfate	0.00049	0.0020	ND		
Methoxychlor	0.00062	0.0050	ND		
Endrin Ketone	0.00040	0.0020	ND		
Chlordane	0.010	0.020	ND		
Toxaphene	0.010	0.10	ND		
TCMX (S)			90.7		
DCBP (S)			93.8		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1009023	Prep Method:	3545MI_OCP	Prep Date:	09/10/10	Prep Batch:	1031
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/12/10	Analytical Batch:	402157
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	98.7	94.0	4.68	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	97.8	92.5	5.79	56.9 - 124	30	
beta-BHC	0.36	2.0		20	112	102	9.00	44.2 - 125	30	
delta-BHC	0.49	2.0		20	87.2	87.2	0.201	61.5 - 116	30	
Heptachlor	1.1	2.0		20	102	98.5	3.97	63.6 - 125	30	
Aldrin	0.44	2.0		20	102	94.4	8.26	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	108	101	7.08	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	108	101	7.60	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	107	98.9	7.45	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	89.7	92.1	2.90	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	104	96.0	8.03	45.3 - 123	30	
Dieldrin	0.43	2.0		20	109	100	8.19	44 - 128	30	
Endrin	0.57	2.0		20	101	95.5	5.12	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	108	98.0	9.29	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	78.0	83.4	6.70	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	102	95.7	5.91	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	74.3	79.3	6.27	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	87.3	90.8	3.66	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	93.1	86.7	6.98	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	88.0	87.3	0.827	53.9 - 120	30	
TCMX (S)				2100	107	92.0		52.5 - 121		
DCBP (S)				2100	104	92.1		50.2 - 121		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1009023	Prep Method:	3545MI_OCP	Prep Date:	09/11/10	Prep Batch:	1035
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/12/10	Analytical Batch:	402158
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	84.3	93.5	10.1	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	83.4	92.6	10.4	56.9 - 124	30	
beta-BHC	0.36	2.0		20	93.0	102	9.59	44.2 - 125	30	
delta-BHC	0.49	2.0		20	77.5	81.3	4.75	61.5 - 116	30	
Heptachlor	1.1	2.0		20	88.8	98.1	9.69	63.6 - 125	30	
Aldrin	0.44	2.0		20	86.2	93.8	8.67	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	91.8	99.4	7.69	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	91.6	99.6	8.46	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	90.3	98.5	8.44	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	82.2	83.5	1.80	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	87.5	94.7	7.90	45.3 - 123	30	
Dieldrin	0.43	2.0		20	91.8	99.0	7.37	44 - 128	30	
Endrin	0.57	2.0		20	85.8	91.2	5.87	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	90.8	95.6	4.94	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	74.1	75.7	2.25	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	85.8	92.8	7.59	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	70.5	70.9	0.588	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	80.5	81.4	1.11	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	78.3	83.8	6.54	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	76.4	81.7	6.58	53.9 - 120	30	
TCMX (S)				2100	84.4	95.9		52.5 - 121		
DCBP (S)				2100	85.3	93.8		50.2 - 121		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit (PQL) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m³ , mg.m³ , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm ² surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Tetra Tech Inc (HI)

Date and Time Received: 9/2/2010 13:37

Project Name: Earhart and Onizuka Sampling

Received By: navin

Work Order No.: 1009023

Physically Logged By: lorna

Checklist Completed By: lorna

Carrier Name: FedEx

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 4 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt?

pH Checked by:

pH Adjusted by:



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/2/2010
Report Due Date:	9/14/2010	Time Received:	13:37
Comments:	5 day TAT!!!(+2 days for drying) Recv'd 40 samples for 8081 @4'C.Pls. email an EDD result to Y.Parry ; G.Eaton ;T.Whitehead and J.Mollison.Incremental sampling required.		
Work Order # :	1009023		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009023-001A	EAR2-RA-29a-06	08/31/10 9:40	Soil	03/01/11			EDD S_8081MITetra	
Sample Note: Multi incremental sampling for 8081 for all samples. Samples need to be air dried,sieved and subsampled.								
1009023-001A40 0x	EAR2-RA-29a-06	08/31/10 9:40	Soil	03/01/11			S_8081MITetra	
1009023-002A	EAR2-RA-29a-12	08/31/10 9:45	Soil	03/01/11			S_8081MITetra	
1009023-003A	EAR2-RA-29b-06	08/31/10 9:50	Soil	03/01/11			S_8081MITetra	
1009023-004A	EAR2-RA-29b-12	08/31/10 9:55	Soil	03/01/11			S_8081MITetra	
1009023-005A	EAR2-RA-13f-06	08/31/10 10:00	Soil	03/01/11			S_8081MITetra	
1009023-006A	EAR2-RA-13f-12	08/31/10 10:05	Soil	03/01/11			S_8081MITetra	
1009023-007A	EAR2-RA-13b-06	08/31/10 10:30	Soil	03/01/11			S_8081MITetra	
1009023-008A	EAR2-RA-13b-12	08/31/10 10:35	Soil	03/01/11			S_8081MITetra	
1009023-009A	EAR2-RA-28d-06	08/31/10 10:40	Soil	03/01/11			S_8081MITetra	
1009023-010A	EAR2-RA-28d-12	08/31/10 10:45	Soil	03/01/11			S_8081MITetra	
1009023-010A40 0x	EAR2-RA-28d-12	08/31/10 10:45	Soil	03/01/11			S_8081MITetra	
1009023-011A	EAR2-RA-14b-06	08/31/10 10:55	Soil	03/01/11			S_8081MITetra	
1009023-012A	EAR2-RA-14b-12	08/31/10 11:00	Soil	03/01/11			S_8081MITetra	
1009023-013A	EAR2-RA-14a-06	08/31/10 11:05	Soil	03/01/11			S_8081MITetra	
1009023-014A	EAR2-RA-14a-12	08/31/10 11:10	Soil	03/01/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/2/2010
Report Due Date:	9/14/2010	Time Received:	13:37
Comments:	5 day TAT!!!(+2 days for drying) Recv'd 40 samples for 8081 @4'C.Pls. email an EDD result to Y.Parry ; G.Eaton ;T.Whitehead and J.Mollison.Incremental sampling required.		
Work Order # :	1009023		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009023-015A	EAR2-RA-13a-06	08/31/10 11:15	Soil	03/01/11			S_8081MITetra	
1009023-015A20 0x	EAR2-RA-13a-06	08/31/10 11:15	Soil	03/01/11			S_8081MITetra	
1009023-016A	EAR2-RA-13a-12	08/31/10 11:20	Soil	03/01/11			S_8081MITetra	
1009023-016A40 0x	EAR2-RA-13a-12	08/31/10 11:20	Soil	03/01/11			S_8081MITetra	
1009023-017A	EAR2-RA-14c-06	08/31/10 11:25	Soil	03/01/11			S_8081MITetra	
1009023-018A	EAR2-RA-14c-12	08/31/10 11:30	Soil	03/01/11			S_8081MITetra	
1009023-019A	EAR2-RA-14d-06	08/31/10 12:00	Soil	03/01/11			S_8081MITetra	
1009023-020A	EAR2-RA-14d-12	08/31/10 12:05	Soil	03/01/11			S_8081MITetra	
1009023-021A	EAR2-RA-14e-06	08/31/10 12:10	Soil	03/01/11			S_8081MITetra	
1009023-021A20 0x	EAR2-RA-14e-06	08/31/10 12:10	Soil	03/01/11			S_8081MITetra	
1009023-022A	EAR2-RA-14e-12	08/31/10 12:15	Soil	03/01/11			S_8081MITetra	
1009023-023A	EAR2-RA-28b-06	08/31/10 14:00	Soil	03/01/11			S_8081MITetra	
1009023-024A	EAR2-RA-28b-12	08/31/10 14:05	Soil	03/01/11			S_8081MITetra	
1009023-025A	EAR2-RA-28c-06	08/31/10 14:10	Soil	03/01/11			S_8081MITetra	
1009023-025A20 0x	EAR2-RA-28c-06	08/31/10 14:10	Soil	03/01/11			S_8081MITetra	
1009023-026A	EAR2-RA-28c-12	08/31/10 14:15	Soil	03/01/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onizuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/2/2010
Report Due Date:	9/14/2010	Time Received:	13:37
Comments:	5 day TAT!!!(+2 days for drying) Recv'd 40 samples for 8081 @4'C.Pls. email an EDD result to Y.Parry ; G.Eaton ;T.Whitehead and J.Mollison.Incremental sampling required.		
Work Order # :	1009023		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009023-027A	EAR2-RA-28a-06-1	08/31/10 14:25	Soil	03/01/11			S_8081MITetra	
1009023-028A	EAR2-RA-28a-12	08/31/10 14:30	Soil	03/01/11			S_8081MITetra	
1009023-029A	EAR2-RA-28a-06-2	08/31/10 14:50	Soil	03/01/11			S_8081MITetra	
1009023-030A	EAR2-RA-28a-06-3	08/31/10 14:55	Soil	03/01/11			S_8081MITetra	
1009023-031A	EAR2-RA-38b-06	08/31/10 15:35	Soil	03/01/11			S_8081MITetra	
1009023-032A	EAR2-RA-38b-12	08/31/10 15:40	Soil	03/01/11			S_8081MITetra	
1009023-033A	EAR2-RA-38a-06-1	08/31/10 15:45	Soil	03/01/11			S_8081MITetra	
1009023-034A	EAR2-RA-38a-12	08/31/10 15:50	Soil	03/01/11			S_8081MITetra	
1009023-035A	EAR2-RA-38c-06	08/31/10 15:55	Soil	03/01/11			S_8081MITetra	
1009023-036A	EAR2-RA-38c-12	08/31/10 16:00	Soil	03/01/11			S_8081MITetra	
1009023-037A	EAR2-RA-38a-06-2	08/31/10 16:15	Soil	03/01/11			S_8081MITetra	
1009023-038A	EAR2-RA-38a-06-3	08/31/10 16:20	Soil	03/01/11			S_8081MITetra	
1009023-039A	EAR2-RA-51b-06	08/31/10 16:40	Soil	03/01/11			S_8081MITetra	
1009023-040A	EAR2-RA-51b-12	08/31/10 16:45	Soil	03/01/11			S_8081MITetra	

CHAIN-OF-CUSTODY RECORD

1009023



TETRA TECH

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Invoice To: Y. Parry

Sampler Name: (Print) JON MOLLISON

Project ID: Earhart and Onizuka Sampling

Sampler Signature: [Signature]

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative					Matrix				Multi-Incremental Preparation	8081	Analyze For:				RUSH TAT (Pre-Schedule)	Standard TAT		
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater			Wastewater	Drinking Water	Sludge	Soil			Other (specify):	
013A EAR2-RA-14a-06	8/31/10	1105	1			X	X							X	X									X	
014A EAR2-RA-14a-12		1110	1			X	X							X	X										
015A EAR2-RA-13a-06		1115	1			X	X							X	X										
016A EAR2-RA-13a-12		1120	1			X	X							X	X										
017A EAR2-RA-14c-06		1125	1			X	X							X	X										
018A EAR2-RA-14c-12		1130	1			X	X							X	X										
019A EAR2-RA-14d-06		1200	1			X	X							X	X										
020A EAR2-RA-14d-12		1205	1			X	X							X	X										
021A EAR2-RA-14e-06		1210	1			X	X							X	X										
022A EAR2-RA-14e-12		1215	1			X	X							X	X										
023A EAR2-RA-286-06		1400	1			X	X							X	X										
024A EAR2-RA-286-12		1405	1			X	X							X	X										

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Method of Shipment: FEDEX

Relinquished by: <u>[Signature]</u>	Date: <u>8/31/2010</u>	Time: <u>1800</u>	Received by: <u>[Signature]</u>	Date: <u>8/31/10</u>	Time: <u>1800</u>
Relinquished by: <u>[Signature]</u>	Date: <u>9/1/10</u>	Time: <u>1000</u>	Received by FedEx: <u>FedEx</u>	Date: <u></u>	Time: <u></u>

Laboratory Comments:
 Temperature Upon Receipt: 4°C
 VOCs Free of Headspace? Y N

FedEx 9/2/10 1:37 P.M. Dr. S. Ghodasara 9/2/10 1:37 P.M.



CHAIN-OF-CUSTODY RECORD

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Telephone Number: (808)533-3366

Fax No.: (808)533-3306

Sampler Name: (Print) Jon Mollison

Sampler Signature: Jon Mollison



1009023 TETRA TECH

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Invoice To: Y. Parry

Project ID: Earhart and Onizuka Sampling

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative										Matrix					Analyze For:			RUSH TAT (Pre-Schedule Standard TAT)				
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparatic	8081							
025A EAR2-RA-28c-06	8/31/10	1410	1			X	X																						
026A EAR2-RA-28c-12		1415	1			X	X																						
027A EAR2-RA-28a-06-1		1425	1			X	X																						
028A EAR2-RA-28a-12		1430	1			X	X																						
029A EAR2-RA-28a-06-2		1450	1			X	X																						
030A EAR2-RA-28a-06-3		1455	1			X	X																						
031A EAR2-RA-38b-06		1535	1			X	X																						
032A EAR2-RA-38b-12		1540	1			X	X																						
033A EAR2-RA-38a-06-1		1545	1			X	X																						
034A EAR2-RA-38a-12		1550	1			X	X																						
035A EAR2-RA-38c-06		1555	1			X	X																						
036A EAR2-RA-38c-12	8/31/10	1600	1			X	X																						

Special Instructions:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Method of Shipment: FEDEX

Laboratory Comments:

Temperature Upon Receipt: 4°C

VOCs Free of Headspace? Y N

Relinquished by: Jon Mollison
 8/31/2010 1800
 Relinquished by: Yvonne Parry
 9/1/10 1000
 FedEx
 9/2/10 1:37 P.M.

Received by: Yvonne Parry
 Date: 8/31/10 Time: 1800
 Received by FedEx:
 Date: 9-2-10 Time: 1:37 P.M.

Page 3 of 4

CHAIN-OF-CUSTODY RECORD

1009023



TETRA TECH

Client Name/Account #: TetraTech, Inc.
 Address: 737 Bishop St., Suite 3020
 City/State/Zip: Honolulu, HI 96813
 Project Manager: Y. Parry Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison
 Telephone Number: (808)533-3366 Fax No.: (808)533-3306 Invoice To: Y. Parry
 Sampler Name: (Print) Jon Mollison Project ID: Earhart and Onizuka Sampling
 Sampler Signature: [Signature] Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-Incremental Sample	Preservative										Matrix				Analyze For:			
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparation	8081	RUSH TAT (Pre-Schedule)	Standard TAT
037A EAR2-RA-38a-06-2	8/31/10	1615	1			X	X											X	X	X	X		X	
038A EAR2-RA-38a-06-3		1620	1			X	X											X	X	X	X			
039A EAR2-RA-51b-06		1640	1			X	X											X	X	X	X			
040A EAR2-RA-51b-12		1645	1			X	X											X	X	X	X			

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance
 Method of Shipment: FEDEX

Laboratory Comments: Temperature Upon Receipt: 4°C
 VOCs Free of Headspace? Y N

Relinquished by: <u>[Signature]</u>	Date: <u>8/21/2010</u>	Time: <u>18:00</u>	Received by: <u>[Signature]</u>	Date: <u>8/31/10</u>	Time: <u>18:00</u>
Relinquished by: <u>[Signature]</u>	Date: <u>9/11/10</u>	Time: <u>1000</u>	Received by FedEx: <u>FedEx</u>	Date: <u>9/2/10</u>	Time: <u>1:37 P.M.</u>

FedEx 9/2/10 1:37 P.M. [Signature] 9/2/10 1:37 P.M.



CHAIN-OF-CUSTODY RECORD

1009023
TETRA TECH

Client Name/Account #: TetraTech, Inc.
 Address: 737 Bishop St., Suite 3020
 City/State/Zip: Honolulu, HI 96813
 Project Manager: Y. Parry Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison
 Telephone Number: (808)533-3366 Fax No.: (808)533-3306 Invoice To: Y. Parry
 Sampler Name: (Print) Jon Mollison Project ID: Earhart and Onizuka Sampling
 Sampler Signature: [Signature] Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative										Matrix				Analyze For:				RUSH TAT (Pre-Schedule)	Standard TAT
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparatic	8081				
001A EAR2-DA-29a-06	8/31/10	940	1			X	X										X	X							X	
002A EAR2-RA-29a-12		945	1			X	X										X	X								
003A EAR2-RA-29b-06		950	1			X	X										X	X								
004A EAR2-RA-29b-12		955	1			X	X										X	X								
005A EAR2-RA-13f-06		1000	1			X	X										X	X								
006A EAR2-RA-13f-12		1005	1			X	X										X	X								
007A EAR2-RA-13b-06		1030	1			X	X										X	X								
008A EAR2-RA-13b-12		1035	1			X	X										X	X								
009A EAR2-RA-28d-06		1040	1			X	X										X	X								
010A EAR2-RA-28d-12		1045	1			X	X										X	X								
011A EAR2-RA-14b-06		1055	1			X	X										X	X								
012A EAR2-RA-14b-12		1100	1			X	X										X	X								

Special Instructions: Laboratory Comments:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance
 Method of Shipment: FEDEX

Relinquished by: <u>[Signature]</u>	Date: <u>8/31/10</u>	Time: <u>1800</u>	Received by: <u>[Signature]</u>	Date: <u>8/31/10</u>	Time: <u>1800</u>
Relinquished by: <u>[Signature]</u>	Date: <u>9/1/10</u>	Time: <u>1000</u>	Received by FedEx: <u>FedEx</u>	Date:	Time:

Temperature Upon Receipt: 4° C
 VOCs Free of Headspace? Y N

FedEx 9/2/10 1:37 P.M. [Signature] 9/2/10 1:37 P.M.



Tetra Tech Inc (HI)
737 Bishop St, Suite 3020
Honolulu, Hawaii 96813
Tel: 808-533-3366
Fax: 808-533-3306
RE: Earhart and Onozuka Sampling

Work Order No.: 1009030

Dear Yvonne Parry:

Torrent Laboratory, Inc. received 40 sample(s) on September 03, 2010 for the analyses presented in the following Report.

All data for associated QC met EPA or laboratory specification(s) except where noted in the case narrative.

Torrent Laboratory, Inc. is certified by the State of California, ELAP #1991. If you have any questions regarding these test results, please feel free to contact the Project Management Team at (408)263-5258; ext 204.

N. S. Kabir

Nutan Kabir

September 15, 2010

Date



Date: 9/15/2010

Client: Tetra Tech Inc (HI)

Project: Earhart and Onozuka Sampling

Work Order: 1009030

CASE NARRATIVE

No issues encountered with the receiving, preparation, analysis or reporting of the results associated with this work order.

Analytical Comments, General, For all samples -Note: Samples processed under Incremental Sampling Procedure SOP TCI0109. Sample collection date and time is reflective of Hawaiian Standard Time (HST) while all analytical dates and times are reflective of Pacific Standard Time (PST).

Analytical Comments for METHOD 8081S_Tetra Tech, ALL SAMPLE, Note: Per client request, whenever possible (where matrix interference does not preclude it), sample data is reported to the MDL. Results reported between the MDL and PQL are qualified with the appropriate "J" flag and should be considered as estimated values



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-12a-06

1009030-001

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.22	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.096	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.099	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.046	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.1	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.052	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.74	mg/Kg

EAR2-RA-12a-12

1009030-002

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.25	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.11	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.14	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.065	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.3	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.082	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.88	mg/Kg

EAR2-RA-12b-06

1009030-003

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.1	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.12	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.13	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.031	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.4	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg

EAR2-RA-12b-12

1009030-004

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.97	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.094	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.099	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.026	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.7	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.82	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-12c-06

1009030-005

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	50	0.021	0.10	0.49	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.48	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.027	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	3.6	mg/Kg
Aldrin	SW8081A	100	0.044	0.20	5.4	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.9	mg/Kg

EAR2-RA-12c-12

1009030-006

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.2	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.34	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.34	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.027	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.3	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	2.5	mg/Kg

EAR2-RA-48c-06

1009030-007

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.94	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.11	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.12	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.065	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.8	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.76	mg/Kg

EAR2-RA-48c-12

1009030-008

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.0	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.10	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.11	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.067	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.6	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.67	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-48a-06

1009030-009

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.70	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.094	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.10	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.050	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.7	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.65	mg/Kg

EAR2-RA-48a-12

1009030-010

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.66	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.082	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.088	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.046	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.1	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.65	mg/Kg

EAR2-RA-48d-06

1009030-011

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.86	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.086	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.10	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.045	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.5	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.69	mg/Kg

EAR2-RA-48d-12

1009030-012

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.75	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.090	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.11	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.048	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.4	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.70	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-48b-06-1

1009030-013

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.43	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.14	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.15	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.058	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.9	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.1	mg/Kg

EAR2-RA-48b-12

1009030-014

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.62	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.096	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.096	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.045	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.4	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.68	mg/Kg

EAR2-RA-48b-06-2

1009030-015

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.77	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.10	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.11	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.051	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.6	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.78	mg/Kg

EAR2-RA-48b-06-3

1009030-016

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.60	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.14	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.14	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.043	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.2	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	1.0	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-48e-06

1009030-017

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.12	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.053	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.069	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.083	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.33	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.011	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.058	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	0.51	mg/Kg

EAR2-RA-48e-12

1009030-018

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.049	mg/Kg
Heptachlor epoxide	SW8081A	20	0.0063	0.040	0.0067	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.30	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.39	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.27	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.17	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.018	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.17	mg/Kg
Chlordane	SW8081A	20	0.20	0.40	2.3	mg/Kg

EAR2-RA-53a-06-1

1009030-019

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	4	0.0018	0.0080	0.0069	mg/Kg
gamma-Chlordane	SW8081A	4	0.0017	0.0080	0.0028	mg/Kg
alpha-Chlordane	SW8081A	4	0.0014	0.0080	0.0030	mg/Kg
4,4'-DDE	SW8081A	4	0.0019	0.0080	0.13	mg/Kg
Dieldrin	SW8081A	4	0.0017	0.0080	0.046	mg/Kg
4,4'-DDD	SW8081A	4	0.0019	0.0080	0.0023	mg/Kg
4,4'-DDT	SW8081A	4	0.0032	0.0080	0.032	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-53a-12

1009030-020

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	4	0.0018	0.0080	0.014	mg/Kg
gamma-Chlordane	SW8081A	4	0.0017	0.0080	0.0023	mg/Kg
alpha-Chlordane	SW8081A	4	0.0014	0.0080	0.0022	mg/Kg
4,4'-DDE	SW8081A	4	0.0019	0.0080	0.099	mg/Kg
Dieldrin	SW8081A	4	0.0017	0.0080	0.035	mg/Kg
4,4'-DDT	SW8081A	4	0.0032	0.0080	0.027	mg/Kg

EAR2-RA-53a-06-2

1009030-021

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.016	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.0042	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.23	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.088	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.044	mg/Kg

EAR2-RA-53a-06-3

1009030-022

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	10	0.0044	0.020	0.014	mg/Kg
alpha-Chlordane	SW8081A	10	0.0036	0.020	0.0037	mg/Kg
4,4'-DDE	SW8081A	10	0.0048	0.020	0.22	mg/Kg
Dieldrin	SW8081A	10	0.0043	0.020	0.087	mg/Kg
4,4'-DDD	SW8081A	10	0.0047	0.020	0.0051	mg/Kg
4,4'-DDT	SW8081A	10	0.0081	0.020	0.073	mg/Kg

EAR2-RA-53b-06

1009030-023

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.11	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.016	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.021	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.040	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.59	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.013	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.032	mg/Kg
Endrin Ketone	SW8081A	20	0.0080	0.040	0.011	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-53b-12

1009030-024

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	20	0.0088	0.040	0.14	mg/Kg
gamma-Chlordane	SW8081A	20	0.0084	0.040	0.010	mg/Kg
alpha-Chlordane	SW8081A	20	0.0072	0.040	0.010	mg/Kg
4,4'-DDE	SW8081A	20	0.0095	0.040	0.078	mg/Kg
Dieldrin	SW8081A	20	0.0085	0.040	0.42	mg/Kg
Endrin	SW8081A	20	0.011	0.040	0.017	mg/Kg
4,4'-DDT	SW8081A	20	0.016	0.040	0.030	mg/Kg

EAR2-RA-54b-06

1009030-025

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.6	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.040	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.032	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.020	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.7	mg/Kg

EAR2-RA-54b-12

1009030-026

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.5	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.022	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.035	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.2	mg/Kg

EAR2-RA-4b-06

1009030-027

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	4	0.0018	0.0080	0.021	mg/Kg
gamma-Chlordane	SW8081A	4	0.0017	0.0080	0.0025	mg/Kg
alpha-Chlordane	SW8081A	4	0.0014	0.0080	0.0030	mg/Kg
4,4'-DDE	SW8081A	4	0.0019	0.0080	0.016	mg/Kg
Dieldrin	SW8081A	4	0.0017	0.0080	0.072	mg/Kg
4,4'-DDT	SW8081A	4	0.0032	0.0080	0.012	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-4b-12

1009030-028

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	4	0.0018	0.0080	0.0076	mg/Kg
gamma-Chlordane	SW8081A	4	0.0017	0.0080	0.0020	mg/Kg
alpha-Chlordane	SW8081A	4	0.0014	0.0080	0.0023	mg/Kg
4,4'-DDE	SW8081A	4	0.0019	0.0080	0.035	mg/Kg
Dieldrin	SW8081A	4	0.0017	0.0080	0.056	mg/Kg
4,4'-DDD	SW8081A	4	0.0019	0.0080	0.0078	mg/Kg
4,4'-DDT	SW8081A	4	0.0032	0.0080	0.14	mg/Kg

EAR2-RA-54a-06

1009030-029

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	1.5	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.044	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.041	mg/Kg
Dieldrin	SW8081A	100	0.043	0.20	3.6	mg/Kg

EAR2-RA-54a-12

1009030-030

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	50	0.021	0.10	0.041	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.035	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.037	mg/Kg
4,4'-DDT	SW8081A	50	0.040	0.10	0.057	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.033	mg/Kg
Aldrin	SW8081A	200	0.088	0.40	3.9	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	3.7	mg/Kg

EAR2-RA-4c-06

1009030-031

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.65	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.050	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.065	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.031	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.3	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-4c-12

1009030-032

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.43	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.12	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.12	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.046	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.6	mg/Kg
Chlordane	SW8081A	50	0.50	1.0	0.89	mg/Kg

EAR2-RA-4a-06

1009030-033

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	4	0.0018	0.0080	0.016	mg/Kg
gamma-Chlordane	SW8081A	4	0.0017	0.0080	0.0044	mg/Kg
alpha-Chlordane	SW8081A	4	0.0014	0.0080	0.0047	mg/Kg
4,4'-DDE	SW8081A	4	0.0019	0.0080	0.015	mg/Kg
Dieldrin	SW8081A	4	0.0017	0.0080	0.073	mg/Kg
4,4'-DDT	SW8081A	4	0.0032	0.0080	0.018	mg/Kg

EAR2-RA-4a-12

1009030-034

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	4	0.0018	0.0080	0.016	mg/Kg
gamma-Chlordane	SW8081A	4	0.0017	0.0080	0.0026	mg/Kg
alpha-Chlordane	SW8081A	4	0.0014	0.0080	0.0045	mg/Kg
4,4'-DDE	SW8081A	4	0.0019	0.0080	0.015	mg/Kg
Dieldrin	SW8081A	4	0.0017	0.0080	0.040	mg/Kg
4,4'-DDD	SW8081A	4	0.0019	0.0080	0.0020	mg/Kg
4,4'-DDT	SW8081A	4	0.0032	0.0080	0.019	mg/Kg

EAR2-RA-51e-06

1009030-035

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.49	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.025	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.7	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10

Date Reported: 09/15/10

EAR2-RA-51e-12

1009030-036

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.23	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.033	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	0.80	mg/Kg

EAR2-RA-51f-06

1009030-037

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.32	mg/Kg
gamma-Chlordane	SW8081A	50	0.021	0.10	0.034	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.034	mg/Kg
4,4'-DDE	SW8081A	50	0.024	0.10	0.031	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	2.2	mg/Kg

EAR2-RA-51f-12

1009030-038

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
Aldrin	SW8081A	50	0.022	0.10	0.59	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.021	mg/Kg
Dieldrin	SW8081A	50	0.021	0.10	1.9	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.054	mg/Kg

EAR2-RA-15c-06

1009030-039

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
alpha-Chlordane	SW8081A	50	0.018	0.10	0.026	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.049	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.044	mg/Kg
Aldrin	SW8081A	200	0.088	0.40	3.0	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	4.6	mg/Kg



Sample Result Summary

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10
1009030-040

EAR2-RA-15c-12

<u>Parameters:</u>	<u>Analysis Method</u>	<u>DF</u>	<u>MDL</u>	<u>PQL</u>	<u>Results</u>	<u>Unit</u>
gamma-Chlordane	SW8081A	50	0.021	0.10	0.030	mg/Kg
alpha-Chlordane	SW8081A	50	0.018	0.10	0.037	mg/Kg
Endrin	SW8081A	50	0.028	0.10	0.055	mg/Kg
Endrin Ketone	SW8081A	50	0.020	0.10	0.045	mg/Kg
Aldrin	SW8081A	200	0.088	0.40	5.6	mg/Kg
Dieldrin	SW8081A	200	0.085	0.40	6.8	mg/Kg



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-12a-06	Lab Sample ID:	1009030-001A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 9:25		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.22		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.096	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.099	J	mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.046	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	1.1		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	0.052	J	mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.74	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-12a-12	Lab Sample ID:	1009030-002A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 9:30		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.25		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.11		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.14		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.065	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	1.3		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	0.082	J	mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.88	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-12b-06	Lab Sample ID:	1009030-003A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 9:35		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	1.1		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.12		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.13		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.031	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.4		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	1.0		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-12b-12	Lab Sample ID:	1009030-004A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 9:40		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.97		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.094	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.099	J	mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.026	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.7		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.82	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-12c-06	Lab Sample ID:	1009030-005A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 9:50		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.49		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.48		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.027	J	mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	3.6		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/11/10	09/13/10	100	0.044	0.20	5.4		mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	100	0.043	0.20	3.9		mg/Kg	402172	1036



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-12c-12	Lab Sample ID:	1009030-006A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 9:55		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	1.2		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.34		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.34		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.027	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.3		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	2.5		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48c-06	Lab Sample ID:	1009030-007A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 10:15		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.94		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.11		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.12		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.065	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.8		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.76	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48c-12	Lab Sample ID:	1009030-008A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 10:20		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	1.0		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.10		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.11		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.067	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.6		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.67	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48a-06	Lab Sample ID:	1009030-009A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 10:25		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.70		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.094	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.10		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.050	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.7		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.65	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48a-12	Lab Sample ID:	1009030-010A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 10:30		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.66		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.082	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.088	J	mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.046	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.1		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.65	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48d-06	Lab Sample ID:	1009030-011A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 10:35		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.86		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.086	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.10	J	mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.045	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.5		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.69	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48d-12	Lab Sample ID:	1009030-012A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 10:40		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.75		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.090	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.11		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.048	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.4		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.70	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48b-06-1	Lab Sample ID:	1009030-013A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 11:05		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.43		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.14		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.15		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.058	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	1.9		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	1.1		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48b-12	Lab Sample ID:	1009030-014A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 11:10		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.62		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.096	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.096	J	mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.045	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.4		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.68	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48b-06-2	Lab Sample ID:	1009030-015A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 11:15		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.77		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.10		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.11		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.051	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.6		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	0.78	J	mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48b-06-3	Lab Sample ID:	1009030-016A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 11:20		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	50	0.022	0.10	0.60		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	50	0.021	0.10	0.14		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	50	0.018	0.10	0.14		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	50	0.024	0.10	0.043	J	mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	50	0.021	0.10	2.2		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	50	0.50	1.0	1.0		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	50	52.5	139	0.000	S,D	%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	50	50.2	139	0.000	S,D	%	402172	1036

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48e-06	Lab Sample ID:	1009030-017A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 11:30		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	20	0.0088	0.040	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	20	0.0079	0.040	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	20	0.0073	0.040	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	20	0.022	0.040	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	20	0.0088	0.040	0.12		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	20	0.0063	0.040	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	20	0.0084	0.040	0.053		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	20	0.0072	0.040	0.069		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	20	0.012	0.040	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	20	0.0095	0.040	0.083		mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	20	0.0085	0.040	0.33		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	20	0.011	0.040	0.011		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	20	0.0094	0.040	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	20	0.031	0.040	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	20	0.016	0.040	0.058		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	20	0.021	0.040	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	20	0.012	0.10	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	20	0.0080	0.040	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	20	0.20	0.40	0.51		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	20	0.20	2.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	20	52.5	139	110		%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	20	50.2	139	122		%	402172	1036

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-48e-12	Lab Sample ID:	1009030-018A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 11:35		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	20	0.0088	0.040	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	20	0.0079	0.040	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	20	0.0073	0.040	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	20	0.022	0.040	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	20	0.0088	0.040	0.049		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	20	0.0063	0.040	0.0067	J	mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	20	0.0084	0.040	0.30		mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	20	0.0072	0.040	0.39		mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	20	0.012	0.040	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	20	0.0095	0.040	0.27		mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	20	0.0085	0.040	0.17		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	20	0.011	0.040	0.018	J	mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	20	0.0094	0.040	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	20	0.031	0.040	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	20	0.016	0.040	0.17		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	20	0.021	0.040	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	20	0.012	0.10	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	20	0.0080	0.040	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	20	0.20	0.40	2.3		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	20	0.20	2.0	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	20	52.5	139	115		%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	20	50.2	139	124		%	402172	1036

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-53a-06-1	Lab Sample ID:	1009030-019A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:10		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	4	0.0018	0.0080	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	4	0.0015	0.0080	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	4	0.0044	0.0080	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	4	0.0018	0.0080	0.0069	J	mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	4	0.0013	0.0080	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	4	0.0017	0.0080	0.0028	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	4	0.0014	0.0080	0.0030	J	mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	4	0.0024	0.0080	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	4	0.0019	0.0080	0.13		mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	4	0.0017	0.0080	0.046		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	4	0.0023	0.0080	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	4	0.0019	0.0080	0.0023	J	mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	4	0.0061	0.0080	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	4	0.0032	0.0080	0.032		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	4	0.0041	0.0080	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	4	0.0025	0.020	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	4	0.040	0.080	ND		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	4	0.040	0.40	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	4	52.5	139	103		%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	4	50.2	139	102		%	402172	1036

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-53a-12	Lab Sample ID:	1009030-020A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:15		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/11/10	09/13/10	4	0.0018	0.0080	ND		mg/Kg	402172	1036
gamma-BHC	SW8081A	9/11/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402172	1036
beta-BHC	SW8081A	9/11/10	09/13/10	4	0.0015	0.0080	ND		mg/Kg	402172	1036
delta-BHC	SW8081A	9/11/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402172	1036
Heptachlor	SW8081A	9/11/10	09/13/10	4	0.0044	0.0080	ND		mg/Kg	402172	1036
Aldrin	SW8081A	9/11/10	09/13/10	4	0.0018	0.0080	0.014		mg/Kg	402172	1036
Heptachlor epoxide	SW8081A	9/11/10	09/13/10	4	0.0013	0.0080	ND		mg/Kg	402172	1036
gamma-Chlordane	SW8081A	9/11/10	09/13/10	4	0.0017	0.0080	0.0023	J	mg/Kg	402172	1036
alpha-Chlordane	SW8081A	9/11/10	09/13/10	4	0.0014	0.0080	0.0022	J	mg/Kg	402172	1036
Endosulfan I	SW8081A	9/11/10	09/13/10	4	0.0024	0.0080	ND		mg/Kg	402172	1036
4,4'-DDE	SW8081A	9/11/10	09/13/10	4	0.0019	0.0080	0.099		mg/Kg	402172	1036
Dieldrin	SW8081A	9/11/10	09/13/10	4	0.0017	0.0080	0.035		mg/Kg	402172	1036
Endrin	SW8081A	9/11/10	09/13/10	4	0.0023	0.0080	ND		mg/Kg	402172	1036
4,4'-DDD	SW8081A	9/11/10	09/13/10	4	0.0019	0.0080	ND		mg/Kg	402172	1036
Endosulfan II	SW8081A	9/11/10	09/13/10	4	0.0061	0.0080	ND		mg/Kg	402172	1036
4,4'-DDT	SW8081A	9/11/10	09/13/10	4	0.0032	0.0080	0.027		mg/Kg	402172	1036
Endrin aldehyde	SW8081A	9/11/10	09/13/10	4	0.0041	0.0080	ND		mg/Kg	402172	1036
Endosulfan sulfate	SW8081A	9/11/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402172	1036
Methoxychlor	SW8081A	9/11/10	09/13/10	4	0.0025	0.020	ND		mg/Kg	402172	1036
Endrin Ketone	SW8081A	9/11/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402172	1036
Chlordane	SW8081A	9/11/10	09/13/10	4	0.040	0.080	ND		mg/Kg	402172	1036
Toxaphene	SW8081A	9/11/10	09/13/10	4	0.040	0.40	ND		mg/Kg	402172	1036
TCMX (S)	SW8081A	9/11/10	09/13/10	4	52.5	139	104		%	402172	1036
DCBP (S)	SW8081A	9/11/10	09/13/10	4	50.2	139	97.2		%	402172	1036

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-53a-06-2	Lab Sample ID:	1009030-021A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:20		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/12/10	09/13/10	10	0.0044	0.020	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	10	0.0040	0.020	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	10	0.0036	0.020	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	10	0.0049	0.020	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	10	0.011	0.020	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	10	0.0044	0.020	0.016	J	mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	10	0.0032	0.020	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	10	0.0042	0.020	ND		mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	10	0.0036	0.020	0.0042	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	10	0.0059	0.020	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	10	0.0048	0.020	0.23		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	10	0.0043	0.020	0.088		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	10	0.0057	0.020	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	10	0.0047	0.020	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	10	0.015	0.020	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	10	0.0081	0.020	0.044		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	10	0.010	0.020	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	10	0.0049	0.020	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	10	0.0062	0.050	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	10	0.0040	0.020	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	10	0.10	0.20	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	10	0.10	1.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	10	52.5	139	126		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	10	50.2	139	109		%	402184	1038

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-53a-06-3	Lab Sample ID:	1009030-022A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:25		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/12/10	09/13/10	10	0.0044	0.020	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	10	0.0040	0.020	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	10	0.0036	0.020	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	10	0.0049	0.020	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	10	0.011	0.020	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	10	0.0044	0.020	0.014	J	mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	10	0.0032	0.020	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	10	0.0042	0.020	ND		mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	10	0.0036	0.020	0.0037	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	10	0.0059	0.020	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	10	0.0048	0.020	0.22		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	10	0.0043	0.020	0.087		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	10	0.0057	0.020	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	10	0.0047	0.020	0.0051	J	mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	10	0.015	0.020	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	10	0.0081	0.020	0.073		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	10	0.010	0.020	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	10	0.0049	0.020	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	10	0.0062	0.050	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	10	0.0040	0.020	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	10	0.10	0.20	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	10	0.10	1.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	10	52.5	139	126		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	10	50.2	139	108		%	402184	1038

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-53b-06	Lab Sample ID:	1009030-023A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:30		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/12/10	09/13/10	20	0.0088	0.040	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	20	0.0079	0.040	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	20	0.0073	0.040	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	20	0.022	0.040	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	20	0.0088	0.040	0.11		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	20	0.0063	0.040	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	20	0.0084	0.040	0.016	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	20	0.0072	0.040	0.021	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	20	0.012	0.040	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	20	0.0095	0.040	0.040	J	mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	20	0.0085	0.040	0.59		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	20	0.011	0.040	0.013	J	mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	20	0.0094	0.040	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	20	0.031	0.040	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	20	0.016	0.040	0.032	J	mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	20	0.021	0.040	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	20	0.012	0.10	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	20	0.0080	0.040	0.011	J	mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	20	0.20	0.40	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	20	0.20	2.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	20	52.5	139	112		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	20	50.2	139	127		%	402184	1038

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-53b-12	Lab Sample ID:	1009030-024A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:35		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/12/10	09/13/10	20	0.0088	0.040	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	20	0.0079	0.040	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	20	0.0073	0.040	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	20	0.022	0.040	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	20	0.0088	0.040	0.14		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	20	0.0063	0.040	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	20	0.0084	0.040	0.010	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	20	0.0072	0.040	0.010	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	20	0.012	0.040	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	20	0.0095	0.040	0.078		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	20	0.0085	0.040	0.42		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	20	0.011	0.040	0.017	J	mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	20	0.0094	0.040	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	20	0.031	0.040	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	20	0.016	0.040	0.030	J	mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	20	0.021	0.040	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	20	0.0098	0.040	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	20	0.012	0.10	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	20	0.0080	0.040	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	20	0.20	0.40	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	20	0.20	2.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	20	52.5	139	112		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	20	50.2	139	128		%	402184	1038

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-54b-06	Lab Sample ID:	1009030-025A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:50		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	1.6		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.040	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.032	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	0.020		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/12/10	09/13/10	100	0.043	0.20	3.7		mg/Kg	402184	1038
----------	---------	---------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-54b-12	Lab Sample ID:	1009030-026A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 13:55		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	1.5		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.022	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.035	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	50	0.021	0.10	2.2		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-4b-06	Lab Sample ID:	1009030-027A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 14:15		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	4	0.0015	0.0080	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	4	0.0044	0.0080	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	0.021		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	4	0.0013	0.0080	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.0025	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0014	0.0080	0.0030	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	4	0.0024	0.0080	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	0.016		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.072		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	4	0.0023	0.0080	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	4	0.0061	0.0080	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	4	0.0032	0.0080	0.012		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	4	0.0041	0.0080	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	4	0.0025	0.020	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	4	0.040	0.080	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	4	0.040	0.40	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	4	52.5	139	110		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	4	50.2	139	108		%	402184	1038

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-4b-12	Lab Sample ID:	1009030-028A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 14:20		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	4	0.0015	0.0080	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	4	0.0044	0.0080	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	0.0076	J	mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	4	0.0013	0.0080	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.0020	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0014	0.0080	0.0023	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	4	0.0024	0.0080	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	0.035		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.056		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	4	0.0023	0.0080	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	0.0078	J	mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	4	0.0061	0.0080	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	4	0.0032	0.0080	0.14		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	4	0.0041	0.0080	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	4	0.0025	0.020	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	4	0.040	0.080	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	4	0.040	0.40	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	4	52.5	139	106		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	4	50.2	139	101		%	402184	1038

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-54a-06	Lab Sample ID:	1009030-029A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 14:25		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	1.5		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.044	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.041	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Dieldrin	SW8081A	9/12/10	09/13/10	100	0.043	0.20	3.6		mg/Kg	402184	1038
----------	---------	---------	----------	-----	-------	------	-----	--	-------	--------	------



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-54a-12	Lab Sample ID:	1009030-030A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 14:30		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.041	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.035	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	0.037	J	mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	0.057	J	mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	0.033	J	mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/12/10	09/13/10	200	0.088	0.40	3.9		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	200	0.085	0.40	3.7		mg/Kg	402184	1038



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-4c-06	Lab Sample ID:	1009030-031A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 14:55		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	0.65		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.050	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.065	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	0.031	J	mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	50	0.021	0.10	2.3		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-4c-12	Lab Sample ID:	1009030-032A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 15:00		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	0.43		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.12		mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.12		mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	0.046	J	mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	50	0.021	0.10	1.6		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	0.89	J	mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-4a-06	Lab Sample ID:	1009030-033A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 15:05		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	4	0.0015	0.0080	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	4	0.0044	0.0080	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	0.016		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	4	0.0013	0.0080	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.0044	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0014	0.0080	0.0047	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	4	0.0024	0.0080	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	0.015		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.073		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	4	0.0023	0.0080	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	4	0.0061	0.0080	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	4	0.0032	0.0080	0.018		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	4	0.0041	0.0080	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	4	0.0025	0.020	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	4	0.040	0.080	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	4	0.040	0.40	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	4	52.5	139	94.8		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	4	50.2	139	86.9		%	402184	1038

NOTE: Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-4a-12	Lab Sample ID:	1009030-034A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 15:10		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
<i>The results shown below are reported using their MDL.</i>											
alpha-BHC	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	4	0.0015	0.0080	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	4	0.0044	0.0080	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	4	0.0018	0.0080	0.016		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	4	0.0013	0.0080	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.0026	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	4	0.0014	0.0080	0.0045	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	4	0.0024	0.0080	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	0.015		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	4	0.0017	0.0080	0.040		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	4	0.0023	0.0080	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	4	0.0019	0.0080	0.0020	J	mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	4	0.0061	0.0080	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	4	0.0032	0.0080	0.019		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	4	0.0041	0.0080	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	4	0.0020	0.0080	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	4	0.0025	0.020	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	4	0.0016	0.0080	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	4	0.040	0.080	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	4	0.040	0.40	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	4	52.5	139	102		%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	4	50.2	139	102		%	402184	1038

NOTE: Reporting limits increased due to the nature of the sample matrix (dark color extract).



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-51e-06	Lab Sample ID:	1009030-035A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 15:15		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	0.49		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	ND		mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	0.025	J	mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	50	0.021	0.10	1.7		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-51e-12	Lab Sample ID:	1009030-036A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 15:20		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	0.23		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	ND		mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	0.033	J	mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.80		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-51f-06	Lab Sample ID:	1009030-037A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 16:20		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	0.32		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.034	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.034	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	0.031	J	mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	50	0.021	0.10	2.2		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-51f-12	Lab Sample ID:	1009030-038A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 16:25		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Aldrin	SW8081A	9/12/10	09/13/10	50	0.022	0.10	0.59		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	ND		mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.021	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	50	0.021	0.10	1.9		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	ND		mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	0.054	J	mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-15c-06	Lab Sample ID:	1009030-039A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 16:30		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	ND		mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.026	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	0.049	J	mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	0.044	J	mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/12/10	09/13/10	200	0.088	0.40	3.0		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	200	0.085	0.40	4.6		mg/Kg	402184	1038



SAMPLE RESULTS

Report prepared for: Yvonne Parry
Tetra Tech Inc (HI)

Date Received: 09/03/10
Date Reported: 09/15/10

Client Sample ID:	EAR2-RA-15c-12	Lab Sample ID:	1009030-040A
Project Name/Location:	Earhart and Onozuka Sampling	Sample Matrix:	Soil
Project Number:	100-SFO-T26434-02		
Date/Time Sampled:	09/01/10 / 16:35		
Tag Number:	Earhart and Onozuka Sampling		

Parameters:	Analysis Method	Prep Date	Date Analyzed	DF	MDL	PQL	Results	Lab Qualifier	Unit	Analytical Batch	Prep Batch
-------------	-----------------	-----------	---------------	----	-----	-----	---------	---------------	------	------------------	------------

The results shown below are reported using their MDL.

alpha-BHC	SW8081A	9/12/10	09/13/10	50	0.022	0.10	ND		mg/Kg	402184	1038
gamma-BHC	SW8081A	9/12/10	09/13/10	50	0.020	0.10	ND		mg/Kg	402184	1038
beta-BHC	SW8081A	9/12/10	09/13/10	50	0.018	0.10	ND		mg/Kg	402184	1038
delta-BHC	SW8081A	9/12/10	09/13/10	50	0.025	0.10	ND		mg/Kg	402184	1038
Heptachlor	SW8081A	9/12/10	09/13/10	50	0.055	0.10	ND		mg/Kg	402184	1038
Heptachlor epoxide	SW8081A	9/12/10	09/13/10	50	0.016	0.10	ND		mg/Kg	402184	1038
gamma-Chlordane	SW8081A	9/12/10	09/13/10	50	0.021	0.10	0.030	J	mg/Kg	402184	1038
alpha-Chlordane	SW8081A	9/12/10	09/13/10	50	0.018	0.10	0.037	J	mg/Kg	402184	1038
Endosulfan I	SW8081A	9/12/10	09/13/10	50	0.030	0.10	ND		mg/Kg	402184	1038
4,4'-DDE	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endrin	SW8081A	9/12/10	09/13/10	50	0.028	0.10	0.055	J	mg/Kg	402184	1038
4,4'-DDD	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Endosulfan II	SW8081A	9/12/10	09/13/10	50	0.076	0.10	ND		mg/Kg	402184	1038
4,4'-DDT	SW8081A	9/12/10	09/13/10	50	0.040	0.10	ND		mg/Kg	402184	1038
Endrin aldehyde	SW8081A	9/12/10	09/13/10	50	0.051	0.10	ND		mg/Kg	402184	1038
Endosulfan sulfate	SW8081A	9/12/10	09/13/10	50	0.024	0.10	ND		mg/Kg	402184	1038
Methoxychlor	SW8081A	9/12/10	09/13/10	50	0.031	0.25	ND		mg/Kg	402184	1038
Endrin Ketone	SW8081A	9/12/10	09/13/10	50	0.020	0.10	0.045	J	mg/Kg	402184	1038
Chlordane	SW8081A	9/12/10	09/13/10	50	0.50	1.0	ND		mg/Kg	402184	1038
Toxaphene	SW8081A	9/12/10	09/13/10	50	0.50	5.0	ND		mg/Kg	402184	1038
TCMX (S)	SW8081A	9/12/10	09/13/10	50	52.5	139	0.000	S,D	%	402184	1038
DCBP (S)	SW8081A	9/12/10	09/13/10	50	50.2	139	0.000	S,D	%	402184	1038

NOTE: D - Surrogates not recoverable due to dilution of the sample. Reporting limits increased due to dilution necessary for quantitation.

Aldrin	SW8081A	9/12/10	09/13/10	200	0.088	0.40	5.6		mg/Kg	402184	1038
Dieldrin	SW8081A	9/12/10	09/13/10	200	0.085	0.40	6.8		mg/Kg	402184	1038



MB Summary Report

Work Order:	1009030	Prep Method:	3545MI_OCP	Prep Date:	09/11/10	Prep Batch:	1036
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/13/10	Analytical Batch:	402172
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.00044	0.0020	ND		
gamma-BHC	0.00040	0.0020	ND		
beta-BHC	0.00036	0.0020	ND		
delta-BHC	0.00049	0.0020	ND		
Heptachlor	0.0011	0.0020	ND		
Aldrin	0.00044	0.0020	ND		
Heptachlor epoxide	0.00032	0.0020	ND		
gamma-Chlordane	0.00042	0.0020	ND		
alpha-Chlordane	0.00036	0.0020	ND		
Endosulfan I	0.00059	0.0020	ND		
4,4'-DDE	0.00048	0.0020	ND		
Dieldrin	0.00043	0.0020	ND		
Endrin	0.00057	0.0020	ND		
4,4'-DDD	0.00047	0.0020	ND		
Endosulfan II	0.0015	0.0020	ND		
4,4'-DDT	0.00081	0.0020	ND		
Endrin aldehyde	0.0010	0.0020	ND		
Endosulfan sulfate	0.00049	0.0020	ND		
Methoxychlor	0.00062	0.0050	ND		
Endrin Ketone	0.00040	0.0020	ND		
Chlordane	0.010	0.020	ND		
Toxaphene	0.010	0.10	ND		
TCMX (S)			103		
DCBP (S)			100		



MB Summary Report

Work Order:	1009030	Prep Method:	3545MI_OCP	Prep Date:	09/12/10	Prep Batch:	1038
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/13/10	Analytical Batch:	402184
Units:	mg/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Lab Qualifier	
alpha-BHC	0.00044	0.0020	ND		
gamma-BHC	0.00040	0.0020	ND		
beta-BHC	0.00036	0.0020	ND		
delta-BHC	0.00049	0.0020	ND		
Heptachlor	0.0011	0.0020	ND		
Aldrin	0.00044	0.0020	ND		
Heptachlor epoxide	0.00032	0.0020	ND		
gamma-Chlordane	0.00042	0.0020	ND		
alpha-Chlordane	0.00036	0.0020	ND		
Endosulfan I	0.00059	0.0020	ND		
4,4'-DDE	0.00048	0.0020	ND		
Dieldrin	0.00043	0.0020	ND		
Endrin	0.00057	0.0020	ND		
4,4'-DDD	0.00047	0.0020	ND		
Endosulfan II	0.0015	0.0020	ND		
4,4'-DDT	0.00081	0.0020	ND		
Endrin aldehyde	0.0010	0.0020	ND		
Endosulfan sulfate	0.00049	0.0020	ND		
Methoxychlor	0.00062	0.0050	ND		
Endrin Ketone	0.00040	0.0020	ND		
Chlordane	0.010	0.020	ND		
Toxaphene	0.010	0.10	ND		
TCMX (S)			103		
DCBP (S)			106		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1009030	Prep Method:	3545MI_OCP	Prep Date:	09/11/10	Prep Batch:	1036
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/13/10	Analytical Batch:	402172
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	110	83.1	28.3	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	109	81.3	29.5	56.9 - 124	30	
beta-BHC	0.36	2.0		20	119	97.6	20.1	44.2 - 125	30	
delta-BHC	0.49	2.0		20	98.2	76.0	25.3	61.5 - 116	30	
Heptachlor	1.1	2.0		20	117	86.7	29.4	63.6 - 125	30	
Aldrin	0.44	2.0		20	110	89.5	21.0	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	118	90.2	27.2	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	119	89.4	28.0	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	117	88.0	28.3	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	101	81.5	20.9	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	113	86.3	26.4	45.3 - 123	30	
Dieldrin	0.43	2.0		20	117	88.5	28.2	44 - 128	30	
Endrin	0.57	2.0		20	106	81.2	27.0	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	113	86.6	26.4	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	89.7	72.5	21.0	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	109	82.1	28.6	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	85.5	74.6	13.7	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	97.5	79.5	20.4	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	94.8	86.8	9.07	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	100	76.4	27.3	53.9 - 120	30	
TCMX (S)				2100	112	85.1		52.5 - 121		
DCBP (S)				2100	115	86.2		50.2 - 121		



LCS/LCSD Summary Report

Raw values are used in quality control assessment.

Work Order:	1009030	Prep Method:	3545MI_OCP	Prep Date:	09/12/10	Prep Batch:	1038
Matrix:	Soil	Analytical Method:	SW8081A	Analyzed Date:	09/13/10	Analytical Batch:	402184
Units:	ug/Kg						

Parameters	MDL	PQL	Method Blank Conc.	Spike Conc.	LCS % Recovery	LCSD % Recovery	LCS/LCSD % RPD	% Recovery Limits	% RPD Limits	Lab Qualifier
alpha-BHC	0.44	2.0		20	97.0	94.4	2.77	44.2 - 125	30	
gamma-BHC	0.40	2.0		20	96.2	92.9	3.29	56.9 - 124	30	
beta-BHC	0.36	2.0		20	107	102	4.42	44.2 - 125	30	
delta-BHC	0.49	2.0		20	89.2	85.9	3.52	61.5 - 116	30	
Heptachlor	1.1	2.0		20	101	97.9	3.63	63.6 - 125	30	
Aldrin	0.44	2.0		20	97.9	93.5	4.69	53 - 126	30	
Heptachlor epoxide	0.32	2.0		20	105	100	4.88	54.6 - 130	30	
gamma-Chlordane	0.42	2.0		20	106	101	4.84	68.7 - 123	30	
alpha-Chlordane	0.36	2.0		20	104	99.1	4.87	42.4 - 128	30	
Endosulfan I	0.59	2.0		20	94.1	89.3	5.16	61.2 - 119	30	
4,4'-DDE	0.48	2.0		20	102	96.1	5.42	45.3 - 123	30	
Dieldrin	0.43	2.0		20	105	99.7	5.14	44 - 128	30	
Endrin	0.57	2.0		20	93.0	87.3	6.37	44.1 - 126	30	
4,4'-DDD	0.47	2.0		20	102	97.1	5.39	39.6 - 123	30	
Endosulfan II	1.5	2.0		20	85.9	81.5	5.38	56.7 - 112	30	
4,4'-DDT	0.81	2.0		20	97.3	92.1	5.64	52.8 - 134	30	
Endrin aldehyde	1.0	2.0		20	80.3	77.9	3.24	50.2 - 113	30	
Endosulfan sulfate	0.49	2.0		20	91.5	87.7	4.27	62.1 - 116	30	
Methoxychlor	0.62	5.0		20	83.5	79.5	4.95	55.2 - 126	30	
Endrin Ketone	0.40	2.0		20	91.9	89.1	3.25	53.9 - 120	30	
TCMX (S)				2100	97.2	94.9		52.5 - 121		
DCBP (S)				2100	98.3	95.5		50.2 - 121		



Laboratory Qualifiers and Definitions

DEFINITIONS:

Accuracy/Bias (% Recovery) - The closeness of agreement between an observed value and an accepted reference value.
Blank (Method/Preparation Blank) -MB/PB - An analyte-free matrix to which all reagents are added in the same volumes/proportions as used in sample processing. The method blank is used to document contamination resulting from the analytical process.
Duplicate - a field sample and/or laboratory QC sample prepared in duplicate following all of the same processes and procedures used on the original sample (sample duplicate, LCSD, MSD)
Laboratory Control Sample (LCS ad LCSD) - A known matrix spiked with compounds representative of the target analyte(s). This is used to document laboratory performance.
Matrix - the component or substrate that contains the analyte of interest (e.g., - groundwater, sediment, soil, waste water, etc)
Matrix Spike (MS/MSD) - Client sample spiked with identical concentrations of target analyte (s). The spiking occurs prior to the sample preparation and analysis. They are used to document the precision and bias of a method in a given sample matrix.
Method Detection Limit (MDL) - the minimum concentration of a substance that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero
Practical Quantitation Limit (PQL) - a laboratory determined value at 2 to 5 times above the MDL that can be reproduced in a manner that results in a 99% confidence level that the result is both accurate and precise. PQLs reflect all preparation factors and/or dilution factors that have been applied to the sample during the preparation and/or analytical processes.
Precision (%RPD) - The agreement among a set of replicate/duplicate measurements without regard to known value of the replicates
Surrogate (S) or (Surr) - An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. Surrogates are used in most organic analysis to demonstrate matrix compatibility with the chosen method of analysis
Tentatively Identified Compound (TIC) - A compound not contained within the analytical calibration standards but present in the GCMS library of defined compounds. When the library is searched for an unknown compound, it can frequently give a tentative identification to the compound based on retention time and primary and secondary ion match. TICs are reported as estimates and are candidates for further investigation.
Units: the unit of measure used to express the reported result - mg/L and mg/Kg (equivalent to PPM - parts per million in liquid and solid), ug/L and ug/Kg (equivalent to PPB - parts per billion in liquid and solid), ug/m3 , mg.m3 , ppbv and ppmv (all units of measure for reporting concentrations in air), % (equivalent to 10000 ppm or 1,000,000 ppb), ug/Wipe (concentration found on the surface of a single Wipe usually taken over a 100cm2 surface)

LABORATORY QUALIFIERS:

<p>B - Indicates when the analyte is found in the associated method or preparation blank</p> <p>D - Surrogate is not recoverable due to the necessary dilution of the sample</p> <p>E - Indicates the reportable value is outside of the calibration range of the instrument but within the linear range of the instrument (unless otherwise noted) Values reported with an E qualifier should be considered as estimated.</p> <p>H- Indicates that the recommended holding time for the analyte or compound has been exceeded</p> <p>J- Indicates a value between the method MDL and PQL and that the reported concentration should be considered as estimated rather the quantitative</p> <p>NA - Not Analyzed</p> <p>N/A - Not Applicable</p> <p>NR - Not recoverable - a matrix spike concentration is not recoverable due to a concentration within the original sample that is greater than four times the spike concentration added</p> <p>R- The % RPD between a duplicate set of samples is outside of the absolute values established by laboratory control charts</p> <p>S- Spike recovery is outside of established method and/or laboratory control limits. Further explanation of the use of this qualifier should be included within a case narrative</p> <p>X -Used to indicate that a value based on pattern identification is within the pattern range but not typical of the pattern found in standards. Further explanation may or may not be provided within the sample footnote and/or the case narrative.</p>



Sample Receipt Checklist

Client Name: Tetra Tech Inc (HI)

Date and Time Received: 9/3/2010 12:05

Project Name: Earhart and Onozuka Sampling

Received By: NG

Work Order No.: 1009030

Physically Logged By: NG

Checklist Completed By: NG

Carrier Name: FedEx

Chain of Custody (COC) Information

Chain of custody present? Yes
Chain of custody signed when relinquished and received? Yes
Chain of custody agrees with sample labels? Yes
Custody seals intact on sample bottles? Not Present

Sample Receipt Information

Custody seals intact on shipping container/cooler? Not Present
Shipping Container/Cooler In Good Condition? Yes
Samples in proper container/bottle? Yes
Samples containers intact? Yes
Sufficient sample volume for indicated test? Yes

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes
Container/Temp Blank temperature in compliance? Yes Temperature: 4 °C
Water-VOA vials have zero headspace? No VOA vials submitted
Water-pH acceptable upon receipt?

pH Checked by:

pH Adjusted by:



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onozuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/3/2010
Report Due Date:	9/15/2010	Time Received:	12:05
Comments:	5 day TAT! (+2 days for drying) Received 40 soils @ 4°C. Multi incremental sampling for 8081. Samples need to be air dried, sieved and subsampled.		
Work Order # :	1009030		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009030-001A	EAR2-RA-12a-06	09/01/10 9:25	Soil	03/02/11			S_8081MITetra	
Sample Note: Multi incremental sampling for 8081. Samples need to be air dried, sieved and sub sampled.								
1009030-002A	EAR2-RA-12a-12	09/01/10 9:30	Soil	03/02/11			S_8081MITetra	
1009030-003A	EAR2-RA-12b-06	09/01/10 9:35	Soil	03/02/11			S_8081MITetra	
1009030-004A	EAR2-RA-12b-12	09/01/10 9:40	Soil	03/02/11			S_8081MITetra	
1009030-005A	EAR2-RA-12c-06	09/01/10 9:50	Soil	03/02/11			S_8081MITetra	
1009030-005A10 0x	EAR2-RA-12c-06	09/01/10 9:50	Soil	03/02/11			S_8081MITetra	
1009030-006A	EAR2-RA-12c-12	09/01/10 9:55	Soil	03/02/11			S_8081MITetra	
1009030-007A	EAR2-RA-48c-06	09/01/10 10:15	Soil	03/02/11			S_8081MITetra	
1009030-008A	EAR2-RA-48c-12	09/01/10 10:20	Soil	03/02/11			S_8081MITetra	
1009030-009A	EAR2-RA-48a-06	09/01/10 10:25	Soil	03/02/11			S_8081MITetra	
1009030-010A	EAR2-RA-48a-12	09/01/10 10:30	Soil	03/02/11			S_8081MITetra	
1009030-011A	EAR2-RA-48d-06	09/01/10 10:35	Soil	03/02/11			S_8081MITetra	
1009030-012A	EAR2-RA-48d-12	09/01/10 10:40	Soil	03/02/11			S_8081MITetra	
1009030-013A	EAR2-RA-48b-06-1	09/01/10 11:05	Soil	03/02/11			S_8081MITetra	
1009030-014A	EAR2-RA-48b-12	09/01/10 11:10	Soil	03/02/11			S_8081MITetra	
1009030-015A	EAR2-RA-48b-06-2	09/01/10 11:15	Soil	03/02/11			S_8081MITetra	
1009030-016A	EAR2-RA-48b-06-3	09/01/10 11:20	Soil	03/02/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onozuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/3/2010
Report Due Date:	9/15/2010	Time Received:	12:05
Comments:	5 day TAT! (+2 days for drying) Received 40 soils @ 4°C. Multi incremental sampling for 8081. Samples need to be air dried, sieved and subsampled.		
Work Order # :	1009030		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009030-017A	EAR2-RA-48e-06	09/01/10 11:30	Soil	03/02/11			S_8081MITetra	
1009030-018A	EAR2-RA-48e-12	09/01/10 11:35	Soil	03/02/11			S_8081MITetra	
1009030-019A	EAR2-RA-53a-06-1	09/01/10 13:10	Soil	03/02/11			S_8081MITetra	
1009030-020A	EAR2-RA-53a-12	09/01/10 13:15	Soil	03/02/11			S_8081MITetra	
1009030-021A	EAR2-RA-53a-06-2	09/01/10 13:20	Soil	03/02/11			S_8081MITetra	
1009030-022A	EAR2-RA-53a-06-3	09/01/10 13:25	Soil	03/02/11			S_8081MITetra	
1009030-023A	EAR2-RA-53b-06	09/01/10 13:30	Soil	03/02/11			S_8081MITetra	
1009030-024A	EAR2-RA-53b-12	09/01/10 13:35	Soil	03/02/11			S_8081MITetra	
1009030-025A	EAR2-RA-54b-06	09/01/10 13:50	Soil	03/02/11			S_8081MITetra	
1009030-025A10 0x	EAR2-RA-54b-06	09/01/10 13:50	Soil	03/02/11			S_8081MITetra	
1009030-026A	EAR2-RA-54b-12	09/01/10 13:55	Soil	03/02/11			S_8081MITetra	
1009030-027A	EAR2-RA-4b-06	09/01/10 14:15	Soil	03/02/11			S_8081MITetra	
1009030-028A	EAR2-RA-4b-12	09/01/10 14:20	Soil	03/02/11			S_8081MITetra	
1009030-029A	EAR2-RA-54a-06	09/01/10 14:25	Soil	03/02/11			S_8081MITetra	
1009030-029A10 0x	EAR2-RA-54a-06	09/01/10 14:25	Soil	03/02/11			S_8081MITetra	
1009030-030A	EAR2-RA-54a-12	09/01/10 14:30	Soil	03/02/11			S_8081MITetra	
1009030-030A10 0x	EAR2-RA-54a-12	09/01/10 14:30	Soil	03/02/11			S_8081MITetra	



Login Summary Report

Client ID:	TL5162 Tetra Tech Inc (HI)	QC Level:	
Project Name:	Earhart and Onozuka Sampling	TAT Requested:	5+ day:0
Project # :	100-SFO-T26434-02	Date Received:	9/3/2010
Report Due Date:	9/15/2010	Time Received:	12:05
Comments:	5 day TAT! (+2 days for drying) Received 40 soils @ 4°C. Multi incremental sampling for 8081. Samples need to be air dried, sieved and subsampled.		
Work Order # :	1009030		

<u>WO Sample ID</u>	<u>Client Sample ID</u>	<u>Collection Date/Time</u>	<u>Matrix</u>	<u>Scheduled Disposal</u>	<u>Sample On Hold</u>	<u>Test On Hold</u>	<u>Requested Tests</u>	<u>Subbed</u>
1009030-030A20 0x	EAR2-RA-54a-12	09/01/10 14:30	Soil	03/02/11			S_8081MITetra	
1009030-031A	EAR2-RA-4c-06	09/01/10 14:55	Soil	03/02/11			S_8081MITetra	
1009030-032A	EAR2-RA-4c-12	09/01/10 15:00	Soil	03/02/11			S_8081MITetra	
1009030-033A	EAR2-RA-4a-06	09/01/10 15:05	Soil	03/02/11			S_8081MITetra	
1009030-034A	EAR2-RA-4a-12	09/01/10 15:10	Soil	03/02/11			S_8081MITetra	
1009030-035A	EAR2-RA-51e-06	09/01/10 15:15	Soil	03/02/11			S_8081MITetra	
1009030-036A	EAR2-RA-51e-12	09/01/10 15:20	Soil	03/02/11			S_8081MITetra	
1009030-037A	EAR2-RA-51f-06	09/01/10 16:20	Soil	03/02/11			S_8081MITetra	
1009030-038A	EAR2-RA-51f-12	09/01/10 16:25	Soil	03/02/11			S_8081MITetra	
1009030-039A	EAR2-RA-15c-06	09/01/10 16:30	Soil	03/02/11			S_8081MITetra	
1009030-039A20 0x	EAR2-RA-15c-06	09/01/10 16:30	Soil	03/02/11			S_8081MITetra	
1009030-040A	EAR2-RA-15c-12	09/01/10 16:35	Soil	03/02/11			S_8081MITetra	
1009030-040A20 0x	EAR2-RA-15c-12	09/01/10 16:35	Soil	03/02/11			S_8081MITetra	



CHAIN-OF-CUSTODY RECORD

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Telephone Number: (808)533-3366

Fax No.: (808)533-3306


Invoice To: Y. Parry

Sampler Name: (Print) Jon Mollison

Project ID: Earhart and Onizuka Sampling

Sampler Signature: [Signature]

Project #: 100-SFO-T26434-02



Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative							Matrix			Analyze For:				RUSH TAT (Pre-Schedule)	Standard TAT														
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH/VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):			Multi-Incremental	Preparatio	8081											
013A EAR2-RA-48b-06-1	9/1/10	1105	1			X	X								X	X	X																		X	
014A EAR2-RA-48b-12	9/1/10	1110	1			X	X								X	X	X																		X	
015A EAR2-RA-48b-06-2	9/1/10	1115	1			X	X								X	X	X																		X	
016A EAR2-RA-48b-06-3	9/1/10	1120	1			X	X								X	X	X																		X	
017A EAR2-RA-48e-06	9/1/10	1130	1			X	X								X	X	X																		X	
018A EAR2-RA-48e-12	9/1/10	1135	1			X	X								X	X	X																		X	
019A EAR2-RA-53a-06-1	9/1/10	1310	1			X	X								X	X	X																		X	
020A EAR2-RA-53a-12	9/1/10	1315	1			X	X								X	X	X																		X	
021A EAR2-RA-53a-06-2	9/1/10	1320	1			X	X								X	X	X																		X	
022A EAR2-RA-53a-06-3	9/1/10	1325	1			X	X								X	X	X																		X	
023A EAR2-RA-53b-06	9/1/10	1330	1			X	X								X	X	X																		X	
024A EAR2-RA-53b-12	9/1/10	1335	1			X	X								X	X	X																		X	

Special Instructions:

Please proceed with air-drying, sieving and subsampling as per HDOH guidance

Method of Shipment: FEDEX

Laboratory Comments:

Temperature Upon Receipt: **4°C**
VOCs Free of Headspace? **Y N**

Relinquished by: <u>[Signature]</u>	Date: <u>9/1/2010</u>	Time: <u>1800</u>	Received by: <u>[Signature]</u>	Date: <u>9/1/2010</u>	Time: <u>1800</u>
-------------------------------------	-----------------------	-------------------	---------------------------------	-----------------------	-------------------

Relinquished by: <u>[Signature]</u>	Date: <u>9/2/2010</u>	Time: <u>1100</u>	Received by FedEx: <u>FedEx</u>	Date:	Time:
-------------------------------------	-----------------------	-------------------	---------------------------------	-------	-------

FedEx 9/3/10 12:05 P.M. D. G. Choolasara 9-3-10 12:05 P.M.

Page 2 of 4



CHAIN-OF-CUSTODY RECORD

Client Name/Account #: TetraTech, Inc.
 Address: 737 Bishop St., Suite 3020
 City/State/Zip: Honolulu, HI 96813
 Project Manager: Y. Parry
 Telephone Number: (808)533-3366 Fax No.: (808)533-3306
 Sampler Name: (Print) Jon Mollison
 Sampler Signature: *[Signature]*



TETRA TECH

1009030

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison
 Invoice To: Y. Parry
 Project ID: Earhart and Onizuka Sampling
 Project #: 100-SFO-T26434-02

001A
002A
003A
004A
005A
006A
007A
008A
009A
010A
011A
012A

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-Incremental Sample	Preservative										Matrix				Analyze For:				RUSH TAT (Pre-Schedule Standard TAT)	Standard TAT																								
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparation	8081	8082	8083			8084																							
EAR2-RA-12a-06	9/1/10	925	1			X	X																																											
EAR2-RA-12a-12	9/1/10	930	1			X	X																																											
EAR2-RA-12b-06	9/1/10	935	1			X	X																																											
EAR2-RA-12b-12	9/1/10	940	1			X	X																																											
EAR2-RA-12c-06	9/1/10	950	1			X	X																																											
EAR2-RA-12c-12	9/1/10	955	1			X	X																																											
EAR2-RA-48c-06	9/1/10	1015	1			X	X																																											
EAR2-RA-48c-12	9/1/10	1020	1			X	X																																											
EAR2-RA-48a-06	9/1/10	1025	1			X	X																																											
EAR2-RA-48a-12	9/1/10	1030	1			X	X																																											
EAR2-RA-48d-06	9/1/10	1035	1			X	X																																											
EAR2-RA-48d-12	9/1/10	1040	1			X	X																																											

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance
Method of Shipment: FEDEX
Laboratory Comments: Temperature Upon Receipt: 4°C
 VOCs Free of Headspace? Y N
 Relinquished by: *[Signature]* Date: 9/1/2010 Time: 1800
 Received by: *[Signature]* Date: 9/1/2010 Time: 1800
 Relinquished by: *[Signature]* Date: 9/2/2010 Time: 1100
 Received by FedEx: FedEx Date: _____ Time: _____
FedEx 9/3/10 12:05 p.m. Dr. G. Chadasara 9/3/10 12:05 p.m.



CHAIN-OF-CUSTODY RECORD



TETRATECH
1009030

Client Name/Account #: TetraTech, Inc.

Address: 737 Bishop St., Suite 3020

City/State/Zip: Honolulu, HI 96813

Project Manager: Y. Parry

Telephone Number: (808)533-3366 Fax No.: (808)533-3306

Sampler Name: (Print) Jon Mollison

Sampler Signature: *[Signature]*

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Invoice To: Y. Parry

Project ID: Earhart and Onizuka Sampling

Project #: 100-SFO-T26434-02

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-incremental Sample	Preservative											Matrix			Analyze For:											RUSH TAT (Pre-Schedule Standard TAT)			
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental Preparative	8081													
025A EAR2-RA-54b-06	9/1/2010	1350	1			X	X													X	X	X													X
026A EAR2-RA-54b-12		1355	1			X	X													X	X	X												X	
027A EAR2-RA-4b-06		1415	1			X	X													X	X	X												X	
028A EAR2-RA-4b-12		1420	1			X	X													X	X	X												X	
029A EAR2-RA-54a-06		1425	1			X	X													X	X	X												X	
030A EAR2-RA-54a-12		1430	1			X	X													X	X	X												X	
031A EAR2-RA-4c-06		1455	1			X	X													X	X	X												X	
032A EAR2-RA-4c-12		1500	1			X	X													X	X	X												X	
033A EAR2-RA-4a-06		1505	1			X	X													X	X	X												X	
034A EAR2-RA-4a-12		1510	1			X	X													X	X	X												X	
035A EAR2-RA-51c-06		1515	1			X	X													X	X	X												X	
036A EAR2-RA-51c-12		1520	1			X	X													X	X	X												X	

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance						Laboratory Comments: Temperature Upon Receipt: <u>4°C</u> VOCs Free of Headspace? <u>Y</u> <u>N</u>					
Method of Shipment: FEDEX											
Relinquished by: <i>[Signature]</i>	Date 9/1/2010	Time 1800	Received by: <i>[Signature]</i>	Date 9/1/2010	Time 1800						
Relinquished by: <i>[Signature]</i>	Date 9/2/2010	Time 1100	Received by FedEx: FedEx	Date	Time						

FedEx 9/3/10 12:05 P.M. *[Signature]* 9/3/10 12:05 P.M.



CHAIN-OF-CUSTODY RECORD

Client Name/Account #: TetraTech, Inc.
 Address: 737 Bishop St., Suite 3020
 City/State/Zip: Honolulu, HI 96813
 Project Manager: Y. Parry
 Telephone Number: (808)533-3366 Fax No.: (808)533-3306
 Sampler Name: (Print) Jon Mollison
 Sampler Signature: [Signature]



TETRA TECH

1009030

Report To: Y. Parry, G. Eaton, T. Whitehead, J. Mollison

Invoice To: Y. Parry

Project ID: Earhart and Onizuka Sampling

Project #: 100-SFO-T26434-02

037A
038A
039A
040A

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Multi-Incremental Sample	Preservative							Matrix				Analyze For:				RUSH TAT (Pre-Schedule Standard TAT)			
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (one MeOH VOA)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	Multi-Incremental		Preparative	8081	
EAR2-RA-51F-06-	9/1/10	1620	1			X	X											X	X	X					X
EAR2-RA-51F-12	9/1/10	1625	1			X	X											X	X	X					X
EAR2-RA-15C-06	9/1/10	1630	1			X	X											X	X	X					X
EAR2-RA-15C-12	9/1/10	1635	1			X	X											X	X	X					X
EAR2-RA-			1			X	X											X	X	X					X
EAR2-RA-			1			X	X											X	X	X					X
EAR2-RA-			1			X	X											X	X	X					X
EAR2-RA-			1			X	X											X	X	X					X
EAR2-RA-			1			X	X											X	X	X					X
EAR2-RA-			1			X	X											X	X	X					X
EAR2-RA-			1			X	X											X	X	X					X

0102/1/16 JAC

Special Instructions: Please proceed with air-drying, sieving and subsampling as per HDOH guidance
 Method of Shipment: FEDEX

Laboratory Comments: Temperature Upon Receipt: 40°C
 VOCs Free of Headspace? Y N

Relinquished by: <u>[Signature]</u>	Date: <u>9/1/2010</u>	Time: <u>1800</u>	Received by: <u>[Signature]</u>	Date: <u>9/1/2010</u>	Time: <u>1800</u>
Relinquished by: <u>[Signature]</u>	Date: <u>9/2/2010</u>	Time: <u>1100</u>	Received by FedEx: <u>FedEx</u>	Date:	Time:

FedEx 9/3/10 12:05 p.m. [Signature] 9-3-10 12:05 P.M.